



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: GA91219001-009
Batch#: 34919
Sample Size Received: 30 ml
Total Amount: 500 mg
Retail Product Size: 30 ml
Ordered: 12/17/19
Sampled: 12/17/19
Completed: 12/23/19
Sampling Method: SOP.T.20.010.FL
PASSED

Dec 23, 2019 | PNP Marketing Inc d.b.a

Plants Not Pills CBD


514 N Franklin St #205, Tampa, FL 33602
Tampa, Florida, 33602, USA


Pages 1 of 1

PRODUCT IMAGE


Bottle

SAFETY RESULTS

Pesticides
NOT TESTED

Heavy Metals
NOT TESTED

Microbials
NOT TESTED

Mycotoxins
NOT TESTED

Residuals Solvents
NOT TESTED

Filtration
NOT TESTED

Water Activity
NOT TESTED

Moisture
NOT TESTED

Terpenes
NOT TESTED

MISC.

Cannabinoid
PASSED

Total THC
0%

/Container : 10.5 mg


Total CBD
0%

CBD/Container : 459.49 mg


Total Cannabinoids
0%

Total Cannabinoids / Container : 0

	TOTAL CAN NABINOIDS	TOTAL CBD	TOTAL THC	CBC	CBGA	CBG	THCV	D8-THC	CBDV	CBN	CBDA	CBD	THCA	D9-THC
%	0	0	0	0.029	0	0.039	0	0	0.009	0	0.011	1.522	0	0.035
mg/g														
LOD		0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001		0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
508

Weight:
3.0028g

Extraction date:
12/20/19 02:12:51

Extracted by:
650

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : N/A

Instrument Used : N/A

Analyzed Date : N/A

Reviewed On : N/A

Batch Date : N/A

Dilution : 400

Reagent : 122019.R06; 121919.R04; 121719.R06; 121719.R05

Consumables : 280678958; vav-09-1020; 6970145500298; 190715

Pipette : N/A

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Miranda MacDonald
Lab Director

State License # CMTL-0001
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164


Signature
12/23/19