3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Strawnana (H)
Strain: Strawnana (H)
Matrix: Derivative
Classification: High THC
Type: Extract for Inhalation

# Certificate of Analysis



## COMPLIANCE FOR RETAIL — PASSED




**Harvest/Lot ID:** 4761184278064476
**Batch #:** 4761184278064476
**Batch Date:** 03/18/26
**Production Method:** Other - Not Listed
**Total Amount:** 360 units
**Cultivation Facility:** FL - Indiantown (4430)
**Processing Facility:** FL - Indiantown (4430)
**Retail Product Size:** 0.5 gram
**Retail Serving Size:** 0.5 gram
**Servings:** 1
**Seed To Sale #:** 1987036330740159

**Lab ID: MI60324005-001**
**Sampled:** 03/23/26
**Sampling Method:** SOP.T.20.010
**Sample Size:** 31 units
**Completed:** 03/26/26
**Manifest #:** 9202469144667240

**Sunnyside**
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
**License # :** M00008CULPROFASIndiantown001

Sunnyside®

**SAFETY RESULTS** — **MISC.**


| Pesticide | Heavy Metals | Microbial | Mycotoxins | Solvents | Filth/Foreign Material | Water Activity | Moisture Content | Terpenes |
|---|---|---|---|---|---|---|---|---|
| PASSED | PASSED | PASSED | PASSED | PASSED | PASSED | PASSED | NOT TESTED | TESTED |

## Cannabinoid — TESTED

**Total THC**
**86.4%**
**Total THC : 432 mg**

**Total CBD**
**0.327%**
**Total CBD : 1.64 mg**

**Total Cannabinoids**
**90.8%**
**Total Cannabinoids/Container : 454 mg**



| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC | THCVA |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| % | 86.4 | ND | 0.327 | ND | ND | 3.12 | ND | 0.372 | 0.467 | ND | 0.117 | ND |
| mg/unit | 432 | ND | 1.64 | ND | ND | 15.6 | ND | 1.86 | 2.34 | ND | 0.585 | ND |
| LOD | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 | 0.00100 |
| LOQ | 0.0100 | 0.0100 | 0.0100 | 0.0100 | 0.0100 | 0.0100 | 0.0100 | 0.0100 | 0.0100 | 0.0100 | 0.0100 | 0.0100 |
| | % | % | % | % | % | % | % | % | % | % | % | % |
| Qualifier | | | | | | | | | | | | |

**Analyzed by:** 3335, 1665, 585, 1440
**Weight:** 0.11g
**Extraction date:** 03/24/26 22:08:13
**Extracted by:** 3335,1665

**Analysis Method :** SOP.T.40.031, SOP.T.30.031
**Analytical Batch :** MI097135POT
**Instrument Used :** DA-LC-008
**Analyzed Date :** 03/25/26 10:39:11
**Batch Date :** 03/24/26 10:53:53

**Dilution :** 400
**Reagent :** 031126.R27; 102725.04; 030526.R04
**Consumables :** 947.110; 04402004; 040724CH01; 0000214700
**Pipette :** DA-079; DA-108; DA-421

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
03/26/26
**Laboratory License #:** 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Strawnana (H)
Strain: Strawnana (H)
Matrix: Derivative
Classification: High THC
Type: Extract for Inhalation

# Certificate of Analysis



**Sunnyside**
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
**License # :** M00008CULPROFASIndiantown001

**Sample: MI60324005-001**
**Batch #:** 4761184278064476
**Harvest/Lot ID:** 4761184278064476
**Seed to sale:** 1987036330740159

**Ordered:** 03/23/26
**Sampled:** 03/23/26
**Completed:** 03/26/26

**PASSED**

## Label Claim Verification

**PASSED**

| ANALYTES | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|---|---|---|---|---|---|---|---|

**Analyzed by:** **Weight:** **Extraction date:** **Extracted by:**

**Analysis Method :** N/A
**Analytical Batch :** N/A
**Instrument Used :** N/A
**Analyzed Date :** 03/25/26 10:39:10

**Batch Date :** N/A

## Terpenes

**TESTED**

| ANALYTES | LOD | LOQ | LIMIT | PASS/FAIL | RESULT (%) | (MG/UNIT) | QUALIFIER |
|---|---|---|---|---|---|---|---|
| TOTAL TERPENES | 0.00700 | 0.0200 | | TESTED | 3.89 | 19.4 | |
| LIMONENE | 0.00700 | 0.0200 | | TESTED | 2.07 | 10.4 | |
| OCIMENE | 0.00700 | 0.0200 | | TESTED | 0.571 | 2.85 | |
| BETA-MYRCENE | 0.00700 | 0.0200 | | TESTED | 0.408 | 2.04 | |
| ALPHA-PINENE | 0.00700 | 0.0200 | | TESTED | 0.283 | 1.42 | |
| BETA-PINENE | 0.00700 | 0.0200 | | TESTED | 0.155 | 0.777 | |
| ALPHA-BISABOLOL | 0.00700 | 0.0200 | | TESTED | 0.101 | 0.507 | |
| BETA-CARYOPHYLLENE | 0.00700 | 0.0200 | | TESTED | 0.100 | 0.501 | |
| CAMPHENE | 0.00700 | 0.0200 | | TESTED | 0.0645 | 0.322 | |
| ALPHA-HUMULENE | 0.00700 | 0.0200 | | TESTED | 0.0411 | 0.205 | |
| ALPHA-TERPINOLENE | 0.00700 | 0.0200 | | TESTED | 0.0378 | 0.189 | |
| FENCHYL ALCOHOL | 0.00700 | 0.0200 | | TESTED | 0.0314 | 0.157 | |
| CARYOPHYLLENE OXIDE | 0.00700 | 0.0200 | | TESTED | 0.0247 | 0.123 | |
| 3-CARENE | 0.00700 | 0.0200 | | TESTED | ND | ND | |
| BORNEOL | 0.0130 | 0.0400 | | TESTED | ND | ND | |
| CAMPHOR | 0.00700 | 0.0200 | | TESTED | ND | ND | |
| CEDROL | 0.00700 | 0.0200 | | TESTED | ND | ND | |
| EUCALYPTOL | 0.00700 | 0.0200 | | TESTED | ND | ND | |
| FARNESENE | 0.00700 | 0.0200 | | TESTED | ND | ND | |
| FENCHONE | 0.00700 | 0.0200 | | TESTED | ND | ND | |
| GERANIOL | 0.00700 | 0.0200 | | TESTED | ND | ND | |
| GERANYL ACETATE | 0.00700 | 0.0200 | | TESTED | ND | ND | |
| GUAIOL | 0.00700 | 0.0200 | | TESTED | ND | ND | |
| HEXAHYDROTHYMOL | 0.00700 | 0.0200 | | TESTED | ND | ND | |
| ISOBORNEOL | 0.00700 | 0.0200 | | TESTED | ND | ND | |
| ISOPULEGOL | 0.00700 | 0.0200 | | TESTED | ND | ND | |
| LINALOOL | 0.00700 | 0.0200 | | TESTED | ND | ND | |
| NEROL | 0.00700 | 0.0200 | | TESTED | ND | ND | |
| PULEGONE | 0.00700 | 0.0200 | | TESTED | ND | ND | |
| SABINENE | 0.00700 | 0.0200 | | TESTED | ND | ND | |
| SABINENE HYDRATE | 0.00700 | 0.0200 | | TESTED | ND | ND | |
| VALENCENE | 0.00700 | 0.0200 | | TESTED | ND | ND | |
| ALPHA-CEDRENE | 0.00500 | 0.0160 | | TESTED | ND | ND | |
| ALPHA-PHELLANDRENE | 0.00700 | 0.0200 | | TESTED | ND | ND | |
| ALPHA-TERPINENE | 0.00700 | 0.0200 | | TESTED | ND | ND | |
| ALPHA-TERPINEOL | 0.00700 | 0.0200 | | TESTED | ND | ND | |
| CIS-NEROLIDOL | 0.00300 | 0.00800 | | TESTED | ND | ND | |
| GAMMA-TERPINENE | 0.00700 | 0.0200 | | TESTED | ND | ND | |
| TRANS-NEROLIDOL | 0.00500 | 0.0160 | | TESTED | ND | ND | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
03/26/26
**Laboratory License #:** 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Strawnana (H)
Strain: Strawnana (H)
Matrix: Derivative
Classification: High THC
Type: Extract for Inhalation

# Certificate of Analysis



**Sunnyside**
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
**License # :** M00008CULPROFASIndiantown001

**Sample: MI60324005-001**
**Batch #:** 4761184278064476
**Harvest/Lot ID:** 4761184278064476
**Seed to sale:** 1987036330740159

**Ordered:** 03/23/26
**Sampled:** 03/23/26
**Completed:** 03/26/26

**PASSED**

## Terpenes

**TESTED**

| ANALYTES | LOD | LOQ | LIMIT | PASS/FAIL | RESULT (%) | (MG/UNIT) | QUALIFIER |
|---|---|---|---|---|---|---|---|

**Analyzed by:** 4531, 585, 1440 **Weight:** 0.2229g **Extraction date:** 03/24/26 12:48:37 **Extracted by:** 4531

**Analysis Method :** SOP.T.30.061A.FL, SOP.T.40.061A.FL
**Analytical Batch :** MI097130TER
**Instrument Used :** DA-GCMS-009
**Batch Date :** 03/24/26 10:24:07
**Analyzed Date :** 03/25/26 10:39:14

**Dilution :** 10
**Reagent :** 112625.49
**Consumables :** 947.110; 04312111; 2240626; 0000355309
**Pipette :** DA-065

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

## Pesticide

**PASSED**

| ANALYTES | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|---|---|---|---|---|---|---|---|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | ppm | 0.0100 | 0.0500 | 5 | PASS | ND | |
| TOTAL DIMETHOMORPH | ppm | 0.0100 | 0.0500 | 0.2 | PASS | ND | |
| TOTAL PERMETHRIN | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| TOTAL PYRETHRINS | ppm | 0.0100 | 0.0500 | 0.5 | PASS | ND | |
| TOTAL SPINETORAM | ppm | 0.0100 | 0.0500 | 0.2 | PASS | ND | |
| TOTAL SPINOSAD | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| ABAMECTIN B1A | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| ACEPHATE | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| ACEQUINOCYL | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| ACETAMIPRID | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| ALDICARB | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| AZOXYSTROBIN | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| BIFENAZATE | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| CHLORPYRIFOS | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| BIFENTHRIN | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| BOSCALID | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| CARBARYL | ppm | 0.0100 | 0.0500 | 0.5 | PASS | ND | |
| CLOFENTEZINE | ppm | 0.0100 | 0.0500 | 0.2 | PASS | ND | |
| CARBOFURAN | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| COUMAPHOS | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| CHLORANTRANILIPROLE | ppm | 0.0100 | 0.0500 | 1 | PASS | ND | |
| DAMINOZIDE | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| CHLORMEQUAT CHLORIDE | ppm | 0.0100 | 0.0500 | 1 | PASS | ND | |
| DIAZINON | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| DICHLORVOS | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| DIMETHOATE | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| ETHOPROPHOS | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| ETOFENPROX | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| ETOXAZOLE | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| FENHEXAMID | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| FENOXYCARB | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| FENPYROXIMATE | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| FIPRONIL | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| FLONICAMID | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| FLUDIOXONIL | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| HEXYTHIAZOX | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| IMAZALIL | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
03/26/26
**Laboratory License #:** 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Strawnana (H)
Strain: Strawnana (H)
Matrix: Derivative
Classification: High THC
Type: Extract for Inhalation

# Certificate of Analysis



**Sunnyside**
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
**License # :** M00008CULPROFASIndiantown001

**Sample: MI60324005-001**
**Batch #:** 4761184278064476
**Harvest/Lot ID:** 4761184278064476
**Seed to sale:** 1987036330740159

**Ordered:** 03/23/26
**Sampled:** 03/23/26
**Completed:** 03/26/26

**PASSED**

## Pesticide

**PASSED**

| ANALYTES | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|---|---|---|---|---|---|---|---|
| IMIDACLOPRID | ppm | 0.0100 | 0.0500 | 0.4 | PASS | ND | |
| KRESOXIM-METHYL | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| MALATHION | ppm | 0.0100 | 0.0500 | 0.2 | PASS | ND | |
| METALAXYL | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| METHIOCARB | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| METHOMYL | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| MEVINPHOS | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| MYCLOBUTANIL | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| NALED | ppm | 0.0100 | 0.0500 | 0.25 | PASS | ND | |
| OXAMYL | ppm | 0.0100 | 0.0500 | 0.5 | PASS | ND | |
| PACLOBUTRAZOL | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| PHOSMET | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| PIPERONYL BUTOXIDE | ppm | 0.0100 | 0.0500 | 3 | PASS | ND | |
| PRALLETHRIN | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| PROPICONAZOLE | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| PROPOXUR | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| PYRIDABEN | ppm | 0.0100 | 0.0500 | 0.2 | PASS | ND | |
| SPIROMESIFEN | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| SPIROTETRAMAT | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| SPIROXAMINE | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| TEBUCONAZOLE | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| THIACLOPRID | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| THIAMETHOXAM | ppm | 0.0100 | 0.0500 | 0.5 | PASS | ND | |
| TRIFLOXYSTROBIN | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| PENTACHLORONITROBENZENE (PCNB) | ppm | 0.0100 | 0.0500 | 0.15 | PASS | ND | |
| PARATHION-METHYL | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| CAPTAN | ppm | 0.0700 | 0.350 | 0.7 | PASS | ND | |
| CHLORDANE | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| CHLORFENAPYR | ppm | 0.0100 | 0.0500 | 0.1 | PASS | ND | |
| CYFLUTHRIN | ppm | 0.0500 | 0.250 | 0.5 | PASS | ND | |
| CYPERMETHRIN | ppm | 0.0500 | 0.250 | 0.5 | PASS | ND | |

**Analyzed by:** 4451, 585, 1440
**Weight:** 0.2626g
**Extraction date:** 03/24/26 15:21:33
**Extracted by:** 450

**Analysis Method :** SOP.T.30.102.FL, SOP.T.40.102.FL
**Analytical Batch :** MI097138PES
**Instrument Used :** DA-LCMS-005 (PES)
**Batch Date :** 03/24/26 11:13:55
**Analyzed Date :** 03/26/26 09:23:18

**Dilution :** 250
**Reagent :** 031626.R01; 012026.01; 031826.R30; 031626.R02; 031826.R29; 022426.R23; 031826.R03
**Consumables :** 947.110; 030125CH01; 6822423-02
**Pipette :** DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
03/26/26
**Laboratory License #:** 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Strawnana (H)
Strain: Strawnana (H)
Matrix: Derivative
Classification: High THC
Type: Extract for Inhalation

# Certificate of Analysis



**Sunnyside**
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
**License # :** M00008CULPROFASIndiantown001

**Sample: MI60324005-001**
**Batch #:** 4761184278064476
**Harvest/Lot ID:** 4761184278064476
**Seed to sale:** 1987036330740159

**Ordered:** 03/23/26
**Sampled:** 03/23/26
**Completed:** 03/26/26

**PASSED**

## Pesticide

**PASSED**

| ANALYTES | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|---|---|---|---|---|---|---|---|

**Analyzed by:** 4640, 585, 1440 **Weight:** 0.2626g **Extraction date:** 03/24/26 15:21:33 **Extracted by:** 450

**Analysis Method :** SOP.T.30.151A.FL, SOP.T.40.151.FL
**Analytical Batch :** MI097140VOL
**Instrument Used :** DA-GCMS-011
**Batch Date :** 03/24/26 11:14:58
**Analyzed Date :** 03/26/26 09:22:44

**Dilution :** 250
**Reagent :** 031626.R01; 012026.01; 031926.R11; 031926.R10
**Consumables :** 947.110; 030125CH01; 6822423-02; 17473601
**Pipette :** DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

## Residual Solvents

**PASSED**

| ANALYTES | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|---|---|---|---|---|---|---|---|
| 1,1-DICHLOROETHENE | ppm | 0.800 | 4.00 | 8 | PASS | ND | |
| 1,2-DICHLOROETHANE | ppm | 0.200 | 1.00 | 2 | PASS | ND | |
| 2-PROPANOL | ppm | 50.0 | 250 | 500 | PASS | ND | |
| ACETONE | ppm | 75.0 | 375 | 750 | PASS | ND | |
| ACETONITRILE | ppm | 6.00 | 30.0 | 60 | PASS | ND | |
| BENZENE | ppm | 0.100 | 0.500 | 1 | PASS | ND | |
| BUTANES (N-BUTANE) | ppm | 500 | 2500 | 5000 | PASS | ND | |
| CHLOROFORM | ppm | 0.200 | 1.00 | 2 | PASS | ND | |
| DICHLOROMETHANE | ppm | 12.5 | 62.5 | 125 | PASS | ND | |
| ETHANOL | ppm | 500 | 2500 | 5000 | PASS | ND | |
| ETHYL ACETATE | ppm | 40.0 | 200 | 400 | PASS | ND | |
| ETHYL ETHER | ppm | 50.0 | 250 | 500 | PASS | ND | |
| ETHYLENE OXIDE | ppm | 0.500 | 2.50 | 5 | PASS | ND | |
| HEPTANE | ppm | 500 | 2500 | 5000 | PASS | ND | |
| METHANOL | ppm | 25.0 | 125 | 250 | PASS | ND | |
| N-HEXANE | ppm | 25.0 | 125 | 250 | PASS | ND | |
| PENTANES (N-PENTANE) | ppm | 75.0 | 375 | 750 | PASS | ND | |
| PROPANE | ppm | 500 | 2500 | 5000 | PASS | ND | |
| TOLUENE | ppm | 15.0 | 75.0 | 150 | PASS | ND | |
| TOTAL XYLENES | ppm | 15.0 | 75.0 | 150 | PASS | ND | |
| TRICHLOROETHYLENE | ppm | 2.50 | 12.5 | 25 | PASS | ND | |

**Analyzed by:** 4444, 585, 1440 **Weight:** 0.0261g **Extraction date:** 03/24/26 13:06:34 **Extracted by:** 4444

**Analysis Method :** SOP.T.40.041.FL
**Analytical Batch :** MI097156SOL
**Instrument Used :** DA-GCMS-013
**Batch Date :** 03/24/26 12:55:23
**Analyzed Date :** 03/25/26 10:13:56

**Dilution :** 1
**Reagent :** 061323.06
**Consumables :** 431526; 325202
**Pipette :** DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
03/26/26
**Laboratory License #:** 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Strawnana (H)
Strain: Strawnana (H)
Matrix: Derivative
Classification: High THC
Type: Extract for Inhalation

# Certificate of Analysis



**Sunnyside**
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
**License # :** M00008CULPROFASIndiantown001

**Sample: MI60324005-001**
**Batch #:** 4761184278064476
**Harvest/Lot ID:** 4761184278064476
**Seed to sale:** 1987036330740159

**Ordered:** 03/23/26
**Sampled:** 03/23/26
**Completed:** 03/26/26

**PASSED**

## Microbial

**PASSED**

| ANALYTES | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|---|---|---|---|---|---|---|---|
| ASPERGILLUS FLAVUS | | | | | PASS | Not Present | |
| SALMONELLA SPECIFIC GENE | | | | | PASS | Not Present | |
| ASPERGILLUS FUMIGATUS | | | | | PASS | Not Present | |
| ECOLI - SHIGELLA | | | | | PASS | Not Present | |
| ASPERGILLUS TERREUS | | | | | PASS | Not Present | |
| ASPERGILLUS NIGER | | | | | PASS | Not Present | |
| TOTAL YEAST AND MOLD | CFU/g | 10.0 | 10.0 | 100000 | PASS | <10.0 | |

**Analyzed by:** 4520, 4892, 585, 1440
**Weight:** 0.881g
**Extraction date:** 03/24/26 12:20:13
**Extracted by:** 4892,4520

**Analysis Method :** SOP.T.40.056C
**Analytical Batch :** MI097128MIC
**Instrument Used :** DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95*C Heat Block),DA-402 (55*C Heat Block)
**Batch Date :** 03/24/26 10:17:58
**Analyzed Date :** 03/26/26 10:46:56

**Dilution :** 10
**Reagent :** 030526.03; 030526.09; 031226.R03; 092525.06
**Consumables :** 7588003107
**Pipette :** N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

**Analyzed by:** 4892, 4520, 585, 1440
**Weight:** 0.926g
**Extraction date:** 03/24/26 12:22:38
**Extracted by:** 4892,4520

**Analysis Method :** SOP.T.40.209.FL
**Analytical Batch :** MI097129TYM
**Instrument Used :** DA-328 (25*C Incubator)
**Batch Date :** 03/24/26 10:18:06
**Analyzed Date :** 03/26/26 14:10:35

**Dilution :** 10
**Reagent :** 022026.13; 022026.16; 010626.R20
**Consumables :** N/A
**Pipette :** N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

## Mycotoxins

**PASSED**

| ANALYTES | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|---|---|---|---|---|---|---|---|
| AFLATOXIN B2 | ppm | 0.00200 | 0.0100 | 0.02 | PASS | ND | |
| AFLATOXIN B1 | ppm | 0.00200 | 0.0100 | 0.02 | PASS | ND | |
| OCHRATOXIN A | ppm | 0.00200 | 0.0100 | 0.02 | PASS | ND | |
| AFLATOXIN G1 | ppm | 0.00200 | 0.0100 | 0.02 | PASS | ND | |
| AFLATOXIN G2 | ppm | 0.00200 | 0.0100 | 0.02 | PASS | ND | |

**Analyzed by:** 4451, 585, 1440
**Weight:** 0.2626g
**Extraction date:** 03/24/26 15:21:33
**Extracted by:** 450

**Analysis Method :** SOP.T.30.102.FL, SOP.T.40.102.FL
**Analytical Batch :** MI097139MYC
**Instrument Used :** DA-LCMS-005 (MYC)
**Batch Date :** 03/24/26 11:14:39
**Analyzed Date :** 03/25/26 09:36:04

**Dilution :** 250
**Reagent :** 031626.R01; 012026.01; 031826.R30; 031626.R02; 031826.R29; 022426.R23; 031826.R03
**Consumables :** 947.110; 030125CH01; 6822423-02
**Pipette :** DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
03/26/26
**Laboratory License #:** 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Strawnana (H)
Strain: Strawnana (H)
Matrix: Derivative
Classification: High THC
Type: Extract for Inhalation

# Certificate of Analysis



**Sunnyside**
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
**License # :** M00008CULPROFASIndiantown001

**Sample: MI60324005-001**
**Batch #:** 4761184278064476
**Harvest/Lot ID:** 4761184278064476
**Seed to sale:** 1987036330740159

**Ordered:** 03/23/26
**Sampled:** 03/23/26
**Completed:** 03/26/26

**PASSED**

## Water Activity

**PASSED**

| ANALYTES | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|---|---|---|---|---|---|---|---|
| WATER ACTIVITY | aw | 0.010 | 0.10 | 0.85 | PASS | 0.48 | |

**Analyzed by:** 4056, 585, 1440
**Weight:** 0.4g
**Extraction date:** 03/24/26 17:00:58
**Extracted by:** 4056

**Analysis Method :** SOP.T.40.019
**Analytical Batch :** MI097154WAT
**Instrument Used :** DA-028 Rotronic Hygropalm
**Analyzed Date :** 03/25/26 09:34:50
**Batch Date :** 03/24/26 12:19:12

**Dilution :** N/A
**Reagent :** 091525.03
**Consumables :** PS-14
**Pipette :** N/A

## Heavy Metals

**PASSED**

| ANALYTES | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|---|---|---|---|---|---|---|---|
| TOTAL CONTAMINANT LOAD METALS | ppm | 0.0800 | 0.400 | 1.1 | PASS | ND | |
| ARSENIC | ppm | 0.0200 | 0.100 | 0.2 | PASS | ND | |
| CADMIUM | ppm | 0.0200 | 0.100 | 0.2 | PASS | ND | |
| MERCURY | ppm | 0.0200 | 0.100 | 0.2 | PASS | ND | |
| LEAD | ppm | 0.0200 | 0.100 | 0.5 | PASS | ND | |

**Analyzed by:** 1022, 585, 1440
**Weight:** 0.2731g
**Extraction date:** 03/24/26 12:47:45
**Extracted by:** 1022,5122

**Analysis Method :** SOP.T.30.082.FL, SOP.T.40.082.FL
**Analytical Batch :** MI097125HEA
**Instrument Used :** DA-ICPMS-005
**Analyzed Date :** 03/25/26 10:51:55
**Batch Date :** 03/24/26 10:03:56

**Dilution :** 50
**Reagent :** 031826.R31; 030626.R05; 020326.R11; 032326.R18; 031926.R13; 032326.R16; 032326.R17; 030426.01; 031726.R06; 061323.01
**Consumables :** 030125CH01; J609879-0193; 179436
**Pipette :** DA-061; DA-191; DA-215

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

## Filth/Foreign Material

**PASSED**

| ANALYTES | UNIT | LOD | LOQ | LIMIT | PASS/FAIL | RESULT | QUALIFIER |
|---|---|---|---|---|---|---|---|
| FILTH AND FOREIGN MATERIAL | % | 0.100 | 0.500 | 1 | PASS | ND | |

**Analyzed by:** 4797, 585, 1440
**Weight:** 1g
**Extraction date:** 03/24/26 15:24:46
**Extracted by:** 4797,585

**Analysis Method :** SOP.T.40.090
**Analytical Batch :** MI097157FIL
**Instrument Used :** Filth/Foreign Material Microscope
**Analyzed Date :** 03/25/26 10:38:50
**Batch Date :** 03/24/26 15:21:33

**Dilution :** N/A
**Reagent :** N/A
**Consumables :** N/A
**Pipette :** N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
03/26/26
**Laboratory License #:** 900013