3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Live Sgr 1g - Slurricrasher (H)
Strain: Slurricrasher (H)
Matrix: Derivative
Classification: High THC
Type: Live Resin

Certificate of Analysis

COMPLIANCE FOR RETAIL — PASSED



Harvest Batch #: 4698461594755570
Retail Batch #: 4698461594755570
Batch Date: 05/27/26
Production Method: Other - Not Listed
Total Amount: 781 units
Cultivation Facility: FL - Indiantown (4430)
Processing Facility: FL - Indiantown (4430)
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Seed To Sale #: 3471728768193715

Lab ID: MI60601003-002
Sampled: 06/01/26
Sampling Method: SOP.T.20.010
Sample Size: 16 units
Completed: 06/04/26
Manifest #: 5260028489814470
Source Facility: FL - Indiantown (4430)

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sunnyside®

SAFETY RESULTS — **MISC.**

Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filth/Foreign Material	Water Activity	Moisture Content	Terpenes
PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	NOT TESTED	TESTED

Cannabinoid — TESTED

Total THC
82.2%
Total THC/Container : 822 mg

Total CBD
0.116%
Total CBD/Container : 1.16 mg

Total Cannabinoids
95.0%
Total Cannabinoids/Container : 950 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	7.77	84.9	0.116	ND	ND	1.06	0.199	ND	0.0740	ND	0.380	0.495
mg/unit	77.7	849	1.16	ND	ND	10.6	1.99	ND	0.740	ND	3.80	4.95
LOD	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200
LOQ	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200
	%	%	%	%	%	%	%	%	%	%	%	%
Qualifier												

Analyzed by: 5072, 1665, 585, 5268
Weight: 0.106g
Extraction date: 06/02/26 13:05:58
Extracted by: 5150,5072

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031
Analytical Batch : MI099405POT
Instrument Used : DA-LC-003 (Derivative)
Analyzed Date : 06/03/26 09:51:46
Batch Date : 06/02/26 07:57:12

Dilution : 40
Reagent : 051826.R02; 052026.18; 051826.R01
Consumables : 947.110; 04312111; 030125CH01; 0000355309
Pipette : DA-079; DA-108; DA-421

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
06/04/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Live Sgr 1g - Slurricrasher (H)
Strain: Slurricrasher (H)
Matrix: Derivative
Classification: High THC
Type: Live Resin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI60601003-002
Batch #: 4698461594755570
Harvest/Lot ID: 4698461594755570
Seed to sale: 3471728768193715

Ordered: 06/01/26
Sampled: 06/01/26
Completed: 06/04/26

PASSED

Label Claim Verification

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER

Analyzed by: **Weight:** **Extraction date:** **Extracted by:**

Analysis Method : N/A
Analytical Batch : N/A
Instrument Used : N/A
Analyzed Date : 06/03/26 09:51:45

Batch Date : N/A

Terpenes

TESTED

ANALYTES	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT)	QUALIFIER
TOTAL TERPENES	0.00700	0.0200		TESTED	2.64	26.4	
BETA-CARYOPHYLLENE	0.00700	0.0200		TESTED	0.967	9.67	
LIMONENE	0.00700	0.0200		TESTED	0.493	4.93	
LINALOOL	0.00700	0.0200		TESTED	0.429	4.29	
ALPHA-HUMULENE	0.00700	0.0200		TESTED	0.284	2.84	
ALPHA-TERPINEOL	0.00700	0.0200		TESTED	0.0931	0.931	
FENCHYL ALCOHOL	0.00700	0.0200		TESTED	0.0919	0.919	
OCIMENE	0.00700	0.0200		TESTED	0.0835	0.835	
BETA-PINENE	0.00700	0.0200		TESTED	0.0501	0.501	
TRANS-NEROLIDOL	0.00500	0.0160		TESTED	0.0437	0.437	
ALPHA-PINENE	0.00700	0.0200		TESTED	0.0360	0.360	
BETA-MYRCENE	0.00700	0.0200		TESTED	0.0339	0.339	
CARYOPHYLLENE OXIDE	0.00700	0.0200		TESTED	0.0330	0.330	
BORNEOL	0.0130	0.0400		TESTED	<0.0400	<0.400	
CAMPHENE	0.00700	0.0200		TESTED	<0.0200	<0.200	
ALPHA-TERPINOLENE	0.00700	0.0200		TESTED	<0.0200	<0.200	
3-CARENE	0.00700	0.0200		TESTED	ND	ND	
CAMPHOR	0.00700	0.0200		TESTED	ND	ND	
CEDROL	0.00700	0.0200		TESTED	ND	ND	
EUCALYPTOL	0.00700	0.0200		TESTED	ND	ND	
FARNESENE	0.00700	0.0200		TESTED	ND	ND	
FENCHONE	0.00700	0.0200		TESTED	ND	ND	
GERANIOL	0.00700	0.0200		TESTED	ND	ND	
GERANYL ACETATE	0.00700	0.0200		TESTED	ND	ND	
GUAIOL	0.00700	0.0200		TESTED	ND	ND	
HEXAHYDROTHYMOL	0.00700	0.0200		TESTED	ND	ND	
ISOBORNEOL	0.00700	0.0200		TESTED	ND	ND	
ISOPULEGOL	0.00700	0.0200		TESTED	ND	ND	
NEROL	0.00700	0.0200		TESTED	ND	ND	
PULEGONE	0.00700	0.0200		TESTED	ND	ND	
SABINENE	0.00700	0.0200		TESTED	ND	ND	
SABINENE HYDRATE	0.00700	0.0200		TESTED	ND	ND	
VALENCENE	0.00700	0.0200		TESTED	ND	ND	
ALPHA-BISABOLOL	0.00700	0.0200		TESTED	ND	ND	
ALPHA-CEDRENE	0.00500	0.0160		TESTED	ND	ND	
ALPHA-PHELLANDRENE	0.00700	0.0200		TESTED	ND	ND	
ALPHA-TERPINENE	0.00700	0.0200		TESTED	ND	ND	
CIS-NEROLIDOL	0.00300	0.00800		TESTED	ND	ND	
GAMMA-TERPINENE	0.00700	0.0200		TESTED	ND	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
06/04/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Live Sgr 1g - Slurricrasher (H)
Strain: Slurricrasher (H)
Matrix: Derivative
Classification: High THC
Type: Live Resin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI60601003-002
Batch #: 4698461594755570
Harvest/Lot ID: 4698461594755570
Seed to sale: 3471728768193715

Ordered: 06/01/26
Sampled: 06/01/26
Completed: 06/04/26

PASSED

Terpenes

TESTED

ANALYTES	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT)	QUALIFIER

Analyzed by: 4531, 585, 5268 **Weight:** 0.2174g **Extraction date:** 06/02/26 14:29:05 **Extracted by:** 4531

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : MI099432TER
Instrument Used : DA-GCMS-009
Batch Date : 06/02/26 11:13:19
Analyzed Date : 06/04/26 11:43:21

Dilution : 10
Reagent : 041326.46
Consumables : 947.110; 04312111; 2240626; 0000355309
Pipette : DA-065

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.

Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD (PESTICIDES)	ppm	0.0100	0.0500	5	PASS	ND	
TOTAL DIMETHOMORPH	ppm	0.0100	0.0500	0.2	PASS	ND	
TOTAL PERMETHRIN	ppm	0.0100	0.0500	0.1	PASS	ND	
TOTAL PYRETHRINS	ppm	0.0100	0.0500	0.5	PASS	ND	
TOTAL SPINETORAM	ppm	0.0100	0.0500	0.2	PASS	ND	
TOTAL SPINOSAD	ppm	0.0100	0.0500	0.1	PASS	ND	
ABAMECTIN B1A	ppm	0.0100	0.0500	0.1	PASS	ND	
ACEPHATE	ppm	0.0100	0.0500	0.1	PASS	ND	
ACEQUINOCYL	ppm	0.0100	0.0500	0.1	PASS	ND	
ACETAMIPRID	ppm	0.0100	0.0500	0.1	PASS	ND	
ALDICARB	ppm	0.0100	0.0500	0.1	PASS	ND	
AZOXYSTROBIN	ppm	0.0100	0.0500	0.1	PASS	ND	
BIFENAZATE	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORPYRIFOS	ppm	0.0100	0.0500	0.1	PASS	ND	
BIFENTHRIN	ppm	0.0100	0.0500	0.1	PASS	ND	
BOSCALID	ppm	0.0100	0.0500	0.1	PASS	ND	
CARBARYL	ppm	0.0100	0.0500	0.5	PASS	ND	
CLOFENTEZINE	ppm	0.0100	0.0500	0.2	PASS	ND	
CARBOFURAN	ppm	0.0100	0.0500	0.1	PASS	ND	
COUMAPHOS	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORANTRANILIPROLE	ppm	0.0100	0.0500	1	PASS	ND	
CHLORMEQUAT CHLORIDE	ppm	0.0100	0.0500	1	PASS	ND	
DAMINOZIDE	ppm	0.0100	0.0500	0.1	PASS	ND	
DIAZINON	ppm	0.0100	0.0500	0.1	PASS	ND	
DICHLORVOS	ppm	0.0100	0.0500	0.1	PASS	ND	
DIMETHOATE	ppm	0.0100	0.0500	0.1	PASS	ND	
ETHOPROPHOS	ppm	0.0100	0.0500	0.1	PASS	ND	
ETOFENPROX	ppm	0.0100	0.0500	0.1	PASS	ND	
ETOXAZOLE	ppm	0.0100	0.0500	0.1	PASS	ND	
FENHEXAMID	ppm	0.0100	0.0500	0.1	PASS	ND	
FENOXYCARB	ppm	0.0100	0.0500	0.1	PASS	ND	
FENPYROXIMATE	ppm	0.0100	0.0500	0.1	PASS	ND	
FIPRONIL	ppm	0.0100	0.0500	0.1	PASS	ND	
FLONICAMID	ppm	0.0100	0.0500	0.1	PASS	ND	
FLUDIOXONIL	ppm	0.0100	0.0500	0.1	PASS	ND	
HEXYTHIAZOX	ppm	0.0100	0.0500	0.1	PASS	ND	
IMAZALIL	ppm	0.0100	0.0500	0.1	PASS	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
06/04/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Live Sgr 1g - Slurricrasher (H)
Strain: Slurricrasher (H)
Matrix: Derivative
Classification: High THC
Type: Live Resin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI60601003-002
Batch #: 4698461594755570
Harvest/Lot ID: 4698461594755570
Seed to sale: 3471728768193715

Ordered: 06/01/26
Sampled: 06/01/26
Completed: 06/04/26

PASSED

Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
IMIDACLOPRID	ppm	0.0100	0.0500	0.4	PASS	ND	
KRESOXIM-METHYL	ppm	0.0100	0.0500	0.1	PASS	ND	
MALATHION	ppm	0.0100	0.0500	0.2	PASS	ND	
METALAXYL	ppm	0.0100	0.0500	0.1	PASS	ND	
METHIOCARB	ppm	0.0100	0.0500	0.1	PASS	ND	
METHOMYL	ppm	0.0100	0.0500	0.1	PASS	ND	
MEVINPHOS	ppm	0.0100	0.0500	0.1	PASS	ND	
MYCLOBUTANIL	ppm	0.0100	0.0500	0.1	PASS	ND	
NALED	ppm	0.0100	0.0500	0.25	PASS	ND	
OXAMYL	ppm	0.0100	0.0500	0.5	PASS	ND	
PACLOBUTRAZOL	ppm	0.0100	0.0500	0.1	PASS	ND	
PHOSMET	ppm	0.0100	0.0500	0.1	PASS	ND	
PIPERONYL BUTOXIDE	ppm	0.0100	0.0500	3	PASS	ND	
PRALLETHRIN	ppm	0.0100	0.0500	0.1	PASS	ND	
PROPICONAZOLE	ppm	0.0100	0.0500	0.1	PASS	ND	
PROPOXUR	ppm	0.0100	0.0500	0.1	PASS	ND	
PYRIDABEN	ppm	0.0100	0.0500	0.2	PASS	ND	
SPIROMESIFEN	ppm	0.0100	0.0500	0.1	PASS	ND	
SPIROTETRAMAT	ppm	0.0100	0.0500	0.1	PASS	ND	
SPIROXAMINE	ppm	0.0100	0.0500	0.1	PASS	ND	
TEBUCONAZOLE	ppm	0.0100	0.0500	0.1	PASS	ND	
THIACLOPRID	ppm	0.0100	0.0500	0.1	PASS	ND	
THIAMETHOXAM	ppm	0.0100	0.0500	0.5	PASS	ND	
TRIFLOXYSTROBIN	ppm	0.0100	0.0500	0.1	PASS	ND	
PENTACHLORONITROBENZENE (PCNB)	ppm	0.0100	0.0500	0.15	PASS	ND	
PARATHION-METHYL	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORDANE	ppm	0.0100	0.0500	0.1	PASS	ND	
CHLORFENAPYR	ppm	0.0100	0.0500	0.1	PASS	ND	
CYFLUTHRIN	ppm	0.0500	0.250	0.5	PASS	ND	
CYPERMETHRIN	ppm	0.0500	0.250	0.5	PASS	ND	

Analyzed by: 4451, 585, 5268
Weight: 0.2305g
Extraction date: 06/02/26 11:12:31
Extracted by: 4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI099414PES
Instrument Used : DA-LCMS-005 (PES)
Batch Date : 06/02/26 09:03:59
Analyzed Date : 06/03/26 09:48:51

Dilution : 250
Reagent : 052826.R01; 012026.01; 052726.R03; 052726.R29; 060126.R01; 022426.R23; 052726.R01
Consumables : 947.110; 030125CH01; 6822423-02
Pipette : DA-219; GA-194; GA-193

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 3335, 585, 5268
Weight: 0.2305g
Extraction date: 06/02/26 11:12:31
Extracted by: 4451

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL
Analytical Batch : MI099416VOL
Instrument Used : DA-GCMS-001
Batch Date : 06/02/26 09:04:42
Analyzed Date : 06/03/26 09:46:42

Dilution : 250
Reagent : 052826.R01; 012026.01; 052726.R31; 052726.R32
Consumables : 947.110; 030125CH01; 6822423-02; 17473601
Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
06/04/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Live Sgr 1g - Slurricrasher (H)
Strain: Slurricrasher (H)
Matrix: Derivative
Classification: High THC
Type: Live Resin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI60601003-002
Batch #: 4698461594755570
Harvest/Lot ID: 4698461594755570
Seed to sale: 3471728768193715

Ordered: 06/01/26
Sampled: 06/01/26
Completed: 06/04/26

PASSED

Residual Solvents

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
1,1-DICHLOROETHENE	ppm	0.800	4.00	8	PASS	ND	
1,2-DICHLOROETHANE	ppm	0.200	1.00	2	PASS	ND	
2-PROPANOL	ppm	50.0	250	500	PASS	ND	
ACETONE	ppm	75.0	375	750	PASS	ND	
ACETONITRILE	ppm	6.00	30.0	60	PASS	ND	
BENZENE	ppm	0.100	0.500	1	PASS	ND	
BUTANES (N-BUTANE)	ppm	500	2500	5000	PASS	ND	
CHLOROFORM	ppm	0.200	1.00	2	PASS	ND	
DICHLOROMETHANE	ppm	12.5	62.5	125	PASS	ND	
ETHANOL	ppm	500	2500	5000	PASS	ND	
ETHYL ACETATE	ppm	40.0	200	400	PASS	ND	
ETHYL ETHER	ppm	50.0	250	500	PASS	ND	
ETHYLENE OXIDE	ppm	0.500	2.50	5	PASS	ND	
HEPTANE	ppm	500	2500	5000	PASS	ND	
METHANOL	ppm	25.0	125	250	PASS	ND	
N-HEXANE	ppm	25.0	125	250	PASS	ND	
PENTANES (N-PENTANE)	ppm	75.0	375	750	PASS	ND	
PROPANE	ppm	500	2500	5000	PASS	ND	
TOLUENE	ppm	15.0	75.0	150	PASS	ND	
TOTAL XYLENES	ppm	15.0	75.0	150	PASS	ND	
TRICHLOROETHYLENE	ppm	2.50	12.5	25	PASS	ND	

Analyzed by: 4444, 585, 5268
Weight: 0.0277g
Extraction date: 06/02/26 12:20:37
Extracted by: 4444

Analysis Method : SOP.T.40.041.FL
Analytical Batch : MI099433SOL
Instrument Used : DA-GCMS-012
Analyzed Date : 06/03/26 09:49:50
Batch Date : 06/02/26 11:49:15

Dilution : 1
Reagent : 061323.06
Consumables : 431526; 325202
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ASPERGILLUS FLAVUS					PASS	Not Present	
SALMONELLA SPECIFIC GENE					PASS	Not Present	
ASPERGILLUS FUMIGATUS					PASS	Not Present	
ECOLI - SHIGELLA					PASS	Not Present	
ASPERGILLUS TERREUS					PASS	Not Present	
ASPERGILLUS NIGER					PASS	Not Present	
TOTAL YEAST AND MOLD	CFU/g	10.0	10.0	100000	PASS	<10.0	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
06/04/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Live Sgr 1g - Slurricrasher (H)
Strain: Slurricrasher (H)
Matrix: Derivative
Classification: High THC
Type: Live Resin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI60601003-002
Batch #: 4698461594755570
Harvest/Lot ID: 4698461594755570
Seed to sale: 3471728768193715

Ordered: 06/01/26
Sampled: 06/01/26
Completed: 06/04/26

PASSED

Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER

Analyzed by: 4892, 4520, 585, 5268
Weight: 0.942g
Extraction date: 06/02/26 11:09:31
Extracted by: 4520,4892

Analysis Method : SOP.T.40.056C
Analytical Batch : MI099406MIC
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95*C Heat Block),DA-402 (55*C Heat Block)
Batch Date : 06/02/26 08:11:45
Analyzed Date : 06/04/26 10:29:53

Dilution : 10
Reagent : 040726.30; 040726.33; 051326.R45; 031026.16
Consumables : 7590001021
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 4892, 585, 5268
Weight: 1.021g
Extraction date: 06/02/26 11:07:15
Extracted by: 4520,4892

Analysis Method : SOP.T.40.209.FL
Analytical Batch : MI099407TYM
Instrument Used : DA-328 (25*C Incubator)
Batch Date : 06/02/26 08:12:50
Analyzed Date : 06/04/26 11:43:46

Dilution : 10
Reagent : 022626.84; 041526.R47
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
AFLATOXIN B1	ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN B2	ppm	0.00200	0.0100	0.02	PASS	ND	
OCHRATOXIN A	ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN G1	ppm	0.00200	0.0100	0.02	PASS	ND	
AFLATOXIN G2	ppm	0.00200	0.0100	0.02	PASS	ND	

Analyzed by: 4451, 585, 5268
Weight: 0.2305g
Extraction date: 06/02/26 11:12:31
Extracted by: 4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI099415MYC
Instrument Used : DA-LCMS-005 (MYC)
Batch Date : 06/02/26 09:04:38
Analyzed Date : 06/03/26 09:49:17

Dilution : 250
Reagent : 052826.R01; 012026.01; 052726.R03; 052726.R29; 060126.R01; 022426.R23; 052726.R01
Consumables : 947.110; 030125CH01; 6822423-02
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Water Activity

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
WATER ACTIVITY	aw	0.010	0.10	0.85	PASS	0.62	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164



Signature
06/04/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Live Sgr 1g - Slurricrasher (H)
Strain: Slurricrasher (H)
Matrix: Derivative
Classification: High THC
Type: Live Resin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI60601003-002
Batch #: 4698461594755570
Harvest/Lot ID: 4698461594755570
Seed to sale: 3471728768193715

Ordered: 06/01/26
Sampled: 06/01/26
Completed: 06/04/26

PASSED

Water Activity

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER

Analyzed by: 4056, 585, 5268 **Weight:** 1.512g **Extraction date:** 06/02/26 15:03:20 **Extracted by:** 4056

Analysis Method : SOP.T.40.019
Analytical Batch : MI099437WAT
Instrument Used : DA-325 Rotronic Hygropalm HC2-AW (Probe)
Batch Date : 06/02/26 14:37:24
Analyzed Date : 06/03/26 09:46:04

Dilution : N/A
Reagent : 050726.03
Consumables : PS-14
Pipette : N/A

Heavy Metals

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD METALS	ppm	0.0800	0.400	1.1	PASS	ND	
ARSENIC	ppm	0.0200	0.100	0.2	PASS	ND	
CADMIUM	ppm	0.0200	0.100	0.2	PASS	ND	
LEAD	ppm	0.0200	0.100	0.5	PASS	ND	
MERCURY	ppm	0.0200	0.100	0.2	PASS	ND	

Analyzed by: 1022, 585, 5268 **Weight:** 0.2526g **Extraction date:** 06/02/26 12:41:33 **Extracted by:** 1022,5122

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : MI099427HEA
Instrument Used : DA-ICPMS-004
Batch Date : 06/02/26 10:20:10
Analyzed Date : 06/03/26 09:43:05

Dilution : 50
Reagent : 060126.R03; 052626.R02; 060126.R15; 052126.R01; 060126.R13; 060126.R14; 050626.11; 052826.R08; 032326.01
Consumables : 030125CH01; J609879-0193; 179436
Pipette : DA-061; DA-191; DA-215

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Filth/Foreign Material

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
FILTH AND FOREIGN MATERIAL	%	0.100	0.500	1	PASS	ND	

Analyzed by: 4571, 585, 5268 **Weight:** 1g **Extraction date:** 06/03/26 09:55:44 **Extracted by:** 4571

Analysis Method : SOP.T.40.090
Analytical Batch : MI099464FIL
Instrument Used : Filth/Foreign Material Microscope
Batch Date : 06/03/26 09:53:32
Analyzed Date : 06/03/26 10:01:00

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/04/26
Laboratory License #: 900013