3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Tropic Thunder (H)
Strain: Tropic Thunder (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

COMPLIANCE FOR RETAIL — PASSED



Harvest Batch #: 4666456773002489
Retail Batch #: 4666456773002489
Batch Date: 06/23/26
Harvest Date: 03/24/25
Production Method: Other - Not Listed
Total Amount: 330 units
Cultivation Facility: FL - Indiantown (4430)
Processing Facility: FL - Indiantown (4430)
Retail Product Size: 0.5 gram
Retail Serving Size: 0.5 gram
Servings: 1
Seed To Sale #: 2228072040940030

Lab ID: MI60626010-005
Sampled: 06/26/26
Sampling Method: SOP.T.20.010
Sample Size: 31 units
Completed: 06/30/26
Expires: 06/26/27
Manifest #: 4882759850470848
Source Facility: FL - Indiantown (4430)

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

SAFETY RESULTS — **MISC.**

Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filth/Foreign Material	Water Activity	Moisture Content	Terpenes
PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	NOT TESTED	TESTED

Cannabinoid — TESTED

Total THC
81.5%
Total THC/Container : 407 mg

Total CBD
0.565%
Total CBD/Container : 2.82 mg

Total Cannabinoids
86.2%
Total Cannabinoids/Container : 431 mg



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	81.4	0.0950	0.565	<0.00200	<0.00200	2.60	<0.00200	1.07	0.351	<0.00200	0.0690	0.0750
mg/unit	407	0.475	2.83	<0.00200	<0.00200	13.0	<0.00200	5.33	1.76	<0.00200	0.345	0.375
LOD	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200
LOQ	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200
	%	%	%	%	%	%	%	%	%	%	%	%
Qualifier												

Analyzed by: 5150, 1665, 585, 4056
Weight: 0.1022g
Extraction date: 06/27/26 15:25:38
Extracted by: 5150

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031
Analytical Batch : MI100179POT
Instrument Used : DA-LC-003 (Derivative)
Analyzed Date : 06/29/26 10:16:09
Batch Date : 06/27/26 10:26:26

Dilution : 400
Reagent : 061226.R29; 102725.04; 061226.R28
Consumables : 947.110; 04312111; 030125CH01; 0000355309
Pipette : DA-108; DA-421

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
06/30/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Tropic Thunder (H)
Strain: Tropic Thunder (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI60626010-005
Batch #: 4666456773002489
Harvest/Lot ID: 4666456773002489
Seed to sale: 2228072040940030

Expires: 06/26/27
Ordered: 06/26/26
Sampled: 06/26/26
Completed: 06/30/26

PASSED

Label Claim Verification

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER

Analyzed by: **Weight:** **Extraction date:** **Extracted by:**

Analysis Method : N/A
Analytical Batch : N/A
Instrument Used : N/A
Analyzed Date : 06/29/26 10:16:08

Batch Date : N/A

Terpenes

TESTED

ANALYTES	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT)	QUALIFIER
TOTAL TERPENES	0.00700	0.0200		TESTED	4.28	21.4	
BETA-MYRCENE	0.00700	0.0200		TESTED	1.46	7.30	
BETA-CARYOPHYLLENE	0.00700	0.0200		TESTED	0.966	4.83	
ALPHA-PINENE	0.00700	0.0200		TESTED	0.829	4.14	
BETA-PINENE	0.00700	0.0200		TESTED	0.355	1.78	
LIMONENE	0.00700	0.0200		TESTED	0.272	1.36	
ALPHA-BISABOLOL	0.00700	0.0200		TESTED	0.107	0.533	
FARNESENE	0.00700	0.0200		TESTED	0.0838	0.419	
LINALOOL	0.00700	0.0200		TESTED	0.0795	0.397	
ALPHA-HUMULENE	0.00700	0.0200		TESTED	0.0770	0.385	
VALENCENE	0.00700	0.0200		TESTED	0.0283	0.142	
FENCHYL ALCOHOL	0.00700	0.0200		TESTED	0.0202	0.101	
CAMPHENE	0.00700	0.0200		TESTED	<0.0200	<0.200	
CARYOPHYLLENE OXIDE	0.00700	0.0200		TESTED	<0.0200	<0.200	
ALPHA-CEDRENE	0.00500	0.0160		TESTED	<0.0160	<0.160	
ALPHA-TERPINEOL	0.00700	0.0200		TESTED	<0.0200	<0.200	
TRANS-NEROLIDOL	0.00500	0.0160		TESTED	<0.0160	<0.160	
3-CARENE	0.00700	0.0200		TESTED	<0.00700	<0.200	
BORNEOL	0.0130	0.0400		TESTED	<0.0130	<0.400	
CAMPHOR	0.00700	0.0200		TESTED	<0.00700	<0.200	
CEDROL	0.00700	0.0200		TESTED	<0.00700	<0.200	
EUCALYPTOL	0.00700	0.0200		TESTED	<0.00700	<0.200	
FENCHONE	0.00700	0.0200		TESTED	<0.00700	<0.200	
GERANIOL	0.00700	0.0200		TESTED	<0.00700	<0.200	
GERANYL ACETATE	0.00700	0.0200		TESTED	<0.00700	<0.200	
GUAIOL	0.00700	0.0200		TESTED	<0.00700	<0.200	
HEXAHYDROTHYMOL	0.00700	0.0200		TESTED	<0.00700	<0.200	
ISOBORNEOL	0.00700	0.0200		TESTED	<0.00700	<0.200	
ISOPULEGOL	0.00700	0.0200		TESTED	<0.00700	<0.200	
NEROL	0.00700	0.0200		TESTED	<0.00700	<0.200	
OCIMENE	0.00700	0.0200		TESTED	<0.00700	<0.200	
PULEGONE	0.00700	0.0200		TESTED	<0.00700	<0.200	
SABINENE	0.00700	0.0200		TESTED	<0.00700	<0.200	
SABINENE HYDRATE	0.00700	0.0200		TESTED	<0.00700	<0.200	
ALPHA-PHELLANDRENE	0.00700	0.0200		TESTED	<0.00700	<0.200	
ALPHA-TERPINENE	0.00700	0.0200		TESTED	<0.00700	<0.200	
ALPHA-TERPINOLENE	0.00700	0.0200		TESTED	<0.00700	<0.200	
CIS-NEROLIDOL	0.00300	0.00800		TESTED	<0.00300	<0.0800	
GAMMA-TERPINENE	0.00700	0.0200		TESTED	<0.00700	<0.200	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
06/30/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Tropic Thunder (H)
Strain: Tropic Thunder (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI60626010-005
Batch #: 4666456773002489
Harvest/Lot ID: 4666456773002489
Seed to sale: 2228072040940030

Expires: 06/26/27
Ordered: 06/26/26
Sampled: 06/26/26
Completed: 06/30/26

PASSED

Terpenes

TESTED

ANALYTES	LOD	LOQ	LIMIT	PASS/FAIL	RESULT (%)	(MG/UNIT)	QUALIFIER

Analyzed by: 4531, 5122, 585, 4056 **Weight:** 0.229g **Extraction date:** 06/28/26 14:55:00 **Extracted by:** 4571,4531

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : MI100187TER
Instrument Used : DA-GCMS-009
Batch Date : 06/27/26 13:22:23
Analyzed Date : 06/30/26 09:34:56

Dilution : 10
Reagent : 041326.45
Consumables : 947.110; 04312111; 2240626; 0000355309
Pipette : DA-065

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.

Pesticide

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD (PESTICIDES)	ppm	0.0100	0.0500	5	PASS	<0.0100	
TOTAL DIMETHOMORPH	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
TOTAL PERMETHRIN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
TOTAL PYRETHRINS	ppm	0.0100	0.0500	0.5	PASS	<0.0100	
TOTAL SPINETORAM	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
TOTAL SPINOSAD	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ABAMECTIN B1A	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ACEPHATE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ACEQUINOCYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ACETAMIPRID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ALDICARB	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
AZOXYSTROBIN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
BIFENAZATE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CHLORPYRIFOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
BIFENTHRIN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
BOSCALID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CARBARYL	ppm	0.0100	0.0500	0.5	PASS	<0.0100	
CLOFENTEZINE	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
CARBOFURAN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
COUMAPHOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CHLORANTRANILIPROLE	ppm	0.0100	0.0500	1	PASS	<0.0100	
CHLORMEQUAT CHLORIDE	ppm	0.0100	0.0500	1	PASS	<0.0100	
DAMINOZIDE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
DIAZINON	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
DICHLORVOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
DIMETHOATE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ETHOPROPHOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ETOFENPROX	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
ETOXAZOLE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FENHEXAMID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FENOXYCARB	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FENPYROXIMATE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FIPRONIL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FLONICAMID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
FLUDIOXONIL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
HEXYTHIAZOX	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
IMAZALIL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
06/30/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Tropic Thunder (H)
Strain: Tropic Thunder (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI60626010-005
Batch #: 4666456773002489
Harvest/Lot ID: 4666456773002489
Seed to sale: 2228072040940030

Expires: 06/26/27
Ordered: 06/26/26
Sampled: 06/26/26
Completed: 06/30/26

PASSED

Pesticide — PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
IMIDACLOPRID	ppm	0.0100	0.0500	0.4	PASS	<0.0100	
KRESOXIM-METHYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
MALATHION	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
METALAXYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
METHIOCARB	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
METHOMYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
MEVINPHOS	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
MYCLOBUTANIL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
NALED	ppm	0.0100	0.0500	0.25	PASS	<0.0100	
OXAMYL	ppm	0.0100	0.0500	0.5	PASS	<0.0100	
PACLOBUTRAZOL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PHOSMET	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PIPERONYL BUTOXIDE	ppm	0.0100	0.0500	3	PASS	<0.0100	
PRALLETHRIN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PROPICONAZOLE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PROPOXUR	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PYRIDABEN	ppm	0.0100	0.0500	0.2	PASS	<0.0100	
SPIROMESIFEN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
SPIROTETRAMAT	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
SPIROXAMINE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
TEBUCONAZOLE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
THIACLOPRID	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
THIAMETHOXAM	ppm	0.0100	0.0500	0.5	PASS	<0.0100	
TRIFLOXYSTROBIN	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PENTACHLORONITROBENZENE (PCNB)	ppm	0.0100	0.0750	0.15	PASS	<0.0100	
TOTAL CHLORDANE	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
PARATHION-METHYL	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CHLORFENAPYR	ppm	0.0100	0.0500	0.1	PASS	<0.0100	
CYFLUTHRIN	ppm	0.0500	0.250	0.5	PASS	<0.0500	
CYPERMETHRIN	ppm	0.0500	0.250	0.5	PASS	<0.0500	

Analyzed by: 4451, 585, 4056 | **Weight:** 0.2202g | **Extraction date:** 06/29/26 08:27:38 | **Extracted by:** 4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI100191PES
Instrument Used : DA-LCMS-003 (PES)
Batch Date : 06/27/26 13:31:56
Analyzed Date : 06/30/26 09:19:33

Dilution : 250
Reagent : 062426.R03; 062926.R01; 062326.R05; 062326.R04; 061626.R24; 062426.R01; 012026.01
Consumables : 947.110; 030125CH01; 6822423-02
Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 3335, 585, 4056 | **Weight:** 0.2202g | **Extraction date:** 06/29/26 08:27:38 | **Extracted by:** 4451

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL
Analytical Batch : MI100193VOL
Instrument Used : DA-GCMS-001
Batch Date : 06/27/26 13:33:42
Analyzed Date : 06/30/26 09:15:38

Dilution : 250
Reagent : 062926.R01; 012026.01; 062426.R10; 062426.R13
Consumables : 947.110; 030125CH01; 221021DD; 17473601
Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
06/30/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Tropic Thunder (H)
Strain: Tropic Thunder (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI60626010-005
Batch #: 4666456773002489
Harvest/Lot ID: 4666456773002489
Seed to sale: 2228072040940030

Expires: 06/26/27
Ordered: 06/26/26
Sampled: 06/26/26
Completed: 06/30/26

PASSED

Residual Solvents

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
1,1-DICHLOROETHENE	ppm	0.800	4.00	8	PASS	<0.800	
1,2-DICHLOROETHANE	ppm	0.200	1.00	2	PASS	<0.200	
2-PROPANOL	ppm	50.0	250	500	PASS	<50.0	
ACETONE	ppm	75.0	375	750	PASS	<75.0	
ACETONITRILE	ppm	6.00	30.0	60	PASS	<6.00	
BENZENE	ppm	0.100	0.500	1	PASS	<0.100	
BUTANES (N-BUTANE)	ppm	500	2500	5000	PASS	<500	
CHLOROFORM	ppm	0.200	1.00	2	PASS	<0.200	
DICHLOROMETHANE	ppm	12.5	62.5	125	PASS	<12.5	
ETHANOL	ppm	500	2500	5000	PASS	<500	
ETHYL ACETATE	ppm	40.0	200	400	PASS	<40.0	
ETHYL ETHER	ppm	50.0	250	500	PASS	<50.0	
ETHYLENE OXIDE	ppm	0.500	2.50	5	PASS	<0.500	
HEPTANE	ppm	500	2500	5000	PASS	<500	
METHANOL	ppm	25.0	125	250	PASS	<25.0	
N-HEXANE	ppm	25.0	125	250	PASS	<25.0	
PENTANES (N-PENTANE)	ppm	75.0	375	750	PASS	<75.0	
PROPANE	ppm	500	2500	5000	PASS	<500	
TOLUENE	ppm	15.0	75.0	150	PASS	<15.0	
TOTAL XYLENES	ppm	15.0	75.0	150	PASS	<15.0	
TRICHLOROETHYLENE	ppm	2.50	12.5	25	PASS	<2.50	

Analyzed by: 4571, 4444, 585, 4056
Weight: 0.0245g
Extraction date: 06/28/26 09:31:43
Extracted by: 4571,585

Analysis Method : SOP.T.40.041.FL
Analytical Batch : MI100201SOL
Instrument Used : DA-GCMS-012
Analyzed Date : 06/30/26 12:06:13
Batch Date : 06/27/26 15:25:49

Dilution : 1
Reagent : 061323.06
Consumables : 431526; 325202
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ASPERGILLUS FLAVUS	CFU/g	1.0	N/A	1	PASS	Not Present	
ASPERGILLUS FUMIGATUS	CFU/g	1.0	N/A	1	PASS	Not Present	
ASPERGILLUS NIGER	CFU/g	1.0	N/A	1	PASS	Not Present	
ASPERGILLUS TERREUS	CFU/g	1.0	N/A	1	PASS	Not Present	
ECOLI - SHIGELLA	CFU/g	1.0	N/A	1	PASS	Not Present	
SALMONELLA SPECIFIC GENE	CFU/g	1.0	N/A	1	PASS	Not Present	
TOTAL YEAST AND MOLD	CFU/g	10.0	10.0	100000	PASS	<10.0	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
06/30/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Tropic Thunder (H)
Strain: Tropic Thunder (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI60626010-005
Batch #: 4666456773002489
Harvest/Lot ID: 4666456773002489
Seed to sale: 2228072040940030

Expires: 06/26/27
Ordered: 06/26/26
Sampled: 06/26/26
Completed: 06/30/26

PASSED

Microbial

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER

Analyzed by: 4892, 5008, 585, 4056
Weight: 0.947g
Extraction date: 06/27/26 12:29:00
Extracted by: 4892

Analysis Method : SOP.T.40.056C
Analytical Batch : MI100170MIC
Instrument Used : DA-111 (PathogenDx Scanner),DA-013 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95*C Heat Block),DA-402 (55*C Heat Block)
Batch Date : 06/27/26 07:20:10
Analyzed Date : 06/29/26 15:25:46

Dilution : 10
Reagent : 051326.R45; 031026.17; 040726.57; 040726.58
Consumables : 7590002053
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 4892, 4520, 585, 4056
Weight: 0.913g
Extraction date: 06/27/26 12:32:05
Extracted by: 4892

Analysis Method : SOP.T.40.209.FL
Analytical Batch : MI100171TYM
Instrument Used : DA-328 (25*C Incubator)
Batch Date : 06/27/26 07:20:18
Analyzed Date : 06/29/26 19:04:49

Dilution : 10
Reagent : 022326.35; 022626.27; 022626.28; 041526.R47
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
AFLATOXIN B1	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
AFLATOXIN B2	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
OCHRATOXIN A	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
AFLATOXIN G1	ppm	0.00200	0.0100	0.02	PASS	<0.00200	
AFLATOXIN G2	ppm	0.00200	0.0100	0.02	PASS	<0.00200	

Analyzed by: 4451, 585, 4056
Weight: 0.2202g
Extraction date: 06/29/26 08:27:38
Extracted by: 4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI100192MYC
Instrument Used : DA-LCMS-003 (MYC)
Batch Date : 06/27/26 13:33:11
Analyzed Date : 06/30/26 09:16:30

Dilution : 250
Reagent : 062426.R03; 062926.R01; 062326.R05; 062326.R04; 061626.R24; 062426.R01; 012026.01
Consumables : 947.110; 030125CH01; 6822423-02
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Water Activity

PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
WATER ACTIVITY	aw	0.010	0.10	0.85	PASS	0.56	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
06/30/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Supply Vape Cartridge 500mg - Tropic Thunder (H)
Strain: Tropic Thunder (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI60626010-005
Batch #: 4666456773002489
Harvest/Lot ID: 4666456773002489
Seed to sale: 2228072040940030

Expires: 06/26/27
Ordered: 06/26/26
Sampled: 06/26/26
Completed: 06/30/26

PASSED

Water Activity — PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER

Analyzed by: 4571, 4056, 585 **Weight:** 0.39g **Extraction date:** 06/29/26 16:32:20 **Extracted by:** 4056

Analysis Method : SOP.T.40.019
Analytical Batch : MI100199WAT
Instrument Used : DA-325 Rotronic Hygropalm HC2-AW (Probe)
Batch Date : 06/27/26 14:11:11
Analyzed Date : 06/29/26 18:57:26

Dilution : N/A
Reagent : 050726.03
Consumables : PS-14
Pipette : N/A

Heavy Metals — PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL CONTAMINANT LOAD METALS	ppm	0.0800	0.400	1.1	PASS	<0.0800	
ARSENIC	ppm	0.0200	0.100	0.2	PASS	<0.0200	
CADMIUM	ppm	0.0200	0.100	0.2	PASS	<0.0200	
LEAD	ppm	0.0200	0.100	0.5	PASS	<0.0200	
MERCURY	ppm	0.0200	0.100	0.2	PASS	<0.0200	

Analyzed by: 1022, 585, 4056 **Weight:** 0.2648g **Extraction date:** 06/27/26 15:05:47 **Extracted by:** 1022,5122

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : MI100184HEA
Instrument Used : DA-ICPMS-005
Batch Date : 06/27/26 10:38:29
Analyzed Date : 06/30/26 09:30:01

Dilution : 50
Reagent : 060126.R03; 061726.R78; 062426.R44; 062326.R03; 061826.R13; 062326.R01; 062326.R02; 050626.11; 032326.01
Consumables : 030125CH01; J609879-0193; 179436
Pipette : DA-061; DA-191; DA-215

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Filth/Foreign Material — PASSED

ANALYTES	UNIT	LOD	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
FILTH AND FOREIGN MATERIAL	%	0.100	0.500	1	PASS	<0.100	

Analyzed by: 4571, 585, 4056 **Weight:** 1g **Extraction date:** 06/27/26 14:14:22 **Extracted by:** 4571

Analysis Method : SOP.T.40.090
Analytical Batch : MI100200FIL
Instrument Used : Filth/Foreign Material Microscope
Batch Date : 06/27/26 14:11:57
Analyzed Date : 06/29/26 10:15:05

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
06/30/26
Laboratory License #: 900013