
kaycha LABS
3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 500mg - Mln
Strain: Mln
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

COMPLIANCE FOR RETAIL — PASSED



Harvest Batch #: 3675070456590067
Retail Batch #: 3675070456590067
Batch Date: 07/13/26
Harvest Date: 12/09/25
Production Method: Other - Not Listed
Total Amount: 285 units (142.5 grams)
Cultivation Facility: FL - Indiantown (4430)
Processing Facility: FL - Indiantown (4430)
Retail Product Size: 0.5 gram
Retail Serving Size: 0.5 gram
Servings: 1
Seed To Sale #: 0814346218445232

Lab ID: MI60717011-009
Sampled: 07/17/26
Sampling Method: SOP.T.20.010
Sample Size: 31 units
Completed: 07/22/26
Expires: 07/17/27
Manifest #: 8380658986938334
Source Facility: FL - Indiantown (4430)

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sunnyside®

SAFETY RESULTS — **MISC.**

Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filth/Foreign Material	Water Activity	Moisture Content	Terpenes
PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	NOT TESTED	TESTED

Cannabinoid — TESTED

Total THC
81.3%
Total THC/Container : 407 mg

Total CBD
0.891%
Total CBD/Container : 4.45 mg

Total Cannabinoids
85.9%
Total Cannabinoids/Container : 429 mg



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	81.2	0.103	0.891	<0.00200	<0.00200	2.31	<0.00200	0.537	0.458	<0.00200	0.260	0.0821
mg/unit	406	0.514	4.45	<0.00200	<0.00200	11.6	<0.00200	2.68	2.29	<0.00200	1.30	0.411
Qualifier												
LOD (%)	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200
LOQ (%)	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200
Weight	0.1042 g	0.1042 g	0.1042 g	0.1042 g	0.1042 g	0.1042 g	0.1042 g	0.1042 g	0.1042 g	0.1042 g	0.1042 g	0.1042 g
Volume	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml
Dilution	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x

Analyzed by:
4640, 1665, 585, 4056

Extraction date:
07/20/26 09:47:10

Extracted by:
5150,4640

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031
Analytical Batch : MI100666POT
Instrument Used : DA-LC-003 (Derivative)
Analyzed Date : 07/20/26 19:55:36
Batch Date : 07/18/26 11:39:59

Reagent : 071726.R10; 102725.04; 071726.R09
Consumables : 947.110; 04312111; 030125CH01; 0000355309
Pipette : DA-055; DA-063; DA-067

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
07/22/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 500mg - Mln
Strain: Mln
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI60717011-009
Batch #: 3675070456590067
Harvest/Lot ID: 3675070456590067
Seed to sale: 0814346218445232

Expires: 07/17/27
Ordered: 07/17/26
Sampled: 07/17/26
Completed: 07/22/26

PASSED

Label Claim Verification

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: **Extraction date:** **Extracted by:**

Analysis Method : N/A
Analytical Batch : N/A
Instrument Used : N/A
Analyzed Date : 07/21/26 10:02:44

Batch Date : N/A

Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL
TOTAL TERPENES	0.223 g	10 ml	1 x		0.00700	0.0200	5.73	28.7		TESTED
LIMONENE	0.223 g	10 ml	1 x		0.00700	0.0200	1.24	6.19		TESTED
BETA-CARYOPHYLLENE	0.223 g	10 ml	1 x		0.00700	0.0200	1.11	5.57		TESTED
BETA-MYRCENE	0.223 g	10 ml	1 x		0.00700	0.0200	0.711	3.55		TESTED
VALENCENE	0.223 g	10 ml	1 x		0.00700	0.0200	0.568	2.84		TESTED
LINALOOL	0.223 g	10 ml	1 x		0.00700	0.0200	0.332	1.66		TESTED
GERANIOL	0.223 g	10 ml	1 x		0.00700	0.0200	0.266	1.33		TESTED
BETA-PINENE	0.223 g	10 ml	1 x		0.00700	0.0200	0.265	1.33		TESTED
ALPHA-BISABOLOL	0.223 g	10 ml	1 x		0.00700	0.0200	0.231	1.16		TESTED
FENCHYL ALCOHOL	0.223 g	10 ml	1 x		0.00700	0.0200	0.153	0.765		TESTED
ALPHA-PINENE	0.223 g	10 ml	1 x		0.00700	0.0200	0.144	0.722		TESTED
ALPHA-HUMULENE	0.223 g	10 ml	1 x		0.00700	0.0200	0.139	0.695		TESTED
ALPHA-TERPINEOL	0.223 g	10 ml	1 x		0.00700	0.0110	0.128	0.640		TESTED
CARYOPHYLLENE OXIDE	0.223 g	10 ml	1 x		0.00700	0.0200	0.0906	0.453		TESTED
CAMPHENE	0.223 g	10 ml	1 x		0.00700	0.0200	0.0446	0.223		TESTED
ALPHA-TERPINOLENE	0.223 g	10 ml	1 x		0.00700	0.0200	0.0443	0.221		TESTED
BORNEOL	0.223 g	10 ml	1 x		0.0130	0.0400	0.0440	0.220		TESTED
TRANS-NEROLIDOL	0.223 g	10 ml	1 x		0.00500	0.0160	0.0427	0.214		TESTED
FARNESENE	0.223 g	10 ml	1 x		0.00100	0.00100	0.0419	0.210		TESTED
GUAIOL	0.223 g	10 ml	1 x		0.00700	0.0200	0.0389	0.194		TESTED
NEROL	0.223 g	10 ml	1 x		0.00700	0.0200	0.0369	0.184		TESTED
ALPHA-CEDRENE	0.223 g	10 ml	1 x		0.00500	0.0160	0.0322	0.161		TESTED
HEXAHYDROTHYMOL	0.223 g	10 ml	1 x		0.00700	0.0200	0.0279	0.140		TESTED
3-CARENE	0.223 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
CAMPHOR	0.223 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
CEDROL	0.223 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
EUCALYPTOL	0.223 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
FENCHONE	0.223 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
GERANYL ACETATE	0.223 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
ISOBORNEOL	0.223 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
ISOPULEGOL	0.223 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
OCIMENE	0.223 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
PULEGONE	0.223 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
SABINENE	0.223 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
SABINENE HYDRATE	0.223 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
ALPHA-PHELLANDRENE	0.223 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
ALPHA-TERPINENE	0.223 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
CIS-NEROLIDOL	0.223 g	10 ml	1 x		0.00300	0.00800	<0.00300	<0.0800		TESTED
GAMMA-TERPINENE	0.223 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
07/22/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 500mg - Mln
Strain: Mln
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI60717011-009
Batch #: 3675070456590067
Harvest/Lot ID: 3675070456590067
Seed to sale: 0814346218445232

Expires: 07/17/27
Ordered: 07/17/26
Sampled: 07/17/26
Completed: 07/22/26

PASSED

Terpenes — TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL

Analyzed by: 4531, 585, 4056
Extraction date: 07/20/26 13:30:35
Extracted by: 4531

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : MI100694TER
Instrument Used : DA-GCMS-004
Batch Date : 07/20/26 09:59:44
Analyzed Date : 07/21/26 13:12:00

Reagent : 041326.42
Consumables : 947.110; 04312111; 2240626; 0000355309
Pipette : DA-465 (MIC) Dispenser

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.

Pesticide — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.2102 g	25 ml	10 x	5	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL DIMETHOMORPH	0.2102 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL PERMETHRIN	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL PYRETHRINS	0.2102 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL SPINETORAM	0.2102 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL SPINOSAD	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ABAMECTIN B1A	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ACEPHATE	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ACEQUINOCYL	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ACETAMIPRID	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ALDICARB	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
AZOXYSTROBIN	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
BIFENAZATE	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CHLORPYRIFOS	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
BIFENTHRIN	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
BOSCALID	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CARBARYL	0.2102 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
CLOFENTEZINE	0.2102 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
CARBOFURAN	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
COUMAPHOS	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CHLORANTRANILIPROLE	0.2102 g	25 ml	10 x	1	0.100	0.500	<0.100	ppm		PASS
CHLORMEQUAT CHLORIDE	0.2102 g	25 ml	10 x	1	0.100	0.500	<0.100	ppm		PASS
DAMINOZIDE	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
DIAZINON	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
DICHLORVOS	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
DIMETHOATE	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ETHOPROPHOS	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ETOFENPROX	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ETOXAZOLE	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FENHEXAMID	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FENOXYCARB	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FENPYROXIMATE	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FIPRONIL	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FLONICAMID	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FLUDIOXONIL	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
HEXYTHIAZOX	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
IMAZALIL	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
IMIDACLOPRID	0.2102 g	25 ml	10 x	0.4	0.0100	0.0500	<0.0100	ppm		PASS
KRESOXIM-METHYL	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
07/22/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 500mg - Mln
Strain: Mln
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI60717011-009
Batch #: 3675070456590067
Harvest/Lot ID: 3675070456590067
Seed to sale: 0814346218445232

Expires: 07/17/27
Ordered: 07/17/26
Sampled: 07/17/26
Completed: 07/22/26

PASSED

Pesticide — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
MALATHION	0.2102 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
METALAXYL	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
METHIOCARB	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
METHOMYL	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
MEVINPHOS	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
MYCLOBUTANIL	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
NALED	0.2102 g	25 ml	10 x	0.25	0.0100	0.0500	<0.0100	ppm		PASS
OXAMYL	0.2102 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
PACLOBUTRAZOL	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PHOSMET	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PIPERONYL BUTOXIDE	0.2102 g	25 ml	10 x	3	0.100	0.500	<0.100	ppm		PASS
PRALLETHRIN	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PROPICONAZOLE	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PROPOXUR	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PYRIDABEN	0.2102 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
SPIROMESIFEN	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
SPIROTETRAMAT	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
SPIROXAMINE	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
TEBUCONAZOLE	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
THIACLOPRID	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
THIAMETHOXAM	0.2102 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
TRIFLOXYSTROBIN	0.2102 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	0.2102 g	25 ml	1 x	0.15	0.0100	0.0750	<0.0100	ppm		PASS
TOTAL CHLORDANE	0.2102 g	25 ml	1 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PARATHION-METHYL	0.2102 g	25 ml	1 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CAPTAN	0.2102 g	25 ml	1 x	0.7	0.0700	0.350	<0.0700	ppm		PASS
CHLORFENAPYR	0.2102 g	25 ml	1 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CYFLUTHRIN	0.2102 g	25 ml	1 x	0.5	0.0500	0.250	<0.0500	ppm		PASS
CYPERMETHRIN	0.2102 g	25 ml	1 x	0.5	0.0500	0.250	<0.0500	ppm		PASS

Analyzed by: 4451, 585, 4056
Extraction date: 07/20/26 08:15:55
Extracted by: 4451,3335

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI100675PES
Instrument Used : DA-LCMS-004 (PES)
Batch Date : 07/18/26 12:45:59
Analyzed Date : 07/21/26 00:51:00

Reagent : 071526.R03; 072026.R02; 071626.R02; 061626.R24; 071526.R01; 071626.R01; 012026.01
Consumables : 947.110; 030125CH01; 6822423-02
Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 3335, 585, 4056
Extraction date: 07/20/26 08:15:55
Extracted by: 4451,3335

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL
Analytical Batch : MI100677VOL
Instrument Used : DA-GCMS-011
Batch Date : 07/18/26 12:48:14
Analyzed Date : 07/21/26 01:50:00

Reagent : 072026.R01; 012026.01; 071526.R34; 071526.R33
Consumables : 947.110; 040724CH01; 6822423-02; 17473601
Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
07/22/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 500mg - Mln
Strain: Mln
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI60717011-009
Batch #: 3675070456590067
Harvest/Lot ID: 3675070456590067
Seed to sale: 0814346218445232

Expires: 07/17/27
Ordered: 07/17/26
Sampled: 07/17/26
Completed: 07/22/26

PASSED

Residual Solvents

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
1,1-DICHLOROETHENE	0.0222 g	1 ml	1 x	8	0.800	4.00	<0.800	ppm		PASS
1,2-DICHLOROETHANE	0.0222 g	1 ml	1 x	2	0.200	1.00	<0.200	ppm		PASS
2-PROPANOL	0.0222 g	1 ml	1 x	500	50.0	250	<50.0	ppm		PASS
ACETONE	0.0222 g	1 ml	1 x	750	75.0	375	<75.0	ppm		PASS
ACETONITRILE	0.0222 g	1 ml	1 x	60	6.00	30.0	<6.00	ppm		PASS
BENZENE	0.0222 g	1 ml	1 x	1	0.100	0.500	<0.100	ppm		PASS
BUTANES (N-BUTANE)	0.0222 g	1 ml	1 x	5000	500	2500	<500	ppm		PASS
CHLOROFORM	0.0222 g	1 ml	1 x	2	0.200	1.00	<0.200	ppm		PASS
DICHLOROMETHANE	0.0222 g	1 ml	1 x	125	12.5	62.5	<12.5	ppm		PASS
ETHANOL	0.0222 g	1 ml	1 x	5000	500	2500	<500	ppm		PASS
ETHYL ACETATE	0.0222 g	1 ml	1 x	400	40.0	200	<40.0	ppm		PASS
ETHYL ETHER	0.0222 g	1 ml	1 x	500	50.0	250	<50.0	ppm		PASS
ETHYLENE OXIDE	0.0222 g	1 ml	1 x	5	0.500	2.50	<0.500	ppm		PASS
HEPTANE	0.0222 g	1 ml	1 x	5000	500	2500	<500	ppm		PASS
METHANOL	0.0222 g	1 ml	1 x	250	25.0	125	<25.0	ppm		PASS
N-HEXANE	0.0222 g	1 ml	1 x	250	25.0	125	<25.0	ppm		PASS
PENTANES (N-PENTANE)	0.0222 g	1 ml	1 x	750	75.0	375	<75.0	ppm		PASS
PROPANE	0.0222 g	1 ml	1 x	5000	500	1080	<500	ppm		PASS
TOLUENE	0.0222 g	1 ml	1 x	150	15.0	75.0	<15.0	ppm		PASS
TOTAL XYLENES	0.0222 g	1 ml	1 x	150	15.0	75.0	<15.0	ppm		PASS
TRICHLOROETHYLENE	0.0222 g	1 ml	1 x	25	2.50	12.5	<2.50	ppm		PASS

Analyzed by:
3379, 585, 4056

Extraction date:
07/19/26 09:17:03

Extracted by:
4571,3379

Analysis Method : SOP.T.40.041.FL
Analytical Batch : MI100682SOL
Instrument Used : DA-GCMS-012
Analyzed Date : 07/19/26 21:37:57

Batch Date : 07/19/26 08:59:08

Reagent : 061323.06
Consumables : 431526; 325202
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
SALMONELLA SPECIFIC GENE	0.935 g	1 ml	10 x	1	1.0	1.0	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	0.935 g	1 ml	10 x	1	1.0	1.0	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	0.935 g	1 ml	10 x	1	1.0	1.0	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	0.935 g	1 ml	10 x	1	1.0	1.0	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	0.935 g	1 ml	10 x	1	1.0	1.0	Not Present	CFU/g		PASS
ASPERGILLUS FLAVUS	0.935 g	1 ml	10 x	1	1.0	1.0	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	0.979 g	1 ml	10 x	100000	10.0	10.0	<10.0	CFU/g		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
07/22/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 500mg - Mln
Strain: Mln
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI60717011-009
Batch #: 3675070456590067
Harvest/Lot ID: 3675070456590067
Seed to sale: 0814346218445232

Expires: 07/17/27
Ordered: 07/17/26
Sampled: 07/17/26
Completed: 07/22/26

PASSED

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 4892, 4520, 585, 4056
Extraction date: 07/18/26 11:37:46
Extracted by: 5008,4571

Analysis Method : SOP.T.40.056C
Analytical Batch : MI100651MIC
Instrument Used : DA-111 (PathogenDx Scanner),DA-013 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95*C Heat Block),DA-402 (55*C Heat Block)
Analyzed Date : 07/20/26 12:02:55
Batch Date : 07/18/26 07:52:07

Reagent : 041326.22; 051326.R45; 031026.15
Consumables : 7590001002
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 4892, 4520, 585, 4056
Extraction date: 07/18/26 11:41:49
Extracted by: 5008,4571

Analysis Method : SOP.T.40.209.FL
Analytical Batch : MI100652TYM
Instrument Used : DA-328 (25*C Incubator)
Analyzed Date : 07/21/26 13:31:41
Batch Date : 07/18/26 07:52:11

Reagent : 022626.123; 022626.124; 041526.R47
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
AFLATOXIN B1	0.2102 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN B2	0.2102 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
OCHRATOXIN A	0.2102 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN G1	0.2102 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN G2	0.2102 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS

Analyzed by: 4451, 585, 4056
Extraction date: 07/20/26 08:15:55
Extracted by: 4451,3335

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI100676MYC
Instrument Used : DA-LCMS-004 (MYC)
Analyzed Date : 07/21/26 00:51:00
Batch Date : 07/18/26 12:47:18

Reagent : 071526.R03; 072026.R01; 072026.R02; 071626.R02; 061626.R24; 071526.R01; 012026.01
Consumables : 947.110; 030125CH01; 6822423-02
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	0.7052 g			0.85	0.010	0.10	0.56	aw		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
07/22/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Good News Disposable Vape 500mg - Mln
Strain: Mln
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI60717011-009
Batch #: 3675070456590067
Harvest/Lot ID: 3675070456590067
Seed to sale: 0814346218445232

Expires: 07/17/27
Ordered: 07/17/26
Sampled: 07/17/26
Completed: 07/22/26

PASSED

Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 4571, 4056, 585
Extraction date: 07/20/26 15:59:55
Extracted by: 4056

Analysis Method : SOP.T.40.019
Analytical Batch : MI100680WAT
Instrument Used : DA-325 Rotronic Hygropalm HC2-AW (Probe)
Batch Date : 07/18/26 15:14:28
Analyzed Date : 07/21/26 09:50:39

Reagent : 050726.03
Consumables : PS-14
Pipette : N/A

Heavy Metals

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD METALS	0.2524 g	50 ml	1 x	1.1	0.0800	0.400	<0.0800	ppm		PASS
ARSENIC	0.2524 g	50 ml	1 x	0.2	0.0200	0.100	<0.0200	ppm		PASS
CADMIUM	0.2524 g	50 ml	1 x	0.2	0.0200	0.100	<0.0200	ppm		PASS
LEAD	0.2524 g	50 ml	1 x	0.5	0.0500	0.250	<0.0500	ppm		PASS
MERCURY	0.2524 g	50 ml	1 x	0.2	0.0200	0.100	<0.0200	ppm		PASS

Analyzed by: 5122, 1022, 585, 4056
Extraction date: 07/18/26 14:46:23
Extracted by: 5122

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : MI100654HEA
Instrument Used : DA-ICPMS-004
Batch Date : 07/18/26 09:06:09
Analyzed Date : 07/20/26 20:49:00

Reagent : 070826.R29; 071726.R13; 062426.R44; 071626.R10; 071326.R11; 071326.R13; 070626.02; 071726.R12; 032326.01
Consumables : 030125CH01; J609879-0193; 179436
Pipette : DA-191; DA-215; DA-435

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Filth/Foreign Material

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
FILTH AND FOREIGN MATERIAL	1 g		1	0.100	0.500	<0.100	%		PASS	

Analyzed by: 585, 4056
Extraction date: 07/18/26 11:45:33
Extracted by: 585

Analysis Method : SOP.T.40.090
Analytical Batch : MI100668FIL
Instrument Used : Filth/Foreign Material Microscope
Batch Date : 07/18/26 11:43:30
Analyzed Date : 07/20/26 11:37:15

Reagent : N/A
Consumables : N/A
Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
07/22/26
Laboratory License #: 900013