3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Sunnyside Chews 200mg 10pk Strwbrry 1:1
Strain: Mixed
Matrix: Edible
Type: Soft Chew

Certificate of Analysis

COMPLIANCE FOR RETAIL — PASSED



Harvest Batch #: 4851666195448541
Retail Batch #: 4851666195448541
Batch Date: 07/22/26
Harvest Date: 12/22/25
Production Method: Other - Not Listed
Total Amount: 2,028 units (82,127.7132 grams)
Cultivation Facility: FL - Indiantown (4430)
Processing Facility: FL - Indiantown (4430)
Retail Product Size: 40.4969 gram
Retail Serving Size: 4.0497 gram
Servings: 10
Seed To Sale #: 3132649107925408

Lab ID: MI60727003-008
Sampled: 07/27/26
Sampling Method: SOP.T.20.010
Sample Size: 11 units
Completed: 07/30/26
Expires: 07/27/27
Manifest #: 8982692048564049
Source Facility: FL - Indiantown (4430)

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

SAFETY RESULTS — **MISC.**


Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filth/Foreign Material	Water Activity	Moisture Content	Terpenes
PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	NOT TESTED	NOT TESTED

Cannabinoid — TESTED

Total THC
0.251%
Total THC/Container : 102 mg

Total CBD
0.258%
Total CBD/Container : 104 mg

Total Cannabinoids
0.546%
Total Cannabinoids/Container : 221 mg



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	0.250	0.00117	0.258	<0.0000670	0.000608	0.0269	<0.0000670	0.00213	<0.0000670	0.000852	0.00350	0.00292
mg/unit	101	0.473	104	<0.0000670	0.246	10.9	<0.0000670	0.863	<0.0000670	0.345	1.42	1.18
Qualifier					J							
LOD (%)	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670	0.0000670
LOQ (%)	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100	0.00100
Weight	2.7844 g	2.7844 g	2.7844 g	2.7844 g	2.7844 g	2.7844 g	2.7844 g	2.7844 g	2.7844 g	2.7844 g	2.7844 g	2.7844 g
Volume	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml
Dilution	1 x	1 x	1 x	1 x	1 x	1 x	1 x	1 x	1 x	1 x	1 x	1 x

Analyzed by:
4640, 1665, 3379, 585, 5268

Extraction date:
07/28/26 12:12:40

Extracted by:
4640

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031
Analytical Batch : MI100891POT
Instrument Used : DA-LC-008 (Edible)
Analyzed Date : 07/28/26 16:17:00

Batch Date : 07/28/26 09:52:28

Reagent : 070626.02; 072126.R02; 010825.18; 102725.04; 072126.R01
Consumables : 947.110; 04312111; 030125CH01; 0000355309
Pipette : DA-055; DA-063; DA-067

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
07/30/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Sunnyside Chews 200mg 10pk Strwbrry 1:1
Strain: Mixed
Matrix: Edible
Type: Soft Chew

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI60727003-008
Batch #: 4851666195448541
Harvest/Lot ID: 4851666195448541
Seed to sale: 3132649107925408

Expires: 07/27/27
Ordered: 07/27/26
Sampled: 07/27/26
Completed: 07/30/26

PASSED

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

Label Claim Verification — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
PACKAGE LABEL DEVIATION (THC)					-100	-100	1.81	%		TESTED
PACKAGE LABEL DEVIATION (CBD)					-100	-100	4.45	%		TESTED
PACKAGING LABEL DEVIATION FOR CANNABINOID RATIO				10			2.75	%		PASS

Analyzed by: **Extraction date:** **Extracted by:**

Analysis Method : N/A
Analytical Batch : N/A
Instrument Used : N/A
Analyzed Date : 07/29/26 11:09:06

Batch Date : N/A

Pesticide — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD (PESTICIDES)	1.0049 g	25 ml	10 x	30	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL DIMETHOMORPH	1.0049 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL PERMETHRIN	1.0049 g	25 ml	10 x	1	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL PYRETHRINS	1.0049 g	25 ml	10 x	1	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL SPINETORAM	1.0049 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm		PASS
TOTAL SPINOSAD	1.0049 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm		PASS
ABAMECTIN B1A	1.0049 g	25 ml	10 x	0.3	0.0100	0.0500	<0.0100	ppm		PASS
ACEPHATE	1.0049 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm		PASS
ACEQUINOCYL	1.0049 g	25 ml	10 x	2	0.0100	0.0500	<0.0100	ppm		PASS
ACETAMIPRID	1.0049 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm		PASS
ALDICARB	1.0049 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
AZOXYSTROBIN	1.0049 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm		PASS
BIFENAZATE	1.0049 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm		PASS
CHLORPYRIFOS	1.0049 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
BIFENTHRIN	1.0049 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
BOSCALID	1.0049 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm		PASS
CARBARYL	1.0049 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
CLOFENTEZINE	1.0049 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
CARBOFURAN	1.0049 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
COUMAPHOS	1.0049 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CHLORANTRANILIPROLE	1.0049 g	25 ml	10 x	3	0.100	0.500	<0.100	ppm		PASS
CHLORMEQUAT CHLORIDE	1.0049 g	25 ml	10 x	3	0.100	0.500	<0.100	ppm		PASS
DAMINOZIDE	1.0049 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
DIAZINON	1.0049 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
DICHLORVOS	1.0049 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
DIMETHOATE	1.0049 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ETHOPROPHOS	1.0049 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ETOFENPROX	1.0049 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
ETOXAZOLE	1.0049 g	25 ml	10 x	1.5	0.0100	0.0500	<0.0100	ppm		PASS
FENHEXAMID	1.0049 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm		PASS
FENOXYCARB	1.0049 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FENPYROXIMATE	1.0049 g	25 ml	10 x	2	0.0100	0.0500	<0.0100	ppm		PASS
FIPRONIL	1.0049 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
FLONICAMID	1.0049 g	25 ml	10 x	2	0.0100	0.0500	<0.0100	ppm		PASS
FLUDIOXONIL	1.0049 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
07/30/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Sunnyside Chews 200mg 10pk Strwbrry 1:1
Strain: Mixed
Matrix: Edible
Type: Soft Chew

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI60727003-008
Batch #: 4851666195448541
Harvest/Lot ID: 4851666195448541
Seed to sale: 3132649107925408

Expires: 07/27/27
Ordered: 07/27/26
Sampled: 07/27/26
Completed: 07/30/26

PASSED

Pesticide — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
HEXYTHIAZOX	1.0049 g	25 ml	10 x	2	0.0100	0.0500	<0.0100	ppm		PASS
IMAZALIL	1.0049 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
IMIDACLOPRID	1.0049 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm		PASS
KRESOXIM-METHYL	1.0049 g	25 ml	10 x	1	0.0100	0.0500	<0.0100	ppm		PASS
MALATHION	1.0049 g	25 ml	10 x	2	0.0100	0.0500	<0.0100	ppm		PASS
METALAXYL	1.0049 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm		PASS
METHIOCARB	1.0049 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
METHOMYL	1.0049 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
MEVINPHOS	1.0049 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
MYCLOBUTANIL	1.0049 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm		PASS
NALED	1.0049 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
OXAMYL	1.0049 g	25 ml	10 x	0.5	0.0100	0.0500	<0.0100	ppm		PASS
PACLOBUTRAZOL	1.0049 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PHOSMET	1.0049 g	25 ml	10 x	0.2	0.0100	0.0500	<0.0100	ppm		PASS
PIPERONYL BUTOXIDE	1.0049 g	25 ml	10 x	3	0.100	0.500	<0.100	ppm		PASS
PRALLETHRIN	1.0049 g	25 ml	10 x	0.4	0.0100	0.0500	<0.0100	ppm		PASS
PROPICONAZOLE	1.0049 g	25 ml	10 x	1	0.0100	0.0500	<0.0100	ppm		PASS
PROPOXUR	1.0049 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PYRIDABEN	1.0049 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm		PASS
SPIROMESIFEN	1.0049 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm		PASS
SPIROTETRAMAT	1.0049 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm		PASS
SPIROXAMINE	1.0049 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
TEBUCONAZOLE	1.0049 g	25 ml	10 x	1	0.0100	0.0500	<0.0100	ppm		PASS
THIACLOPRID	1.0049 g	25 ml	10 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
THIAMETHOXAM	1.0049 g	25 ml	10 x	1	0.0100	0.0500	<0.0100	ppm		PASS
TRIFLOXYSTROBIN	1.0049 g	25 ml	10 x	3	0.0100	0.0500	<0.0100	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	1.0049 g	25 ml	1 x	0.2	0.0100	0.0750	<0.0100	ppm		PASS
TOTAL CHLORDANE	1.0049 g	25 ml	1 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
PARATHION-METHYL	1.0049 g	25 ml	1 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CAPTAN	1.0049 g	25 ml	1 x	3	0.0700	0.350	<0.0700	ppm		PASS
CHLORFENAPYR	1.0049 g	25 ml	1 x	0.1	0.0100	0.0500	<0.0100	ppm		PASS
CYFLUTHRIN	1.0049 g	25 ml	1 x	1	0.0500	0.250	<0.0500	ppm		PASS
CYPERMETHRIN	1.0049 g	25 ml	1 x	1	0.0500	0.250	<0.0500	ppm		PASS

Analyzed by:
4451, 585, 5268

Extraction date:
07/28/26 11:18:04

Extracted by:
4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI100897PES
Instrument Used : DA-LCMS-005 (PES)
Analyzed Date : 07/28/26 15:18:00
Batch Date : 07/28/26 10:03:02

Reagent : 072426.R02; 012026.01; 072226.R03; 072426.R01; 072726.R05; 061626.R24; 072226.R01
Consumables : 947.110; 040724CH01; 6822423-02
Pipette : DA-093; DA-094; DA-219

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
07/30/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Sunnyside Chews 200mg 10pk Strwbrry 1:1
Strain: Mixed
Matrix: Edible
Type: Soft Chew

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI60727003-008
Batch #: 4851666195448541
Harvest/Lot ID: 4851666195448541
Seed to sale: 3132649107925408

Expires: 07/27/27
Ordered: 07/27/26
Sampled: 07/27/26
Completed: 07/30/26

PASSED

Pesticide — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 3335, 585, 5268
Extraction date: 07/28/26 11:18:04
Extracted by: 4451

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL
Analytical Batch : MI100899VOL
Instrument Used : DA-GCMS-001
Batch Date : 07/28/26 10:04:46
Analyzed Date : 07/28/26 15:29:00

Reagent : 072426.R02; 012026.01; 072226.R26; 072226.R27
Consumables : 947.110; 040724CH01; 6822423-02; 17473601
Pipette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Residual Solvents — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
1,1-DICHLOROETHENE	0.0205 g	1 ml	1 x	8	0.800	4.00	<0.800	ppm		PASS
1,2-DICHLOROETHANE	0.0205 g	1 ml	1 x	2	0.200	1.00	<0.200	ppm		PASS
2-PROPANOL	0.0205 g	1 ml	1 x	5000	50.0	250	<50.0	ppm		PASS
ACETONE	0.0205 g	1 ml	1 x	5000	75.0	375	<75.0	ppm		PASS
ACETONITRILE	0.0205 g	1 ml	1 x	410	6.00	30.0	<6.00	ppm		PASS
BENZENE	0.0205 g	1 ml	1 x	1	0.100	0.500	<0.100	ppm		PASS
BUTANES (N-BUTANE)	0.0205 g	1 ml	1 x	5000	500	2500	<500	ppm		PASS
CHLOROFORM	0.0205 g	1 ml	1 x	2	0.200	1.00	<0.200	ppm		PASS
DICHLOROMETHANE	0.0205 g	1 ml	1 x	125	12.5	62.5	<12.5	ppm		PASS
ETHANOL	0.0205 g	1 ml	1 x	5000	500	2500	<500	ppm		PASS
ETHYL ACETATE	0.0205 g	1 ml	1 x	5000	40.0	200	<40.0	ppm		PASS
ETHYL ETHER	0.0205 g	1 ml	1 x	5000	50.0	250	<50.0	ppm		PASS
ETHYLENE OXIDE	0.0205 g	1 ml	1 x	5	0.500	2.50	<0.500	ppm		PASS
HEPTANE	0.0205 g	1 ml	1 x	5000	500	2500	<500	ppm		PASS
METHANOL	0.0205 g	1 ml	1 x	3000	25.0	125	<25.0	ppm		PASS
N-HEXANE	0.0205 g	1 ml	1 x	250	25.0	125	<25.0	ppm		PASS
PENTANES (N-PENTANE)	0.0205 g	1 ml	1 x	5000	75.0	375	<75.0	ppm		PASS
PROPANE	0.0205 g	1 ml	1 x	5000	500	1080	<500	ppm		PASS
TOLUENE	0.0205 g	1 ml	1 x	890	15.0	75.0	<15.0	ppm		PASS
TOTAL XYLENES	0.0205 g	1 ml	1 x	2170	15.0	75.0	<15.0	ppm		PASS
TRICHLOROETHYLENE	0.0205 g	1 ml	1 x	25	2.50	12.5	<2.50	ppm		PASS

Analyzed by: 4444, 3379, 5268
Extraction date: 07/28/26 11:44:56
Extracted by: 4444

Analysis Method : SOP.T.40.041.FL
Analytical Batch : MI100905SOL
Instrument Used : DA-GCMS-012
Batch Date : 07/28/26 11:35:02
Analyzed Date : 07/28/26 19:03:58

Reagent : 061323.06
Consumables : 431526; 325202
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
07/30/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Sunnyside Chews 200mg 10pk Strwbrry 1:1
Strain: Mixed
Matrix: Edible
Type: Soft Chew

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI60727003-008
Batch #: 4851666195448541
Harvest/Lot ID: 4851666195448541
Seed to sale: 3132649107925408

Expires: 07/27/27
Ordered: 07/27/26
Sampled: 07/27/26
Completed: 07/30/26

PASSED

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
ASPERGILLUS FLAVUS	1.0127 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	1.0127 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	1.0127 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	1.0127 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	1.0127 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
LISTERIA MONOCYTOGENES	1.0127 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
SALMONELLA SPECIFIC GENE	1.0127 g	1 ml	10 x	NOT PRESENT IN 1g	1.0	1.0	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	0.8908 g	1 ml	10 x	100000	10.0	10.0	<10.0	CFU/g		PASS

Analyzed by:
5008, 4520, 585, 5268

Extraction date:
07/28/26 10:40:28

Extracted by:
5008

Analysis Method : SOP.T.40.056C
Analytical Batch : MI100884MIC
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95*C Heat Block),DA-402 (55*C Heat Block)
Analyzed Date : 07/30/26 12:07:13

Batch Date : 07/28/26 09:15:16

Reagent : 041326.35; 051326.R45; 031026.13
Consumables : 7591001004
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by:
3621, 4892, 585, 5268

Extraction date:
07/28/26 10:44:02

Extracted by:
5008

Analysis Method : SOP.T.40.209.FL
Analytical Batch : MI100885TYM
Instrument Used : DA-328 (25*C Incubator)
Analyzed Date : 07/30/26 12:08:15

Batch Date : 07/28/26 09:15:27

Reagent : 022626.71; 041526.R47
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
AFLATOXIN B1	1.0049 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN B2	1.0049 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
OCHRATOXIN A	1.0049 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN G1	1.0049 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN G2	1.0049 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS

Analyzed by:
4451, 585, 5268

Extraction date:
07/28/26 11:18:04

Extracted by:
4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI100898MYC
Instrument Used : DA-LCMS-005 (MYC)
Analyzed Date : 07/28/26 15:18:00

Batch Date : 07/28/26 10:04:28

Reagent : 072426.R02; 012026.01; 072226.R03; 072426.R01; 072726.R05; 061626.R24; 072226.R01
Consumables : 947.110; 040724CH01; 6822423-02
Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
07/30/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Sunnyside Chews 200mg 10pk Strwbrry 1:1
Strain: Mixed
Matrix: Edible
Type: Soft Chew

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI60727003-008
Batch #: 4851666195448541
Harvest/Lot ID: 4851666195448541
Seed to sale: 3132649107925408

Expires: 07/27/27
Ordered: 07/27/26
Sampled: 07/27/26
Completed: 07/30/26

PASSED

Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	6.3641 g			0.85	0.010	0.10	0.68	aw		PASS

Analyzed by: 4056, 585, 5268
Extraction date: 07/28/26 13:32:24
Extracted by: 4056

Analysis Method : SOP.T.40.019
Analytical Batch : MI100908WAT
Instrument Used : DA-325 Rotronic Hygropalm HC2-AW (Probe)
Batch Date : 07/28/26 13:12:30
Analyzed Date : 07/29/26 11:57:17

Reagent : 050726.03
Consumables : PS-14
Pipette : N/A

Homogeneity Testing

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL THC - HOMOGENEITY (RSD)	3.9159 g	40 ml	1 x	25	0.00100	0.0100	0.734	%		PASS
TOTAL CBD - HOMOGENEITY (RSD)	3.9159 g	40 ml	1 x	25	0.00100	0.0100	0.779	%		PASS

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL
Analytical Batch : MI100879HOM
Instrument Used : DA-LC-001
Batch Date : 07/28/26 07:05:03
Analyzed Date : 07/28/26 14:16:00

Reagent : 070626.02; 052226.06; 071026.R07; 063026.R04
Consumables : 947.110; 04312111; 031425CH01; 1009429049; 1009468945; 0000214700
Pipette : DA-108; DA-421

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Heavy Metals

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD METALS	0.2707 g	50 ml	1 x	5	0.0200	0.100	<0.0200	ppm		PASS
ARSENIC	0.2707 g	50 ml	1 x	1.5	0.0200	0.100	<0.0200	ppm		PASS
CADMIUM	0.2707 g	50 ml	1 x	0.5	0.0200	0.100	<0.0200	ppm		PASS
LEAD	0.2707 g	50 ml	1 x	0.5	0.0500	0.250	<0.0500	ppm		PASS
MERCURY	0.2707 g	50 ml	1 x	3	0.0200	0.100	<0.0200	ppm		PASS
NICKEL	0.2707 g	50 ml	1 x	3	0.0500	0.250	<0.0500	ppm		PASS
TIN	0.2707 g	50 ml	1 x	4	0.400	2.00	<0.400	ppm		PASS

Analyzed by: 1022, 3379, 5268
Extraction date: 07/28/26 11:11:43
Extracted by: 5122

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : MI100895HEA
Instrument Used : DA-ICPMS-004
Batch Date : 07/28/26 09:59:03
Analyzed Date : 07/28/26 19:06:00

Reagent : 070826.R29; 071726.R13; 071626.R10; 072826.R02; 072026.R08; 070626.02; 071726.R12; 032326.01
Consumables : 030125CH01; J609879-0193; 179436
Pipette : DA-191; DA-215; DA-435

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
07/30/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Sunnyside Chews 200mg 10pk Strwbrry 1:1
Strain: Mixed
Matrix: Edible
Type: Soft Chew

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI60727003-008
Batch #: 4851666195448541
Harvest/Lot ID: 4851666195448541
Seed to sale: 3132649107925408

Expires: 07/27/27
Ordered: 07/27/26
Sampled: 07/27/26
Completed: 07/30/26

PASSED

Filth/Foreign Material — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
FILTH AND FOREIGN MATERIAL	1 g			1	0.100	0.500	<0.100	%		PASS

Analyzed by: 4571, 585, 5268
Extraction date: 07/29/26 09:07:39
Extracted by: 4571

Analysis Method : SOP.T.40.090
Analytical Batch : MI100924FIL
Instrument Used : Filth/Foreign Material Microscope
Batch Date : 07/29/26 09:06:08
Analyzed Date : 07/29/26 11:46:40

Reagent : N/A
Consumables : N/A
Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
07/30/26
Laboratory License #: 900013