3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Frutful BRNG Distillate Cartridge 1.0 g
Strain: Bloodiest Orange
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

COMPLIANCE FOR RETAIL — PASSED



Harvest Batch #: 072926-RUBYX
Retail Batch #: ID2147-BRNG-CRT1
Batch Date: 10/06/26
Harvest Date: 07/29/26
Production Method: Other - Not Listed
Total Amount: 630 units (630 grams)
Cultivation Facility: Lake Wales
Processing Facility: Lake Wales
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Seed To Sale #: 1746777536103726

Lab ID: MI61028005-001
Sampled: 10/27/26
Sampling Method: SOP.T.20.010
Sample Size: 16 units
Completed: 11/06/26
Expires: 10/27/27
Manifest #: 4506529058301960
Source Facility: Lake Wales

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

GrowHealthy

SAFETY RESULTS — **MISC.**

Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filth/Foreign Material	Water Activity	Moisture Content	Terpenes
PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	NOT TESTED	TESTED

Cannabinoid — TESTED

Total THC
86.3%
Total THC/Container : 863 mg

Total CBD
0.226%
Total CBD/Container : 2.26 mg

Total Cannabinoids
90.6%
Total Cannabinoids/Container : 906 mg



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	86.3	<0.00200	0.226	<0.00200	<0.00200	1.46	0.112	0.309	1.05	<0.00200	0.964	0.125
mg/unit	863	<0.00200	2.26	<0.00200	<0.00200	14.6	1.12	3.09	10.5	<0.00200	9.64	1.25
Qualifier												
LOD (%)	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200
LOQ (%)	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200
Weight	0.0996, 0.1019 g	0.0996, 0.1019 g	0.0996, 0.1019 g	0.0996, 0.1019 g	0.0996, 0.1019 g	0.0996, 0.1019 g	0.0996, 0.1019 g	0.0996, 0.1019 g	0.0996, 0.1019 g	0.0996, 0.1019 g	0.0996, 0.1019 g	0.0996, 0.1019 g
Volume	40, 40 ml	40, 40 ml	40, 40 ml	40, 40 ml	40, 40 ml	40, 40 ml	40, 40 ml	40, 40 ml	40, 40 ml	40, 40 ml	40, 40 ml	40, 40 ml
Dilution	10, 10 x	10, 10 x	10, 10 x	10, 10 x	10, 10 x	10, 10 x	10, 10 x	10, 10 x	10, 10 x	10, 10 x	10, 10 x	10, 10 x

Analyzed by:
4640, 1665, 585, 1440

Extraction date:
10/28/26 13:25:36

Extracted by:
4640

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031
Analytical Batch : MI103272POT
Instrument Used : DA-LC-003 (Derivative)
Analyzed Date : 2026-10-28 20:01:00, 2026-10-29 16:29:42, 2026-10-29 16:40:04

Batch Date : 10/28/26 10:24:22

Reagent : 101526.R14; 101526.R15; 101526.R16; 101226.R20; 100526.05; 101226.R19
Consumables : 242011899; 04511039; DMAX06D26S; 0000402180
Pipette : DA-052; DA-055; DA-063

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/06/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Frutful BRNG Distillate Cartridge 1.0 g
Strain: Bloodiest Orange
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61028005-001
Batch #: ID2147-BRNG-CRT1
Harvest/Lot ID: 072926-RUBYX
Seed to sale: 1746777536103726

Expires: 10/27/27
Ordered: 10/27/26
Sampled: 10/27/26
Completed: 11/06/26

PASSED

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

Label Claim Verification

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: **Extraction date:** **Extracted by:**

Analysis Method : N/A
Analytical Batch : N/A
Instrument Used : N/A
Analyzed Date : 10/30/26 10:59:32

Batch Date : N/A

Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL
TOTAL TERPENES	0.2042 g	10 ml	1 x		0.00700	0.0200	3.06	30.6		TESTED
LIMONENE	0.2042 g	10 ml	1 x		0.00700	0.0200	1.88	18.8		TESTED
ALPHA-BISABOLOL	0.2042 g	10 ml	1 x		0.00700	0.0200	0.188	1.88		TESTED
BETA-CARYOPHYLLENE	0.2042 g	10 ml	1 x		0.00700	0.0200	0.151	1.51		TESTED
GAMMA-TERPINENE	0.2042 g	10 ml	1 x		0.00700	0.0200	0.146	1.46		TESTED
BETA-MYRCENE	0.2042 g	10 ml	1 x		0.00700	0.0200	0.112	1.12		TESTED
GUAIOL	0.2042 g	10 ml	1 x		0.00700	0.0200	0.0909	0.909		TESTED
TRANS-NEROLIDOL	0.2042 g	10 ml	1 x		0.00500	0.0160	0.0764	0.764		TESTED
LINALOOL	0.2042 g	10 ml	1 x		0.00700	0.0200	0.0655	0.655		TESTED
BETA-PINENE	0.2042 g	10 ml	1 x		0.00700	0.0200	0.0632	0.632		TESTED
HEXAHYDROTHYMOL	0.2042 g	10 ml	1 x		0.00700	0.0200	0.0573	0.573		TESTED
ALPHA-HUMULENE	0.2042 g	10 ml	1 x		0.00700	0.0200	0.0536	0.536		TESTED
ALPHA-PINENE	0.2042 g	10 ml	1 x		0.00700	0.0200	0.0408	0.408		TESTED
FARNESENE	0.2042 g	10 ml	1 x		0.00700	0.0200	0.0390	0.390		TESTED
ALPHA-TERPINEOL	0.2042 g	10 ml	1 x		0.00700	0.0200	0.0355	0.355		TESTED
CARYOPHYLLENE OXIDE	0.2042 g	10 ml	1 x		0.00700	0.0200	0.0337	0.337		TESTED
FENCHYL ALCOHOL	0.2042 g	10 ml	1 x		0.00700	0.0200	0.0273	0.273		TESTED
ALPHA-TERPINOLENE	0.2042 g	10 ml	1 x		0.00700	0.0200	0.00851	0.0851	J	TESTED
3-CARENE	0.2042 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
BORNEOL	0.2042 g	10 ml	1 x		0.0130	0.0400	<0.0130	<0.400		TESTED
CAMPHENE	0.2042 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
CAMPHOR	0.2042 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
CEDROL	0.2042 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
EUCALYPTOL	0.2042 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
FENCHONE	0.2042 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
GERANIOL	0.2042 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
GERANYL ACETATE	0.2042 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
ISOBORNEOL	0.2042 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
ISOPULEGOL	0.2042 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
NEROL	0.2042 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
OCIMENE	0.2042 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
PULEGONE	0.2042 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
SABINENE	0.2042 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
SABINENE HYDRATE	0.2042 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
VALENCENE	0.2042 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
ALPHA-CEDRENE	0.2042 g	10 ml	1 x		0.00500	0.0160	<0.00500	<0.160		TESTED
ALPHA-PHELLANDRENE	0.2042 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
ALPHA-TERPINENE	0.2042 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
CIS-NEROLIDOL	0.2042 g	10 ml	1 x		0.00300	0.00800	<0.00300	<0.0800		TESTED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/06/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Frutful BRNG Distillate Cartridge 1.0 g
Strain: Bloodiest Orange
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61028005-001
Batch #: ID2147-BRNG-CRT1
Harvest/Lot ID: 072926-RUBYX
Seed to sale: 1746777536103726

Expires: 10/27/27
Ordered: 10/27/26
Sampled: 10/27/26
Completed: 11/06/26

PASSED

Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL

Analyzed by: 4531, 585, 1440
Extraction date: 10/28/26 13:47:28
Extracted by: 4531

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : MI103284TER
Instrument Used : DA-GCMS-009
Analyzed Date : 10/29/26 00:44:00
Batch Date : 10/28/26 11:56:45

Reagent : 100526.05; 062926.02
Consumables : 242011899; 04511039; 251213-634-A; 0000402180
Pipette : DA-065

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.

Pesticide

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD (PESTICIDES)	1.0061 g	25 ml	10 x	5	0.00994	0.0497	0.0572	ppm		PASS
TOTAL DIMETHOMORPH	1.0061 g	25 ml	10 x	0.2	0.00974	0.0487	<0.00974	ppm		PASS
TOTAL PERMETHRIN	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
TOTAL PYRETHRINS	1.0061 g	25 ml	10 x	0.5	0.0299	0.150	<0.0299	ppm		PASS
TOTAL SPINETORAM	1.0061 g	25 ml	10 x	0.2	0.000974	0.0487	<0.000974	ppm		PASS
TOTAL SPINOSAD	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
ABAMECTIN B1A	1.0061 g	25 ml	10 x	0.1	0.00954	0.0477	<0.00954	ppm		PASS
ACEPHATE	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
ACEQUINOCYL	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
ACETAMIPRID	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
ALDICARB	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
AZOXYSTROBIN	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
BIFENAZATE	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
BIFENTHRIN	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
BOSCALID	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
CHLORPYRIFOS	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
CARBARYL	1.0061 g	25 ml	10 x	0.5	0.00994	0.0497	<0.00994	ppm		PASS
CLOFENTEZINE	1.0061 g	25 ml	10 x	0.2	0.00994	0.0497	<0.00994	ppm		PASS
CARBOFURAN	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
COUMAPHOS	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
CHLORANTRANILIPROLE	1.0061 g	25 ml	10 x	1	0.0994	0.497	<0.0994	ppm		PASS
CHLORMEQUAT CHLORIDE	1.0061 g	25 ml	10 x	1	0.0994	0.497	<0.0994	ppm		PASS
DAMINOZIDE	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
DIAZINON	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
DICHLORVOS	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
DIMETHOATE	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
ETHOPROPHOS	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
ETOFENPROX	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
ETOXAZOLE	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
FENHEXAMID	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
FENOXYCARB	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
FENPYROXIMATE	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
FIPRONIL	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
FLONICAMID	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
FLUDIOXONIL	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
HEXYTHIAZOX	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
IMAZALIL	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
IMIDACLOPRID	1.0061 g	25 ml	10 x	0.4	0.00994	0.0497	<0.00994	ppm		PASS
KRESOXIM-METHYL	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/06/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Frutful BRNG Distillate Cartridge 1.0 g
Strain: Bloodiest Orange
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61028005-001
Batch #: ID2147-BRNG-CRT1
Harvest/Lot ID: 072926-RUBYX
Seed to sale: 1746777536103726

Expires: 10/27/27
Ordered: 10/27/26
Sampled: 10/27/26
Completed: 11/06/26

PASSED

Pesticide — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
MALATHION	1.0061 g	25 ml	10 x	0.2	0.00994	0.0497	<0.00994	ppm		PASS
METALAXYL	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
METHIOCARB	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
METHOMYL	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
MEVINPHOS	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
MYCLOBUTANIL	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
NALED	1.0061 g	25 ml	10 x	0.25	0.00994	0.0497	<0.00994	ppm		PASS
OXAMYL	1.0061 g	25 ml	10 x	0.5	0.00994	0.0497	<0.00994	ppm		PASS
PACLOBUTRAZOL	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
PHOSMET	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
PIPERONYL BUTOXIDE	1.0061 g	25 ml	10 x	3	0.0994	0.497	<0.0994	ppm		PASS
PRALLETHRIN	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
PROPICONAZOLE	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
PROPOXUR	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
PYRIDABEN	1.0061 g	25 ml	10 x	0.2	0.00994	0.0497	<0.00994	ppm		PASS
SPIROMESIFEN	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
SPIROTETRAMAT	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
SPIROXAMINE	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
TEBUCONAZOLE	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
THIACLOPRID	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
THIAMETHOXAM	1.0061 g	25 ml	10 x	0.5	0.00994	0.0497	<0.00994	ppm		PASS
TRIFLOXYSTROBIN	1.0061 g	25 ml	10 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	1.0061 g	25 ml	5 x	0.15	0.00994	0.0745	<0.00994	ppm		PASS
TOTAL CHLORDANE	1.0061 g	25 ml	5 x	0.1	0.00994	0.0497	0.0572	ppm		PASS
PARATHION-METHYL	1.0061 g	25 ml	5 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
CAPTAN	1.0061 g	25 ml	5 x	0.7	0.0696	0.348	<0.0696	ppm		PASS
CHLORFENAPYR	1.0061 g	25 ml	5 x	0.1	0.00994	0.0497	<0.00994	ppm		PASS
CYFLUTHRIN	1.0061 g	25 ml	5 x	0.5	0.0497	0.248	<0.0497	ppm		PASS
CYPERMETHRIN	1.0061 g	25 ml	5 x	0.5	0.0497	0.248	<0.0497	ppm		PASS

Analyzed by: 4451, 585, 1440
Extraction date: 10/28/26 12:21:57
Extracted by: 5072,4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103277PES
Instrument Used : DA-LCMS-004 (PES)
Batch Date : 10/28/26 10:44:26
Analyzed Date : 10/28/26 18:45:00

Reagent : 102626.R03; 082426.12; 102826.R03; 102626.R06; 102826.R11; 092326.R12; 102826.R01
Consumables : 242011899; DMAX06D26S; 6894944-01
Pipette : DA-092; DA-093; DA-094

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 5072, 585, 1440
Extraction date: 10/28/26 12:21:57
Extracted by: 5072,4451

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL
Analytical Batch : MI103279VOL
Instrument Used : DA-GCMS-011
Batch Date : 10/28/26 10:45:04
Analyzed Date : 10/28/26 17:38:00

Reagent : 102626.R03; 082426.12; 102626.R01; 102626.R02; 090426.R12
Consumables : 242011899; DMAX06D26S; 6894944-01; 20743001
Pipette : DA-065; DA-080; DA-146

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/06/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Frutful BRNG Distillate Cartridge 1.0 g
Strain: Bloodiest Orange
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61028005-001
Batch #: ID2147-BRNG-CRT1
Harvest/Lot ID: 072926-RUBYX
Seed to sale: 1746777536103726

Expires: 10/27/27
Ordered: 10/27/26
Sampled: 10/27/26
Completed: 11/06/26

PASSED

Residual Solvents

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
1,1-DICHLOROETHENE	0.0282 g	1 ml	1 x	8	0.567	2.84	<0.567	ppm		PASS
1,2-DICHLOROETHANE	0.0282 g	1 ml	1 x	2	0.142	0.709	<0.142	ppm		PASS
2-PROPANOL	0.0282 g	1 ml	1 x	500	35.5	177	<35.5	ppm		PASS
ACETONE	0.0282 g	1 ml	1 x	750	53.2	266	91.8	ppm	J	PASS
ACETONITRILE	0.0282 g	1 ml	1 x	60	4.26	21.3	<4.26	ppm		PASS
BENZENE	0.0282 g	1 ml	1 x	1	0.0709	0.355	<0.0709	ppm		PASS
BUTANES (N-BUTANE)	0.0282 g	1 ml	1 x	5000	355	1770	<355	ppm		PASS
CHLOROFORM	0.0282 g	1 ml	1 x	2	0.142	0.709	<0.142	ppm		PASS
DICHLOROMETHANE	0.0282 g	1 ml	1 x	125	8.87	44.3	<8.87	ppm		PASS
ETHANOL	0.0282 g	1 ml	1 x	5000	355	1770	<355	ppm		PASS
ETHYL ACETATE	0.0282 g	1 ml	1 x	400	28.4	142	<28.4	ppm		PASS
ETHYL ETHER	0.0282 g	1 ml	1 x	500	35.5	177	<35.5	ppm		PASS
ETHYLENE OXIDE	0.0282 g	1 ml	1 x	5	0.355	1.77	<0.355	ppm		PASS
HEPTANE	0.0282 g	1 ml	1 x	5000	355	1770	<355	ppm		PASS
METHANOL	0.0282 g	1 ml	1 x	250	17.7	88.7	<17.7	ppm		PASS
N-HEXANE	0.0282 g	1 ml	1 x	250	17.7	88.7	<17.7	ppm		PASS
PENTANES (N-PENTANE)	0.0282 g	1 ml	1 x	750	53.2	266	<53.2	ppm		PASS
PROPANE	0.0282 g	1 ml	1 x	5000	355	766	<355	ppm		PASS
TOLUENE	0.0282 g	1 ml	1 x	150	10.6	53.2	<10.6	ppm		PASS
TOTAL XYLENES	0.0282 g	1 ml	1 x	150	10.6	53.2	<10.6	ppm		PASS
TRICHLOROETHYLENE	0.0282 g	1 ml	1 x	25	1.77	8.87	<1.77	ppm		PASS

Analyzed by:
4444, 585, 1440

Extraction date:
10/28/26 12:18:58

Extracted by:
4444

Analysis Method : SOP.T.40.041.FL
Analytical Batch : MI103285SOL
Instrument Used : DA-GCMS-012
Analyzed Date : 10/29/26 03:27:00

Batch Date : 10/28/26 12:12:14

Reagent : 061323.06; 092326.R09; 092326.R10; 092326.R11
Consumables : 432860; 344274
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
ASPERGILLUS FLAVUS	0.844 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	0.844 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	0.844 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	0.844 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	0.844 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
SALMONELLA SPECIFIC GENE	0.844 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	0.829 g	1 ml	10 x	100000	10.0	10.0	<10.0	CFU/g		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/06/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Frutful BRNG Distillate Cartridge 1.0 g
Strain: Bloodiest Orange
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61028005-001
Batch #: ID2147-BRNG-CRT1
Harvest/Lot ID: 072926-RUBYX
Seed to sale: 1746777536103726

Expires: 10/27/27
Ordered: 10/27/26
Sampled: 10/27/26
Completed: 11/06/26

PASSED

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 5008, 4520, 585, 1440
Extraction date: 10/28/26 12:15:46
Extracted by: 4892,5008

Analysis Method : SOP.T.40.056C
Analytical Batch : MI103270MIC
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)
Batch Date : 10/28/26 09:55:04
Analyzed Date : 10/30/26 12:52:35

Reagent : 072026.15; 072026.18; 093026.R09; 092526.03; 101926.R36; 101926.R37; 090326.01
Consumables : 7590006075
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 5008, 4892, 585, 1440
Extraction date: 10/28/26 11:41:17
Extracted by: 5008

Analysis Method : SOP.T.40.209.FL
Analytical Batch : MI103271TYM
Instrument Used : DA-096 (25°C Incubator),DA-420 (25°C Incubator)
Batch Date : 10/28/26 09:55:13
Analyzed Date : 10/30/26 12:23:34

Reagent : 022626.05; 022626.17; 102026.R17; 102026.R13
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL AFLATOXINS	1.0061 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN B1	1.0061 g	25 ml	10 x	0.02	0.00199	0.00994	<0.00199	ppm		PASS
AFLATOXIN B2	1.0061 g	25 ml	10 x	0.02	0.00199	0.00994	<0.00199	ppm		PASS
AFLATOXIN G1	1.0061 g	25 ml	10 x	0.02	0.00199	0.00994	<0.00199	ppm		PASS
AFLATOXIN G2	1.0061 g	25 ml	10 x	0.02	0.00199	0.00994	<0.00199	ppm		PASS
OCHRATOXIN A	1.0061 g	25 ml	10 x	0.02	0.00199	0.00994	<0.00199	ppm		PASS

Analyzed by: 4451, 585, 1440
Extraction date: 10/28/26 12:21:57
Extracted by: 5072,4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103278MYC
Instrument Used : DA-LCMS-004 (MYC)
Batch Date : 10/28/26 10:44:57
Analyzed Date : 10/28/26 18:45:00

Reagent : 102626.R03; 082426.12; 102826.R03; 102626.R06; 102826.R11; 092326.R12; 102826.R01
Consumables : 242011899; DMAX06D26S; 6894944-01
Pipette : DA-092; DA-093; DA-094

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	0.35 g			0.85	0.010	0.10	0.56	aw		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/06/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Frutful BRNG Distillate Cartridge 1.0 g
Strain: Bloodiest Orange
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Extract for Inhalation

Certificate of Analysis

GrowHealthy
309 S ACUFF ROAD
LAKE WALES, FL, 33884, US
License # : M00007CULPROLakeWales001

Sample: MI61028005-001
Batch #: ID2147-BRNG-CRT1
Harvest/Lot ID: 072926-RUBYX
Seed to sale: 1746777536103726

Expires: 10/27/27
Ordered: 10/27/26
Sampled: 10/27/26
Completed: 11/06/26

PASSED

Water Activity — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 5412, 585, 1440
Extraction date: 10/28/26 16:37:12
Extracted by: 5412

Analysis Method : SOP.T.40.019
Analytical Batch : MI103289WAT
Instrument Used : DA-257 (Hygrometer, Base Unit)
Batch Date : 10/28/26 14:14:57
Analyzed Date : 10/29/26 09:28:20

Reagent : 072926.01
Consumables : PS-14
Pipette : N/A

Heavy Metals — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD METALS	0.2529 g	50 ml	1 x	5	0.0198	0.0989	0.234	ppm		PASS
ARSENIC	0.2529 g	50 ml	1 x	0.2	0.0198	0.0989	<0.0198	ppm		PASS
CADMIUM	0.2529 g	50 ml	1 x	0.2	0.0198	0.0989	<0.0198	ppm		PASS
LEAD	0.2529 g	50 ml	1 x	0.5	0.0494	0.247	<0.0494	ppm		PASS
MERCURY	0.2529 g	50 ml	1 x	0.2	0.0198	0.0989	<0.0198	ppm		PASS
NICKEL	0.2529 g	50 ml	1 x	0.5	0.0494	0.247	0.234	ppm	J	PASS
TIN	0.2529 g	50 ml	1 x	4	0.395	1.98	<0.395	ppm		PASS

Analyzed by: 1022, 585, 1440
Extraction date: 10/28/26 13:53:41
Extracted by: 1022,5413

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : MI103276HEA
Instrument Used : DA-ICPMS-004
Batch Date : 10/28/26 10:40:19
Analyzed Date : 10/28/26 22:08:00

Reagent : 101526.R04; 102726.R02; 102826.R19; 102026.R06; 102626.R11; 102626.R10; 100226.R18; 100226.83; 092826.R11; 032326.01
Consumables : DMAX06D26S; J640480-7643; 179436
Pipette : DA-191; DA-215; DA-435

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Filth/Foreign Material — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
FILTH AND FOREIGN MATERIAL	1 g			1	0.100	0.500	<0.100	%		PASS

Analyzed by: 4571, 3379, 1440
Extraction date: 10/28/26 13:33:09
Extracted by: 4571

Analysis Method : SOP.T.40.090
Analytical Batch : MI103286FIL
Instrument Used : DA-027 (Filth/Foreign Material Microscope)
Batch Date : 10/28/26 13:30:41
Analyzed Date : 10/28/26 15:24:11

Reagent : N/A
Consumables : N/A
Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/06/26
Laboratory License #: 900013