kaycha LABS
3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - Deep Ztate (H)
Strain: Deep Ztate (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

COMPLIANCE FOR RETAIL — PASSED



Harvest Batch #: 1375215662338727
Retail Batch #: 1375215662338727
Batch Date: 10/21/26
Harvest Date: 09/15/26
Production Method: Other - Not Listed
Total Amount: 700 units (350 grams)
Cultivation Facility: FL - Indiantown (4430)
Processing Facility: FL - Indiantown (4430)
Retail Product Size: 0.5 gram
Retail Serving Size: 0.5 gram
Servings: 1
Seed To Sale #: 1671178306901823

Lab ID: MI61029010-002
Sampled: 10/29/26
Sampling Method: SOP.T.20.010
Sample Size: 31 units
Completed: 11/02/26
Expires: 10/29/27
Manifest #: 2710618095601264
Source Facility: FL - Indiantown (4430)

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sunnyside®

SAFETY RESULTS — **MISC.**

Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filth/Foreign Material	Water Activity	Moisture Content	Terpenes
PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	NOT TESTED	TESTED

Cannabinoid — TESTED

Total THC
78.1%
Total THC/Container : 390 mg

Total CBD
0.181%
Total CBD/Container : 0.904 mg

Total Cannabinoids
81.8%
Total Cannabinoids/Container : 409 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	78.0	0.150	0.181	<0.00200	<0.00200	2.25	<0.00200	0.0885	0.226	<0.00200	0.759	0.167
mg/unit	390	0.748	0.904	<0.00200	<0.00200	11.3	<0.00200	0.443	1.13	<0.00200	3.79	0.835
Qualifier												
LOD (%)	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200	0.00200
LOQ (%)	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200	0.0200
Weight	0.1035 g	0.1035 g	0.1035 g	0.1035 g	0.1035 g	0.1035 g	0.1035 g	0.1035 g	0.1035 g	0.1035 g	0.1035 g	0.1035 g
Volume	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml
Dilution	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x

Analyzed by:
4640, 1665, 585, 5268

Extraction date:
10/30/26 12:40:49

Extracted by:
5155,4640

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031
Analytical Batch : MI103359POT
Instrument Used : DA-LC-003 (Derivative)
Analyzed Date : 10/30/26 17:45:24

Batch Date : 10/30/26 11:18:23

Reagent : 101526.R14; 101526.R15; 101526.R16; 101226.R20; 100526.14; 101226.R19
Consumables : 242011899; 04511039; DMAX06D26S; 0000402180
Pipette : DA-052; DA-055; DA-063

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/02/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - Deep Ztate (H)
Strain: Deep Ztate (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI61029010-002
Batch #: 1375215662338727
Harvest/Lot ID: 1375215662338727
Seed to sale: 1671178306901823

Expires: 10/29/27
Ordered: 10/29/26
Sampled: 10/29/26
Completed: 11/02/26

PASSED

Label Claim Verification — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: **Extraction date:** **Extracted by:**

Analysis Method : N/A
Analytical Batch : N/A
Instrument Used : N/A
Analyzed Date : 11/02/26 10:13:15

Batch Date : N/A

Terpenes — TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL
TOTAL TERPENES	0.2165 g	10 ml	1 x		0.00700	0.0200	5.21	26.0		TESTED
BETA-CARYOPHYLLENE	0.2165 g	10 ml	1 x		0.00700	0.0200	1.50	7.50		TESTED
LIMONENE	0.2165 g	10 ml	1 x		0.00700	0.0200	0.985	4.93		TESTED
LINALOOL	0.2165 g	10 ml	1 x		0.00700	0.0200	0.864	4.32		TESTED
ALPHA-HUMULENE	0.2165 g	10 ml	1 x		0.00700	0.0200	0.467	2.33		TESTED
ALPHA-TERPINEOL	0.2165 g	10 ml	1 x		0.00700	0.0200	0.249	1.25		TESTED
FENCHYL ALCOHOL	0.2165 g	10 ml	1 x		0.00700	0.0200	0.184	0.922		TESTED
BETA-MYRCENE	0.2165 g	10 ml	1 x		0.00700	0.0200	0.184	0.920		TESTED
ALPHA-BISABOLOL	0.2165 g	10 ml	1 x		0.00700	0.0200	0.174	0.870		TESTED
OCIMENE	0.2165 g	10 ml	1 x		0.00700	0.0200	0.137	0.686		TESTED
TRANS-NEROLIDOL	0.2165 g	10 ml	1 x		0.00500	0.0160	0.0953	0.476		TESTED
BETA-PINENE	0.2165 g	10 ml	1 x		0.00700	0.0200	0.0906	0.453		TESTED
ALPHA-PINENE	0.2165 g	10 ml	1 x		0.00700	0.0200	0.0868	0.434		TESTED
BORNEOL	0.2165 g	10 ml	1 x		0.0130	0.0400	0.0458	0.229		TESTED
CARYOPHYLLENE OXIDE	0.2165 g	10 ml	1 x		0.00700	0.0200	0.0382	0.191		TESTED
FENCHONE	0.2165 g	10 ml	1 x		0.00700	0.0200	0.0370	0.185		TESTED
CAMPHENE	0.2165 g	10 ml	1 x		0.00700	0.0200	0.0188	0.0939	J	TESTED
ALPHA-TERPINOLENE	0.2165 g	10 ml	1 x		0.00700	0.0200	0.0187	0.0937	J	TESTED
GUAIOL	0.2165 g	10 ml	1 x		0.00700	0.0200	0.0181	0.0905	J	TESTED
SABINENE HYDRATE	0.2165 g	10 ml	1 x		0.00700	0.0200	0.0144	0.0718	J	TESTED
3-CARENE	0.2165 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
CAMPHOR	0.2165 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
CEDROL	0.2165 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
EUCALYPTOL	0.2165 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
FARNESENE	0.2165 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
GERANIOL	0.2165 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
GERANYL ACETATE	0.2165 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
HEXAHYDROTHYMOL	0.2165 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
ISOBORNEOL	0.2165 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
ISOPULEGOL	0.2165 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
NEROL	0.2165 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
PULEGONE	0.2165 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
SABINENE	0.2165 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
VALENCENE	0.2165 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
ALPHA-CEDRENE	0.2165 g	10 ml	1 x		0.00500	0.0160	<0.00500	<0.160		TESTED
ALPHA-PHELLANDRENE	0.2165 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
ALPHA-TERPINENE	0.2165 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED
CIS-NEROLIDOL	0.2165 g	10 ml	1 x		0.00300	0.00800	<0.00300	<0.0800		TESTED
GAMMA-TERPINENE	0.2165 g	10 ml	1 x		0.00700	0.0200	<0.00700	<0.200		TESTED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/02/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - Deep Ztate (H)
Strain: Deep Ztate (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI61029010-002
Batch #: 1375215662338727
Harvest/Lot ID: 1375215662338727
Seed to sale: 1671178306901823

Expires: 10/29/27
Ordered: 10/29/26
Sampled: 10/29/26
Completed: 11/02/26

PASSED

Terpenes — TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL

Analyzed by: 4531, 585, 5268
Extraction date: 10/30/26 15:36:01
Extracted by: 4531

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : MI103353TER
Instrument Used : DA-GCMS-009
Batch Date : 10/30/26 09:48:35
Analyzed Date : 10/30/26 21:41:00

Reagent : 100526.14; 062926.02
Consumables : 242011899; 04511039; 251213-634-A; 0000402180
Pipette : DA-065

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.

Pesticide — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD (PESTICIDES)	1.0999 g	25 ml	10 x	5	0.00909	0.0455	<0.00909	ppm		PASS
TOTAL DIMETHOMORPH	1.0999 g	25 ml	10 x	0.2	0.00891	0.0445	<0.00891	ppm		PASS
TOTAL PERMETHRIN	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
TOTAL PYRETHRINS	1.0999 g	25 ml	10 x	0.5	0.0274	0.137	<0.0274	ppm		PASS
TOTAL SPINETORAM	1.0999 g	25 ml	10 x	0.2	0.000891	0.0445	<0.000891	ppm		PASS
TOTAL SPINOSAD	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
ABAMECTIN B1A	1.0999 g	25 ml	10 x	0.1	0.00873	0.0436	<0.00873	ppm		PASS
ACEPHATE	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
ACEQUINOCYL	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
ACETAMIPRID	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
ALDICARB	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
AZOXYSTROBIN	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
BIFENAZATE	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
BIFENTHRIN	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
BOSCALID	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
CHLORPYRIFOS	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
CARBARYL	1.0999 g	25 ml	10 x	0.5	0.00909	0.0455	<0.00909	ppm		PASS
CLOFENTEZINE	1.0999 g	25 ml	10 x	0.2	0.00909	0.0455	<0.00909	ppm		PASS
CARBOFURAN	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
COUMAPHOS	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
CHLORANTRANILIPROLE	1.0999 g	25 ml	10 x	1	0.0909	0.455	<0.0909	ppm		PASS
CHLORMEQUAT CHLORIDE	1.0999 g	25 ml	10 x	1	0.0909	0.455	<0.0909	ppm		PASS
DAMINOZIDE	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
DIAZINON	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
DICHLORVOS	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
DIMETHOATE	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
ETHOPROPHOS	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
ETOFENPROX	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
ETOXAZOLE	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
FENHEXAMID	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
FENOXYCARB	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
FENPYROXIMATE	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
FIPRONIL	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
FLONICAMID	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
FLUDIOXONIL	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
HEXYTHIAZOX	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
IMAZALIL	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
IMIDACLOPRID	1.0999 g	25 ml	10 x	0.4	0.00909	0.0455	<0.00909	ppm		PASS
KRESOXIM-METHYL	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/02/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - Deep Ztate (H)
Strain: Deep Ztate (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI61029010-002
Batch #: 1375215662338727
Harvest/Lot ID: 1375215662338727
Seed to sale: 1671178306901823

Expires: 10/29/27
Ordered: 10/29/26
Sampled: 10/29/26
Completed: 11/02/26

PASSED

Pesticide — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
MALATHION	1.0999 g	25 ml	10 x	0.2	0.00909	0.0455	<0.00909	ppm		PASS
METALAXYL	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
METHIOCARB	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
METHOMYL	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
MEVINPHOS	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
MYCLOBUTANIL	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
NALED	1.0999 g	25 ml	10 x	0.25	0.00909	0.0455	<0.00909	ppm		PASS
OXAMYL	1.0999 g	25 ml	10 x	0.5	0.00909	0.0455	<0.00909	ppm		PASS
PACLOBUTRAZOL	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
PHOSMET	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
PIPERONYL BUTOXIDE	1.0999 g	25 ml	10 x	3	0.0909	0.455	<0.0909	ppm		PASS
PRALLETHRIN	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
PROPICONAZOLE	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
PROPOXUR	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
PYRIDABEN	1.0999 g	25 ml	10 x	0.2	0.00909	0.0455	<0.00909	ppm		PASS
SPIROMESIFEN	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
SPIROTETRAMAT	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
SPIROXAMINE	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
TEBUCONAZOLE	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
THIACLOPRID	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
THIAMETHOXAM	1.0999 g	25 ml	10 x	0.5	0.00909	0.0455	<0.00909	ppm		PASS
TRIFLOXYSTROBIN	1.0999 g	25 ml	10 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	1.0999 g	25 ml	5 x	0.15	0.00909	0.0682	<0.00909	ppm		PASS
TOTAL CHLORDANE	1.0999 g	25 ml	5 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
PARATHION-METHYL	1.0999 g	25 ml	5 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
CAPTAN	1.0999 g	25 ml	5 x	0.7	0.0636	0.318	<0.0636	ppm		PASS
CHLORFENAPYR	1.0999 g	25 ml	5 x	0.1	0.00909	0.0455	<0.00909	ppm		PASS
CYFLUTHRIN	1.0999 g	25 ml	5 x	0.5	0.0455	0.227	<0.0455	ppm		PASS
CYPERMETHRIN	1.0999 g	25 ml	5 x	0.5	0.0455	0.227	<0.0455	ppm		PASS

Analyzed by: 4451, 585, 5268
Extraction date: 10/30/26 12:19:37
Extracted by: 4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103354PES
Instrument Used : DA-LCMS-003 (PES)
Batch Date : 10/30/26 10:33:09
Analyzed Date : 10/30/26 16:45:00

Reagent : 102826.R17; 082426.12; 102826.R03; 103026.R01; 103026.R02; 092326.R12; 102826.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 450, 5072, 585, 5268
Extraction date: 10/30/26 12:19:37
Extracted by: 4451

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL
Analytical Batch : MI103356VOL
Instrument Used : DA-GCMS-001
Batch Date : 10/30/26 10:33:50
Analyzed Date : 10/30/26 17:26:00

Reagent : 102826.R17; 082426.12; 102626.R01; 102626.R02; 090426.R12
Consumables : 242011899; DMAX06D26S; 6002573-01; 20743001
Pipette : DA-065; DA-080; DA-146

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/02/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - Deep Ztate (H)
Strain: Deep Ztate (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI61029010-002
Batch #: 1375215662338727
Harvest/Lot ID: 1375215662338727
Seed to sale: 1671178306901823

Expires: 10/29/27
Ordered: 10/29/26
Sampled: 10/29/26
Completed: 11/02/26

PASSED

Residual Solvents

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
1,1-DICHLOROETHENE	0.027 g	1 ml	1 x	8	0.593	2.96	<0.593	ppm		PASS
1,2-DICHLOROETHANE	0.027 g	1 ml	1 x	2	0.148	0.741	<0.148	ppm		PASS
2-PROPANOL	0.027 g	1 ml	1 x	500	37.0	185	<37.0	ppm		PASS
ACETONE	0.027 g	1 ml	1 x	750	55.6	278	<55.6	ppm		PASS
ACETONITRILE	0.027 g	1 ml	1 x	60	4.44	22.2	<4.44	ppm		PASS
BENZENE	0.027 g	1 ml	1 x	1	0.0741	0.370	<0.0741	ppm		PASS
BUTANES (N-BUTANE)	0.027 g	1 ml	1 x	5000	370	1850	<370	ppm		PASS
CHLOROFORM	0.027 g	1 ml	1 x	2	0.148	0.741	<0.148	ppm		PASS
DICHLOROMETHANE	0.027 g	1 ml	1 x	125	9.26	46.3	<9.26	ppm		PASS
ETHANOL	0.027 g	1 ml	1 x	5000	370	1850	<370	ppm		PASS
ETHYL ACETATE	0.027 g	1 ml	1 x	400	29.6	148	<29.6	ppm		PASS
ETHYL ETHER	0.027 g	1 ml	1 x	500	37.0	185	<37.0	ppm		PASS
ETHYLENE OXIDE	0.027 g	1 ml	1 x	5	0.370	1.85	<0.370	ppm		PASS
HEPTANE	0.027 g	1 ml	1 x	5000	370	1850	<370	ppm		PASS
METHANOL	0.027 g	1 ml	1 x	250	18.5	92.6	<18.5	ppm		PASS
N-HEXANE	0.027 g	1 ml	1 x	250	18.5	92.6	<18.5	ppm		PASS
PENTANES (N-PENTANE)	0.027 g	1 ml	1 x	750	55.6	278	<55.6	ppm		PASS
PROPANE	0.027 g	1 ml	1 x	5000	370	800	<370	ppm		PASS
TOLUENE	0.027 g	1 ml	1 x	150	11.1	55.6	<11.1	ppm		PASS
TOTAL XYLENES	0.027 g	1 ml	1 x	150	11.1	55.6	<11.1	ppm		PASS
TRICHLOROETHYLENE	0.027 g	1 ml	1 x	25	1.85	9.26	<1.85	ppm		PASS

Analyzed by:
4444, 585, 5268

Extraction date:
10/30/26 13:15:47

Extracted by:
4444

Analysis Method : SOP.T.40.041.FL
Analytical Batch : MI103364SOL
Instrument Used : DA-GCMS-012
Analyzed Date : 10/30/26 20:01:46

Batch Date : 10/30/26 13:06:14

Reagent : 061323.06; 092326.R09; 092326.R10; 092326.R11
Consumables : 432860; 344274
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
ASPERGILLUS FLAVUS	1.06 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	1.06 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	1.06 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	1.06 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	1.06 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
SALMONELLA SPECIFIC GENE	1.06 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	1.037 g	1 ml	10 x	100000	10.0	10.0	<10.0	CFU/g		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/02/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - Deep Ztate (H)
Strain: Deep Ztate (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI61029010-002
Batch #: 1375215662338727
Harvest/Lot ID: 1375215662338727
Seed to sale: 1671178306901823

Expires: 10/29/27
Ordered: 10/29/26
Sampled: 10/29/26
Completed: 11/02/26

PASSED

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 4892, 4520, 585, 5268
Extraction date: 10/30/26 11:12:06
Extracted by: 4571,4892

Analysis Method : SOP.T.40.056C
Analytical Batch : MI103345MIC
Instrument Used : DA-111 (PathogenDx Scanner),DA-013 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)
Batch Date : 10/30/26 08:01:58
Analyzed Date : 11/02/26 11:45:07

Reagent : 071526.13; 072026.16; 093026.R09; 092526.03; 090326.01; 101926.R36; 101926.R37
Consumables : 7590006083
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 4892, 4571, 585, 5268
Extraction date: 10/30/26 11:09:26
Extracted by: 4571,4892

Analysis Method : SOP.T.40.209.FL
Analytical Batch : MI103347TYM
Instrument Used : DA-096 (25°C Incubator),DA-420 (25°C Incubator)
Batch Date : 10/30/26 08:14:38
Analyzed Date : 11/02/26 10:12:53

Reagent : 022626.03; 022626.17; 102026.R17; 102026.R13
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL AFLATOXINS	1.0999 g	25 ml	10 x	0.02	0.00200	0.0100	<0.00200	ppm		PASS
AFLATOXIN B1	1.0999 g	25 ml	10 x	0.02	0.00182	0.00909	<0.00182	ppm		PASS
AFLATOXIN B2	1.0999 g	25 ml	10 x	0.02	0.00182	0.00909	<0.00182	ppm		PASS
AFLATOXIN G1	1.0999 g	25 ml	10 x	0.02	0.00182	0.00909	<0.00182	ppm		PASS
AFLATOXIN G2	1.0999 g	25 ml	10 x	0.02	0.00182	0.00909	<0.00182	ppm		PASS
OCHRATOXIN A	1.0999 g	25 ml	10 x	0.02	0.00182	0.00909	<0.00182	ppm		PASS

Analyzed by: 4451, 585, 5268
Extraction date: 10/30/26 12:19:37
Extracted by: 4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103355MYC
Instrument Used : DA-LCMS-003 (MYC)
Batch Date : 10/30/26 10:33:46
Analyzed Date : 10/30/26 16:45:00

Reagent : 102826.R17; 082426.12; 102826.R03; 102626.R06; 102826.R11; 092326.R12; 102826.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	0.333 g			0.85	0.010	0.10	0.58	aw		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/02/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 500mg - Deep Ztate (H)
Strain: Deep Ztate (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI61029010-002
Batch #: 1375215662338727
Harvest/Lot ID: 1375215662338727
Seed to sale: 1671178306901823

Expires: 10/29/27
Ordered: 10/29/26
Sampled: 10/29/26
Completed: 11/02/26

PASSED

Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 5412, 585, 5268
Extraction date: 10/30/26 16:01:23
Extracted by: 5412

Analysis Method : SOP.T.40.019
Analytical Batch : MI103367WAT
Instrument Used : DA-257 (Hygrometer, Base Unit)
Batch Date : 10/30/26 14:04:13
Analyzed Date : 11/02/26 09:42:26

Reagent : 072926.01
Consumables : PS-14
Pipette : N/A

Heavy Metals

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD METALS	0.2509 g	50 ml	1 x	5	0.0199	0.0996	<0.0199	ppm		PASS
ARSENIC	0.2509 g	50 ml	1 x	0.2	0.0199	0.0996	<0.0199	ppm		PASS
CADMIUM	0.2509 g	50 ml	1 x	0.2	0.0199	0.0996	<0.0199	ppm		PASS
LEAD	0.2509 g	50 ml	1 x	0.5	0.0498	0.249	<0.0498	ppm		PASS
MERCURY	0.2509 g	50 ml	1 x	0.2	0.0199	0.0996	<0.0199	ppm		PASS
NICKEL	0.2509 g	50 ml	1 x	0.5	0.0498	0.249	<0.0498	ppm		PASS
TIN	0.2509 g	50 ml	1 x	4	0.399	1.99	<0.399	ppm		PASS

Analyzed by: 1022, 585, 5268
Extraction date: 10/30/26 13:08:00
Extracted by: 5413

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : MI103358HEA
Instrument Used : DA-ICPMS-004
Batch Date : 10/30/26 11:11:59
Analyzed Date : 10/30/26 23:01:00

Reagent : 101526.R04; 102726.R02; 102826.R19; 102026.R06; 102626.R11; 102626.R10; 100226.R18; 100226.83; 092826.R11; 032326.01
Consumables : DMAX06D26S; J640480-7643; 179436
Pipette : DA-191; DA-215; DA-435

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Filth/Foreign Material

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
FILTH AND FOREIGN MATERIAL	1 g			1	0.100	0.500	<0.100	%		PASS

Analyzed by: 4571, 585, 5268
Extraction date: 10/30/26 15:28:56
Extracted by: 4571

Analysis Method : SOP.T.40.090
Analytical Batch : MI103369FIL
Instrument Used : DA-027 (Filth/Foreign Material Microscope)
Batch Date : 10/30/26 15:27:46
Analyzed Date : 11/02/26 09:40:28

Reagent : N/A
Consumables : N/A
Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/02/26
Laboratory License #: 900013