kaycha LABS
3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Deep Ztate (H)
Strain: Deep Ztate (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

COMPLIANCE FOR RETAIL — PASSED



Harvest Batch #: 6599197238691922
Retail Batch #: 6599197238691922
Batch Date: 10/21/26
Harvest Date: 09/15/26
Production Method: Other - Not Listed
Total Amount: 1,400 units (1,400 grams)
Cultivation Facility: FL - Indiantown (4430)
Processing Facility: FL - Indiantown (4430)
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Seed To Sale #: 2505530254932790

Lab ID: MI61030015-009
Sampled: 10/30/26
Sampling Method: SOP.T.20.010
Sample Size: 16 units
Completed: 11/03/26
Expires: 10/30/27
Manifest #: 4510392870477041
Source Facility: FL - Indiantown (4430)

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sunnyside®

SAFETY RESULTS — **MISC.**

Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filth/Foreign Material	Water Activity	Moisture Content	Terpenes
PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	NOT TESTED	TESTED

Cannabinoid — TESTED

Total THC
78.5%
Total THC/Container : 785 mg

Total CBD J
0.174%
Total CBD/Container : 1.74 mg

Total Cannabinoids
82.2%
Total Cannabinoids/Container : 822 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	78.4	0.156	0.174	<0.0195	<0.0195	2.26	<0.0195	0.0864	0.225	<0.00195	0.754	0.167
mg/unit	784	1.56	1.74	<0.0195	<0.0195	22.6	<0.0195	0.864	2.25	<0.00195	7.54	1.67
Qualifier			J					J				J
LOD (%)	0.00195	0.00195	0.0195	0.0195	0.0195	0.0195	0.0195	0.0195	0.00195	0.00195	0.0195	0.0195
LOQ (%)	0.0195	0.0195	0.195	0.195	0.195	0.195	0.195	0.195	0.0195	0.0195	0.195	0.195
Weight	0.1028 g	0.1028 g	0.1028 g	0.1028 g	0.1028 g	0.1028 g	0.1028 g	0.1028 g	0.1028 g	0.1028 g	0.1028 g	0.1028 g
Volume	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml
Dilution	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x

Analyzed by: 4640, 1665, 585, 5268
Extraction date: 11/02/26 20:37:35
Extracted by: 4640

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031
Analytical Batch : MI103406POT
Instrument Used : DA-LC-003
Analyzed Date : 11/02/26 22:40:00
Batch Date : 11/02/26 10:00:04

Reagent : 101526.R14; 101526.R15; 101526.R16; 101226.R20; 100526.08; 101226.R19
Consumables : 242011899; 04511039; DMAX06D26S; 0000402180
Pipette : DA-052; DA-055; DA-063

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/03/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Deep Ztate (H)
Strain: Deep Ztate (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI61030015-009
Batch #: 6599197238691922
Harvest/Lot ID: 6599197238691922
Seed to sale: 2505530254932790

Expires: 10/30/27
Ordered: 10/30/26
Sampled: 10/30/26
Completed: 11/03/26

PASSED

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

Label Claim Verification

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: **Extraction date:** **Extracted by:**

Analysis Method : N/A
Analytical Batch : N/A
Instrument Used : N/A
Analyzed Date : 11/03/26 10:34:23

Batch Date : N/A

Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL
TOTAL TERPENES	0.2102 g	10 ml	1 x		0.0333	0.0951	5.38	53.8		TESTED
BETA-CARYOPHYLLENE	0.2102 g	10 ml	1 x		0.0333	0.0951	1.58	15.8		TESTED
LIMONENE	0.2102 g	10 ml	1 x		0.0333	0.0951	1.05	10.5		TESTED
LINALOOL	0.2102 g	10 ml	1 x		0.0333	0.0951	0.906	9.06		TESTED
ALPHA-HUMULENE	0.2102 g	10 ml	1 x		0.0333	0.0951	0.492	4.92		TESTED
ALPHA-TERPINEOL	0.2102 g	10 ml	1 x		0.0333	0.0951	0.258	2.58		TESTED
BETA-MYRCENE	0.2102 g	10 ml	1 x		0.0333	0.0951	0.200	2.00		TESTED
ALPHA-BISABOLOL	0.2102 g	10 ml	1 x		0.0333	0.0951	0.187	1.87		TESTED
FENCHYL ALCOHOL	0.2102 g	10 ml	1 x		0.0333	0.0951	0.186	1.86		TESTED
OCIMENE	0.2102 g	10 ml	1 x		0.0333	0.0951	0.150	1.50		TESTED
TRANS-NEROLIDOL	0.2102 g	10 ml	1 x		0.0238	0.0761	0.104	1.04		TESTED
BETA-PINENE	0.2102 g	10 ml	1 x		0.0333	0.0951	0.0978	0.978		TESTED
ALPHA-PINENE	0.2102 g	10 ml	1 x		0.0333	0.0951	0.0938	0.938	J	TESTED
FENCHONE	0.2102 g	10 ml	1 x		0.0333	0.0951	0.0378	0.378	J	TESTED
CARYOPHYLLENE OXIDE	0.2102 g	10 ml	1 x		0.0333	0.0951	0.0371	0.371	J	TESTED
BORNEOL	0.2102 g	10 ml	1 x		0.0618	0.190	<0.0618	<1.90		TESTED
CAMPHENE	0.2102 g	10 ml	1 x		0.0333	0.0951	<0.0333	<0.951		TESTED
GUAIOL	0.2102 g	10 ml	1 x		0.0333	0.0951	<0.0333	<0.951		TESTED
SABINENE HYDRATE	0.2102 g	10 ml	1 x		0.0333	0.0951	<0.0333	<0.951		TESTED
ALPHA-CEDRENE	0.2102 g	10 ml	1 x		0.0238	0.0761	<0.0238	<0.761		TESTED
ALPHA-TERPINOLENE	0.2102 g	10 ml	1 x		0.0333	0.0951	<0.0333	<0.951		TESTED
GAMMA-TERPINENE	0.2102 g	10 ml	1 x		0.0333	0.0951	<0.0333	<0.951		TESTED
3-CARENE	0.2102 g	10 ml	1 x		0.0333	0.0951	<0.0333	<0.951		TESTED
CAMPHOR	0.2102 g	10 ml	1 x		0.0333	0.0951	<0.0333	<0.951		TESTED
CEDROL	0.2102 g	10 ml	1 x		0.0333	0.0951	<0.0333	<0.951		TESTED
EUCALYPTOL	0.2102 g	10 ml	1 x		0.0333	0.0951	<0.0333	<0.951		TESTED
FARNESENE	0.2102 g	10 ml	1 x		0.0333	0.0951	<0.0333	<0.951		TESTED
GERANIOL	0.2102 g	10 ml	1 x		0.0333	0.0951	<0.0333	<0.951		TESTED
GERANYL ACETATE	0.2102 g	10 ml	1 x		0.0333	0.0951	<0.0333	<0.951		TESTED
HEXAHYDROTHYMOL	0.2102 g	10 ml	1 x		0.0333	0.0951	<0.0333	<0.951		TESTED
ISOBORNEOL	0.2102 g	10 ml	1 x		0.0333	0.0951	<0.0333	<0.951		TESTED
ISOPULEGOL	0.2102 g	10 ml	1 x		0.0333	0.0951	<0.0333	<0.951		TESTED
NEROL	0.2102 g	10 ml	1 x		0.0333	0.0951	<0.0333	<0.951		TESTED
PULEGONE	0.2102 g	10 ml	1 x		0.0333	0.0951	<0.0333	<0.951		TESTED
SABINENE	0.2102 g	10 ml	1 x		0.0333	0.0951	<0.0333	<0.951		TESTED
VALENCENE	0.2102 g	10 ml	1 x		0.0333	0.0951	<0.0333	<0.951		TESTED
ALPHA-PHELLANDRENE	0.2102 g	10 ml	1 x		0.0333	0.0951	<0.0333	<0.951		TESTED
ALPHA-TERPINENE	0.2102 g	10 ml	1 x		0.0333	0.0951	<0.0333	<0.951		TESTED
CIS-NEROLIDOL	0.2102 g	10 ml	1 x		0.0143	0.0381	<0.0143	<0.381		TESTED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/03/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Deep Ztate (H)
Strain: Deep Ztate (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI61030015-009
Batch #: 6599197238691922
Harvest/Lot ID: 6599197238691922
Seed to sale: 2505530254932790

Expires: 10/30/27
Ordered: 10/30/26
Sampled: 10/30/26
Completed: 11/03/26

PASSED

Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL

Analyzed by: 4531, 585, 5268
Extraction date: 11/02/26 13:29:03
Extracted by: 4531

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : MI103412TER
Instrument Used : DA-GCMS-009
Analyzed Date : 11/03/26 03:14:00
Batch Date : 11/02/26 10:34:56

Reagent : 100526.14; 062926.02
Consumables : 242011899; 04511039; 251213-634-A; 0000402180
Pipette : DA-065

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.

Pesticide

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD (PESTICIDES)	1.151 g	25 ml	10 x	5	0.00869	0.0434	<0.00869	ppm		PASS
TOTAL DIMETHOMORPH	1.151 g	25 ml	10 x	0.2	0.00851	0.0426	<0.00851	ppm		PASS
TOTAL PERMETHRIN	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
TOTAL PYRETHRINS	1.151 g	25 ml	10 x	0.5	0.0262	0.131	<0.0262	ppm		PASS
TOTAL SPINETORAM	1.151 g	25 ml	10 x	0.2	0.00851	0.0426	<0.00851	ppm		PASS
TOTAL SPINOSAD	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
ABAMECTIN B1A	1.151 g	25 ml	10 x	0.1	0.00834	0.0417	<0.00834	ppm		PASS
ACEPHATE	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
ACEQUINOCYL	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
ACETAMIPRID	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
ALDICARB	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
AZOXYSTROBIN	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
BIFENAZATE	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
BIFENTHRIN	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
BOSCALID	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
CHLORPYRIFOS	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
CARBARYL	1.151 g	25 ml	10 x	0.5	0.00869	0.0434	<0.00869	ppm		PASS
CLOFENTEZINE	1.151 g	25 ml	10 x	0.2	0.00869	0.0434	<0.00869	ppm		PASS
CARBOFURAN	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
COUMAPHOS	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
CHLORANTRANILIPROLE	1.151 g	25 ml	10 x	1	0.0869	0.434	<0.0869	ppm		PASS
CHLORMEQUAT CHLORIDE	1.151 g	25 ml	10 x	1	0.0869	0.434	<0.0869	ppm		PASS
DAMINOZIDE	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
DIAZINON	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
DICHLORVOS	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
DIMETHOATE	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
ETHOPROPHOS	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
ETOFENPROX	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
ETOXAZOLE	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
FENHEXAMID	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
FENOXYCARB	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
FENPYROXIMATE	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
FIPRONIL	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
FLONICAMID	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
FLUDIOXONIL	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
HEXYTHIAZOX	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
IMAZALIL	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
IMIDACLOPRID	1.151 g	25 ml	10 x	0.4	0.00869	0.0434	<0.00869	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/03/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Deep Ztate (H)
Strain: Deep Ztate (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI61030015-009
Batch #: 6599197238691922
Harvest/Lot ID: 6599197238691922
Seed to sale: 2505530254932790

Expires: 10/30/27
Ordered: 10/30/26
Sampled: 10/30/26
Completed: 11/03/26

PASSED

Pesticide — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
KRESOXIM-METHYL	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
MALATHION	1.151 g	25 ml	10 x	0.2	0.00869	0.0434	<0.00869	ppm		PASS
METALAXYL	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
METHIOCARB	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
METHOMYL	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
MEVINPHOS	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
MYCLOBUTANIL	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
NALED	1.151 g	25 ml	10 x	0.25	0.00869	0.0434	<0.00869	ppm		PASS
OXAMYL	1.151 g	25 ml	10 x	0.5	0.00869	0.0434	<0.00869	ppm		PASS
PACLOBUTRAZOL	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
PHOSMET	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
PIPERONYL BUTOXIDE	1.151 g	25 ml	10 x	3	0.0869	0.434	<0.0869	ppm		PASS
PRALLETHRIN	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
PROPICONAZOLE	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
PROPOXUR	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
PYRIDABEN	1.151 g	25 ml	10 x	0.2	0.00869	0.0434	<0.00869	ppm		PASS
SPIROMESIFEN	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
SPIROTETRAMAT	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
SPIROXAMINE	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
TEBUCONAZOLE	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
THIACLOPRID	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
THIAMETHOXAM	1.151 g	25 ml	10 x	0.5	0.00869	0.0434	<0.00869	ppm		PASS
TRIFLOXYSTROBIN	1.151 g	25 ml	10 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	1.151 g	25 ml	5 x	0.15	0.00869	0.0652	<0.00869	ppm		PASS
TOTAL CHLORDANE	1.151 g	25 ml	5 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
PARATHION-METHYL	1.151 g	25 ml	5 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
CAPTAN	1.151 g	25 ml	5 x	0.7	0.0608	0.304	<0.0608	ppm		PASS
CHLORFENAPYR	1.151 g	25 ml	5 x	0.1	0.00869	0.0434	<0.00869	ppm		PASS
CYFLUTHRIN	1.151 g	25 ml	5 x	0.5	0.0434	0.217	<0.0434	ppm		PASS
CYPERMETHRIN	1.151 g	25 ml	5 x	0.5	0.0434	0.217	<0.0434	ppm		PASS

Analyzed by:
4451, 585, 5268

Extraction date:
11/02/26 10:58:56

Extracted by:
5072,4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103395PES
Instrument Used : DA-LCMS-003 (PES)
Batch Date : 11/02/26 07:38:11
Analyzed Date : 11/02/26 15:16:00

Reagent : 103026.R04; 082426.12; 102826.R03; 103026.R01; 103026.R02; 092326.R12; 102826.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by:
5072, 585, 5268

Extraction date:
11/02/26 10:58:56

Extracted by:
5072,4451

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL
Analytical Batch : MI103397VOL
Instrument Used : DA-GCMS-010
Batch Date : 11/02/26 07:46:17
Analyzed Date : 11/02/26 16:25:00

Reagent : 103026.R04; 082426.12; 102626.R01; 102626.R02; 090426.R12
Consumables : 242011899; DMAX06D26S; 6002573-01; 20940102
Pipette : DA-065; DA-080; DA-146

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/03/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Deep Ztate (H)
Strain: Deep Ztate (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI61030015-009
Batch #: 6599197238691922
Harvest/Lot ID: 6599197238691922
Seed to sale: 2505530254932790

Expires: 10/30/27
Ordered: 10/30/26
Sampled: 10/30/26
Completed: 11/03/26

PASSED

Residual Solvents

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
1,1-DICHLOROETHENE	0.0224 g	1 ml	1 x	8	0.714	3.57	<0.714	ppm		PASS
1,2-DICHLOROETHANE	0.0224 g	1 ml	1 x	2	0.179	0.893	<0.179	ppm		PASS
2-PROPANOL	0.0224 g	1 ml	1 x	500	44.6	223	<44.6	ppm		PASS
ACETONE	0.0224 g	1 ml	1 x	750	67.0	335	<67.0	ppm		PASS
ACETONITRILE	0.0224 g	1 ml	1 x	60	5.36	26.8	<5.36	ppm		PASS
BENZENE	0.0224 g	1 ml	1 x	1	0.0893	0.446	<0.0893	ppm		PASS
BUTANES (N-BUTANE)	0.0224 g	1 ml	1 x	5000	446	2230	<446	ppm		PASS
CHLOROFORM	0.0224 g	1 ml	1 x	2	0.179	0.893	<0.179	ppm		PASS
DICHLOROMETHANE	0.0224 g	1 ml	1 x	125	11.2	55.8	<11.2	ppm		PASS
ETHANOL	0.0224 g	1 ml	1 x	5000	446	2230	<446	ppm		PASS
ETHYL ACETATE	0.0224 g	1 ml	1 x	400	35.7	179	<35.7	ppm		PASS
ETHYL ETHER	0.0224 g	1 ml	1 x	500	44.6	223	<44.6	ppm		PASS
ETHYLENE OXIDE	0.0224 g	1 ml	1 x	5	0.446	2.23	<0.446	ppm		PASS
HEPTANE	0.0224 g	1 ml	1 x	5000	446	2230	<446	ppm		PASS
METHANOL	0.0224 g	1 ml	1 x	250	22.3	112	<22.3	ppm		PASS
N-HEXANE	0.0224 g	1 ml	1 x	250	22.3	112	<22.3	ppm		PASS
PENTANES (N-PENTANE)	0.0224 g	1 ml	1 x	750	67.0	335	<67.0	ppm		PASS
PROPANE	0.0224 g	1 ml	1 x	5000	446	964	<446	ppm		PASS
TOLUENE	0.0224 g	1 ml	1 x	150	13.4	67.0	<13.4	ppm		PASS
TOTAL XYLENES	0.0224 g	1 ml	1 x	150	13.4	67.0	<13.4	ppm		PASS
TRICHLOROETHYLENE	0.0224 g	1 ml	1 x	25	2.23	11.2	<2.23	ppm		PASS

Analyzed by:
4444, 585, 5268

Extraction date:
10/31/26 14:16:05

Extracted by:
4571,4444

Analysis Method : SOP.T.40.041.FL
Analytical Batch : MI103385SOL
Instrument Used : DA-GCMS-012
Analyzed Date : 11/01/26 02:36:09

Batch Date : 10/31/26 13:53:57

Reagent : 092326.R09; 092326.R10; 092326.R11; 061323.06
Consumables : 432860; 344274
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
ASPERGILLUS FLAVUS	1.178 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	1.178 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	1.178 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	1.178 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	1.178 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
SALMONELLA SPECIFIC GENE	1.178 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	1.051 g	1 ml	10 x	100000	10.0	10.0	<10.0	CFU/g		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/03/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Deep Ztate (H)
Strain: Deep Ztate (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI61030015-009
Batch #: 6599197238691922
Harvest/Lot ID: 6599197238691922
Seed to sale: 2505530254932790

Expires: 10/30/27
Ordered: 10/30/26
Sampled: 10/30/26
Completed: 11/03/26

PASSED

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 4892, 4520, 585, 5268
Extraction date: 10/31/26 13:09:02
Extracted by: 4892,5008

Analysis Method : SOP.T.40.056C
Analytical Batch : MI103371MIC
Instrument Used : DA-111 (PathogenDx Scanner),DA-013 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)
Analyzed Date : 11/03/26 12:12:24
Batch Date : 10/31/26 07:14:03

Reagent : 071526.20; 101426.R26; 092526.03; 101926.R36; 101926.R37; 090326.01
Consumables : 7590006076
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 5008, 585, 5268
Extraction date: 10/31/26 13:03:21
Extracted by: 4892,5008

Analysis Method : SOP.T.40.209.FL
Analytical Batch : MI103372TYM
Instrument Used : DA-096 (25°C Incubator),DA-420 (25°C Incubator)
Analyzed Date : 11/03/26 10:16:51
Batch Date : 10/31/26 07:14:06

Reagent : 022626.03; 022626.26; 102026.R17; 102026.R13
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL AFLATOXINS	1.151 g	25 ml	10 x	0.02	0.00174	0.00869	<0.00174	ppm		PASS
AFLATOXIN B1	1.151 g	25 ml	10 x	0.02	0.00174	0.00869	<0.00174	ppm		PASS
AFLATOXIN B2	1.151 g	25 ml	10 x	0.02	0.00174	0.00869	<0.00174	ppm		PASS
AFLATOXIN G1	1.151 g	25 ml	10 x	0.02	0.00174	0.00869	<0.00174	ppm		PASS
AFLATOXIN G2	1.151 g	25 ml	10 x	0.02	0.00174	0.00869	<0.00174	ppm		PASS
OCHRATOXIN A	1.151 g	25 ml	10 x	0.02	0.00174	0.00869	<0.00174	ppm		PASS

Analyzed by: 4451, 585, 5268
Extraction date: 11/02/26 10:58:56
Extracted by: 5072,4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103396MYC
Instrument Used : DA-LCMS-003 (MYC)
Analyzed Date : 11/02/26 15:16:00
Batch Date : 11/02/26 07:46:06

Reagent : 103026.R04; 082426.12; 102826.R03; 103026.R01; 103026.R02; 092326.R12; 102826.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	0.367 g			0.85	0.010	0.10	0.56	aw		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/03/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Deep Ztate (H)
Strain: Deep Ztate (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI61030015-009
Batch #: 6599197238691922
Harvest/Lot ID: 6599197238691922
Seed to sale: 2505530254932790

Expires: 10/30/27
Ordered: 10/30/26
Sampled: 10/30/26
Completed: 11/03/26

PASSED

Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 5412, 585, 5268
Extraction date: 11/02/26 18:01:55
Extracted by: 5412

Analysis Method : SOP.T.40.019
Analytical Batch : MI103419WAT
Instrument Used : DA-257 (Hygrometer, Base Unit)
Batch Date : 11/02/26 13:49:30
Analyzed Date : 11/03/26 09:35:01

Reagent : 072926.01
Consumables : PS-14
Pipette : N/A

Heavy Metals

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD METALS	0.2547 g	50 ml	1 x	5	0.0196	0.0982	<0.0196	ppm		PASS
ARSENIC	0.2547 g	50 ml	1 x	0.2	0.0196	0.0982	<0.0196	ppm		PASS
CADMIUM	0.2547 g	50 ml	1 x	0.2	0.0196	0.0982	<0.0196	ppm		PASS
LEAD	0.2547 g	50 ml	1 x	0.5	0.0491	0.245	<0.0491	ppm		PASS
MERCURY	0.2547 g	50 ml	1 x	0.2	0.0196	0.0982	<0.0196	ppm		PASS
NICKEL	0.2547 g	50 ml	1 x	0.5	0.0491	0.245	<0.0491	ppm		PASS
TIN	0.2547 g	50 ml	1 x	4	0.393	1.96	<0.393	ppm		PASS

Analyzed by: 1022, 585, 5268
Extraction date: 11/02/26 10:16:08
Extracted by: 1022,5413

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : MI103383HEA
Instrument Used : DA-ICPMS-004
Batch Date : 10/31/26 10:01:14
Analyzed Date : 11/02/26 18:42:00

Reagent : 101526.R04; 102726.R02; 102826.R19; 110226.R15; 102626.R11; 102626.R10; 100226.R18; 100226.83; 092826.R11; 032326.01
Consumables : DMAX06D26S; J640480-7643; 179436
Pipette : DA-191; DA-215; DA-435

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Filth/Foreign Material

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
FILTH AND FOREIGN MATERIAL	1 g			1	0.100	0.500	<0.100	%		PASS

Analyzed by: 4571, 585, 5268
Extraction date: 11/01/26 13:01:50
Extracted by: 4571

Analysis Method : SOP.T.40.090
Analytical Batch : MI103391FIL
Instrument Used : DA-027 (Filth/Foreign Material Microscope)
Batch Date : 11/01/26 12:59:53
Analyzed Date : 11/03/26 09:28:16

Reagent : N/A
Consumables : N/A
Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/03/26
Laboratory License #: 900013