3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

FloraCal Live Rosin Cartridge 500mg - Cel-Ray (H)
Strain: Cel-Ray (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Rosin

Certificate of Analysis

COMPLIANCE FOR RETAIL — PASSED



Harvest Batch #: 7156607843044528
Retail Batch #: 7156607843044528
Batch Date: 10/26/26
Harvest Date: 09/21/26
Production Method: Other - Not Listed
Total Amount: 543 units (271.5 grams)
Cultivation Facility: FL - Indiantown (4430)
Processing Facility: FL - Indiantown (4430)
Retail Product Size: 0.5 gram
Retail Serving Size: 0.5 gram
Servings: 1
Seed To Sale #: 7336271947615522

Lab ID: MI61030015-013
Sampled: 10/30/26
Sampling Method: SOP.T.20.010
Sample Size: 31 units
Completed: 11/04/26
Expires: 10/30/27
Manifest #: 4510392870477041
Source Facility: FL - Indiantown (4430)

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

SAFETY RESULTS — **MISC.**

Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filth/Foreign Material	Water Activity	Moisture Content	Terpenes
PASSED	PASSED	PASSED	PASSED	NOT TESTED	PASSED	PASSED	PASSED	TESTED

Cannabinoid — TESTED

Total THC
72.4%
Total THC/Container : 362 mg

Total CBD
0.257%
Total CBD/Container : 1.28 mg

Total Cannabinoids
77.8%
Total Cannabinoids/Container : 389 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	72.3	0.181	0.154	0.117	<0.0199	3.56	0.137	0.0589	0.401	<0.00199	0.807	0.0852
mg/unit	361	0.903	0.772	0.583	<0.0199	17.8	0.685	0.295	2.00	<0.00199	4.03	0.426
Qualifier			J	J			J	J				J
LOD (%)	0.00199	0.00199	0.0199	0.0199	0.0199	0.0199	0.0199	0.0199	0.00199	0.00199	0.0199	0.0199
LOQ (%)	0.0199	0.0199	0.199	0.199	0.199	0.199	0.199	0.199	0.0199	0.0199	0.199	0.199
Weight	0.1005 g	0.1005 g	0.1005 g	0.1005 g	0.1005 g	0.1005 g	0.1005 g	0.1005 g	0.1005 g	0.1005 g	0.1005 g	0.1005 g
Volume	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml
Dilution	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x

Analyzed by:
4640, 1665, 585, 5268

Extraction date:
11/02/26 20:37:35

Extracted by:
4640

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031
Analytical Batch : MI103406POT
Instrument Used : DA-LC-003
Analyzed Date : 11/02/26 23:32:00

Batch Date : 11/02/26 10:00:04

Reagent : 101526.R14; 101526.R15; 101526.R16; 101226.R20; 100526.08; 101226.R19
Consumables : 242011899; 04511039; DMAX06D26S; 0000402180
Pipette : DA-052; DA-055; DA-063

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/04/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

FloraCal Live Rosin Cartridge 500mg - Cel-Ray (H)
Strain: Cel-Ray (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Rosin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI61030015-013
Batch #: 7156607843044528
Harvest/Lot ID: 7156607843044528
Seed to sale: 7336271947615522

Expires: 10/30/27
Ordered: 10/30/26
Sampled: 10/30/26
Completed: 11/04/26

PASSED

Label Claim Verification

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: **Extraction date:** **Extracted by:**

Analysis Method : N/A
Analytical Batch : N/A
Instrument Used : N/A
Analyzed Date : 11/03/26 10:38:07

Batch Date : N/A

Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL
TOTAL TERPENES	0.227 g	10 ml	1 x		0.0308	0.0881	8.06	40.3		TESTED
BETA-CARYOPHYLLENE	0.227 g	10 ml	1 x		0.0308	0.0881	3.43	17.1		TESTED
LIMONENE	0.227 g	10 ml	1 x		0.0308	0.0881	1.23	6.14		TESTED
ALPHA-HUMULENE	0.227 g	10 ml	1 x		0.0308	0.0881	1.12	5.58		TESTED
ALPHA-BISABOLOL	0.227 g	10 ml	1 x		0.0308	0.0881	0.807	4.03		TESTED
LINALOOL	0.227 g	10 ml	1 x		0.0308	0.0881	0.644	3.22		TESTED
BETA-MYRCENE	0.227 g	10 ml	1 x		0.0308	0.0881	0.226	1.13		TESTED
ALPHA-PINENE	0.227 g	10 ml	1 x		0.0308	0.0881	0.146	0.731		TESTED
FENCHYL ALCOHOL	0.227 g	10 ml	1 x		0.0308	0.0881	0.135	0.674		TESTED
ALPHA-TERPINEOL	0.227 g	10 ml	1 x		0.0308	0.0881	0.134	0.668		TESTED
BORNEOL	0.227 g	10 ml	1 x		0.0573	0.176	0.0661	0.331	J	TESTED
BETA-PINENE	0.227 g	10 ml	1 x		0.0308	0.0881	0.0564	0.282	J	TESTED
CAMPHENE	0.227 g	10 ml	1 x		0.0308	0.0881	0.0467	0.234	J	TESTED
ALPHA-TERPINOLENE	0.227 g	10 ml	1 x		0.0308	0.0881	0.0320	0.160	J	TESTED
FENCHONE	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
ALPHA-TERPINENE	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
GAMMA-TERPINENE	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
3-CARENE	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
CAMPHOR	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
CARYOPHYLLENE OXIDE	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
CEDROL	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
EUCALYPTOL	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
FARNESENE	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
GERANIOL	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
GERANYL ACETATE	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
GUAIOL	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
HEXAHYDROTHYMOL	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
ISOBORNEOL	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
ISOPULEGOL	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
NEROL	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
OCIMENE	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
PULEGONE	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
SABINENE	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
SABINENE HYDRATE	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
VALENCENE	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
ALPHA-CEDRENE	0.227 g	10 ml	1 x		0.0220	0.0705	<0.0220	<0.705		TESTED
ALPHA-PHELLANDRENE	0.227 g	10 ml	1 x		0.0308	0.0881	<0.0308	<0.881		TESTED
CIS-NEROLIDOL	0.227 g	10 ml	1 x		0.0132	0.0352	<0.0132	<0.352		TESTED
TRANS-NEROLIDOL	0.227 g	10 ml	1 x		0.0220	0.0705	<0.0220	<0.705		TESTED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/04/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

FloraCal Live Rosin Cartridge 500mg - Cel-Ray (H)
Strain: Cel-Ray (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Rosin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI61030015-013
Batch #: 7156607843044528
Harvest/Lot ID: 7156607843044528
Seed to sale: 7336271947615522

Expires: 10/30/27
Ordered: 10/30/26
Sampled: 10/30/26
Completed: 11/04/26

PASSED

Terpenes — TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL

Analyzed by: 4531, 585, 5268
Extraction date: 11/02/26 13:31:09
Extracted by: 4531

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : MI103413TER
Instrument Used : DA-GCMS-014
Analyzed Date : 11/03/26 13:28:00
Batch Date : 11/02/26 10:36:56

Reagent : 062926.02
Consumables : 2420011899; 04511039; 251213-634-A; 0000402180
Pipette : DA-065

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.

Pesticide — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD (PESTICIDES)	1.0866 g	25 ml	10 x	5	0.00920	0.0460	<0.00920	ppm		PASS
TOTAL DIMETHOMORPH	1.0866 g	25 ml	10 x	0.2	0.00902	0.0451	<0.00902	ppm		PASS
TOTAL PERMETHRIN	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
TOTAL PYRETHRINS	1.0866 g	25 ml	10 x	0.5	0.0277	0.139	<0.0277	ppm		PASS
TOTAL SPINETORAM	1.0866 g	25 ml	10 x	0.2	0.00902	0.0451	<0.00902	ppm		PASS
TOTAL SPINOSAD	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
ABAMECTIN B1A	1.0866 g	25 ml	10 x	0.1	0.00883	0.0442	<0.00883	ppm		PASS
ACEPHATE	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
ACEQUINOCYL	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
ACETAMIPRID	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
ALDICARB	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
AZOXYSTROBIN	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
BIFENAZATE	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
BIFENTHRIN	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
BOSCALID	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
CHLORPYRIFOS	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
CARBARYL	1.0866 g	25 ml	10 x	0.5	0.00920	0.0460	<0.00920	ppm		PASS
CLOFENTEZINE	1.0866 g	25 ml	10 x	0.2	0.00920	0.0460	<0.00920	ppm		PASS
CARBOFURAN	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
COUMAPHOS	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
CHLORANTRANILIPROLE	1.0866 g	25 ml	10 x	1	0.0920	0.460	<0.0920	ppm		PASS
CHLORMEQUAT CHLORIDE	1.0866 g	25 ml	10 x	1	0.0920	0.460	<0.0920	ppm		PASS
DAMINOZIDE	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
DIAZINON	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
DICHLORVOS	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
DIMETHOATE	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
ETHOPROPHOS	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
ETOFENPROX	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
ETOXAZOLE	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
FENHEXAMID	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
FENOXYCARB	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
FENPYROXIMATE	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
FIPRONIL	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
FLONICAMID	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
FLUDIOXONIL	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
HEXYTHIAZOX	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
IMAZALIL	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
IMIDACLOPRID	1.0866 g	25 ml	10 x	0.4	0.00920	0.0460	<0.00920	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/04/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

FloraCal Live Rosin Cartridge 500mg - Cel-Ray (H)
Strain: Cel-Ray (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Rosin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI61030015-013
Batch #: 7156607843044528
Harvest/Lot ID: 7156607843044528
Seed to sale: 7336271947615522

Expires: 10/30/27
Ordered: 10/30/26
Sampled: 10/30/26
Completed: 11/04/26

PASSED

Pesticide — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
KRESOXIM-METHYL	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
MALATHION	1.0866 g	25 ml	10 x	0.2	0.00920	0.0460	<0.00920	ppm		PASS
METALAXYL	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
METHIOCARB	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
METHOMYL	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
MEVINPHOS	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
MYCLOBUTANIL	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
NALED	1.0866 g	25 ml	10 x	0.25	0.00920	0.0460	<0.00920	ppm		PASS
OXAMYL	1.0866 g	25 ml	10 x	0.5	0.00920	0.0460	<0.00920	ppm		PASS
PACLOBUTRAZOL	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
PHOSMET	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
PIPERONYL BUTOXIDE	1.0866 g	25 ml	10 x	3	0.0920	0.460	<0.0920	ppm		PASS
PRALLETHRIN	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
PROPICONAZOLE	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
PROPOXUR	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
PYRIDABEN	1.0866 g	25 ml	10 x	0.2	0.00920	0.0460	<0.00920	ppm		PASS
SPIROMESIFEN	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
SPIROTETRAMAT	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
SPIROXAMINE	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
TEBUCONAZOLE	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
THIACLOPRID	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
THIAMETHOXAM	1.0866 g	25 ml	10 x	0.5	0.00920	0.0460	<0.00920	ppm		PASS
TRIFLOXYSTROBIN	1.0866 g	25 ml	10 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	1.0866 g	25 ml	5 x	0.15	0.00920	0.0690	<0.00920	ppm		PASS
TOTAL CHLORDANE	1.0866 g	25 ml	5 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
PARATHION-METHYL	1.0866 g	25 ml	5 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
CAPTAN	1.0866 g	25 ml	5 x	0.7	0.0644	0.322	<0.0644	ppm		PASS
CHLORFENAPYR	1.0866 g	25 ml	5 x	0.1	0.00920	0.0460	<0.00920	ppm		PASS
CYFLUTHRIN	1.0866 g	25 ml	5 x	0.5	0.0460	0.230	<0.0460	ppm		PASS
CYPERMETHRIN	1.0866 g	25 ml	5 x	0.5	0.0460	0.230	<0.0460	ppm		PASS

Analyzed by:
4451, 585, 5268

Extraction date:
11/02/26 10:58:56

Extracted by:
5072,4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103395PES
Instrument Used : DA-LCMS-003 (PES)
Batch Date : 11/02/26 07:38:11
Analyzed Date : 11/02/26 16:11:00

Reagent : 103026.R04; 082426.12; 102826.R03; 103026.R01; 103026.R02; 092326.R12; 102826.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by:
5072, 585, 5268

Extraction date:
11/02/26 10:58:56

Extracted by:
5072,4451

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL
Analytical Batch : MI103397VOL
Instrument Used : DA-GCMS-010
Batch Date : 11/02/26 07:46:17
Analyzed Date : 11/02/26 17:27:00

Reagent : 103026.R04; 082426.12; 102626.R01; 102626.R02; 090426.R12
Consumables : 242011899; DMAX06D26S; 6002573-01; 20940102
Pipette : DA-065; DA-080; DA-146

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/04/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

FloraCal Live Rosin Cartridge 500mg - Cel-Ray (H)
Strain: Cel-Ray (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Rosin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI61030015-013
Batch #: 7156607843044528
Harvest/Lot ID: 7156607843044528
Seed to sale: 7336271947615522

Expires: 10/30/27
Ordered: 10/30/26
Sampled: 10/30/26
Completed: 11/04/26

PASSED

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
ASPERGILLUS FLAVUS	1.175 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	1.175 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	1.175 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	1.175 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	1.175 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
LISTERIA MONOCYTOGENES	1.175 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
SALMONELLA SPECIFIC GENE	1.175 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	1.107 g	1 ml	10 x	100000	10.0	10.0	<10.0	CFU/g		PASS

Analyzed by:
4892, 4520, 585, 5268

Extraction date:
10/31/26 13:09:02

Extracted by:
4892,5008

Analysis Method : SOP.T.40.056C
Analytical Batch : MI103371MIC
Instrument Used : DA-111 (PathogenDx Scanner),DA-013 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)
Analyzed Date : 11/03/26 12:12:34
Batch Date : 10/31/26 07:14:03

Reagent : 071526.20; 101426.R26; 092526.03; 101926.R36; 101926.R37; 090326.01
Consumables : 7590006076
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by:
5008, 585, 5268

Extraction date:
10/31/26 13:03:21

Extracted by:
4892,5008

Analysis Method : SOP.T.40.209.FL
Analytical Batch : MI103372TYM
Instrument Used : DA-096 (25°C Incubator),DA-420 (25°C Incubator)
Analyzed Date : 11/03/26 10:38:02
Batch Date : 10/31/26 07:14:06

Reagent : 022626.03; 022626.26; 102026.R17; 102026.R13
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL AFLATOXINS	1.0866 g	25 ml	10 x	0.02	0.00184	0.00920	<0.00184	ppm		PASS
AFLATOXIN B1	1.0866 g	25 ml	10 x	0.02	0.00184	0.00920	<0.00184	ppm		PASS
AFLATOXIN B2	1.0866 g	25 ml	10 x	0.02	0.00184	0.00920	<0.00184	ppm		PASS
AFLATOXIN G1	1.0866 g	25 ml	10 x	0.02	0.00184	0.00920	<0.00184	ppm		PASS
AFLATOXIN G2	1.0866 g	25 ml	10 x	0.02	0.00184	0.00920	<0.00184	ppm		PASS
OCHRATOXIN A	1.0866 g	25 ml	10 x	0.02	0.00184	0.00920	<0.00184	ppm		PASS

Analyzed by:
4451, 585, 5268

Extraction date:
11/02/26 10:58:56

Extracted by:
5072,4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103396MYC
Instrument Used : DA-LCMS-003 (MYC)
Analyzed Date : 11/02/26 16:11:00
Batch Date : 11/02/26 07:46:06

Reagent : 103026.R04; 082426.12; 102826.R03; 103026.R01; 103026.R02; 092326.R12; 102826.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/04/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

FloraCal Live Rosin Cartridge 500mg - Cel-Ray (H)
Strain: Cel-Ray (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Rosin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI61030015-013
Batch #: 7156607843044528
Harvest/Lot ID: 7156607843044528
Seed to sale: 7336271947615522

Expires: 10/30/27
Ordered: 10/30/26
Sampled: 10/30/26
Completed: 11/04/26

PASSED

Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	0.395 g			0.85	0.010	0.10	0.57	aw		PASS

Analyzed by: 5412, 585, 5268
Extraction date: 11/02/26 18:01:55
Extracted by: 5412

Analysis Method : SOP.T.40.019
Analytical Batch : MI103419WAT
Instrument Used : DA-257 (Hygrometer, Base Unit)
Batch Date : 11/02/26 13:49:30
Analyzed Date : 11/03/26 09:35:06

Reagent : 072926.01
Consumables : PS-14
Pipette : N/A

Moisture Content

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
MOISTURE CONTENT	0.509 g			15		0.1	1.6	%		PASS

Analyzed by: 5412, 585, 5268
Extraction date: 11/02/26 17:32:14
Extracted by: 5412

Analysis Method : SOP.T.40.021.FL
Analytical Batch : MI103418MOI
Instrument Used : DA-003 Moisture Analyzer
Batch Date : 11/02/26 13:48:37
Analyzed Date : 11/03/26 09:33:31

Reagent : 071626.12; 100226.83
Consumables : N/A
Pipette : DA-066

Heavy Metals

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD METALS	0.2783 g	50 ml	1 x	5	0.0180	0.0898	0.0925	ppm		PASS
ARSENIC	0.2783 g	50 ml	1 x	0.2	0.0180	0.0898	<0.0180	ppm		PASS
CADMIUM	0.2783 g	50 ml	1 x	0.2	0.0180	0.0898	<0.0180	ppm		PASS
LEAD	0.2783 g	50 ml	1 x	0.5	0.0449	0.225	<0.0449	ppm		PASS
MERCURY	0.2783 g	50 ml	1 x	0.2	0.0180	0.0898	<0.0180	ppm		PASS
NICKEL	0.2783 g	50 ml	1 x	0.5	0.0449	0.225	0.0925	ppm	J	PASS
TIN	0.2783 g	50 ml	1 x	4	0.359	1.80	<0.359	ppm		PASS

Analyzed by: 1022, 585, 5268
Extraction date: 11/02/26 10:19:59
Extracted by: 1022,5413

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : MI103383HEA
Instrument Used : DA-ICPMS-004
Batch Date : 10/31/26 10:01:14
Analyzed Date : 11/02/26 18:59:00

Reagent : 101526.R04; 102726.R02; 102826.R19; 110226.R15; 102626.R11; 102626.R10; 100226.R18; 100226.83; 092826.R11; 032326.01
Consumables : DMAX06D26S; J640480-7643; 179436
Pipette : DA-191; DA-215; DA-435

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/04/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

FloraCal Live Rosin Cartridge 500mg - Cel-Ray (H)
Strain: Cel-Ray (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Rosin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI61030015-013
Batch #: 7156607843044528
Harvest/Lot ID: 7156607843044528
Seed to sale: 7336271947615522

Expires: 10/30/27
Ordered: 10/30/26
Sampled: 10/30/26
Completed: 11/04/26

PASSED

Filth/Foreign Material

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
FILTH AND FOREIGN MATERIAL	1 g			1	0.100	0.500	<0.100	%		PASS

Analyzed by:
4571, 585, 5268

Extraction date:
11/01/26 13:01:50

Extracted by:
4571

Analysis Method : SOP.T.40.090
Analytical Batch : MI103391FIL
Instrument Used : DA-027 (Filth/Foreign Material Microscope)
Batch Date : 11/01/26 12:59:53
Analyzed Date : 11/03/26 10:38:26

Reagent : N/A
Consumables : N/A
Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License #
CMTL-00013
ISO 17025 Accreditation #
ISO/IEC 17025:2017
Accreditation PJLA-Testing
97164

Signature
11/04/26
Laboratory License #: 900013