Amended

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Live Sauce 1g - Double OG Chem (H)
Strain: Double OG Chem (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

COMPLIANCE FOR RETAIL — PASSED



Harvest Batch #: 2328164993744640
Retail Batch #: 2328164993744640
Batch Date: 10/26/26
Harvest Date: 10/06/26
Production Method: Other - Not Listed
Total Amount: 347 units (347 grams)
Cultivation Facility: FL - Indiantown (4430)
Processing Facility: FL - Indiantown (4430)
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Seed To Sale #: 0201539852039644

Lab ID: MI61104011-003
Sampled: 11/04/26
Sampling Method: SOP.T.20.010
Sample Size: 16 units
Completed: 11/08/26
Revised: 11/09/26
Expires: 11/04/27
Manifest #: 4521377526786996
Source Facility: FL - Indiantown (4430)

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

SAFETY RESULTS — **MISC.**


Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filth/Foreign Material	Water Activity	Moisture Content	Terpenes
PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	NOT TESTED	TESTED

Cannabinoid — TESTED

Total THC
78.3%
Total THC/Container : 783 mg

Total CBD J
0.128%
Total CBD/Container : 1.28 mg

Total Cannabinoids
89.5%
Total Cannabinoids/Container : 895 mg



	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	15.1	72.2	0.0772	0.0574	<0.0190	0.915	0.210	<0.0190	0.133	<0.0190	0.433	0.492
mg/unit	151	722	0.772	0.574	<0.0190	9.15	2.10	<0.0190	1.33	<0.0190	4.33	4.92
Qualifier			J	J								
LOD (%)	0.0190	0.0190	0.0190	0.0190	0.0190	0.0190	0.0190	0.0190	0.0190	0.0190	0.0190	0.0190
LOQ (%)	0.190	0.190	0.190	0.190	0.190	0.190	0.190	0.190	0.190	0.190	0.190	0.190
Weight	0.1052 g	0.1052 g	0.1052 g	0.1052 g	0.1052 g	0.1052 g	0.1052 g	0.1052 g	0.1052 g	0.1052 g	0.1052 g	0.1052 g
Volume	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml
Dilution	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x

Analyzed by: 4640, 1665, 585, 5268
Extraction date: 11/05/26 13:08:58
Extracted by: 4640

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031
Analytical Batch : MI103495POT
Instrument Used : DA-LC-003
Analyzed Date : 11/05/26 21:39:00
Batch Date : 11/05/26 11:00:57

Reagent : 110426.R26; 110426.R27; 110426.R28; 110326.R18; 110326.R17

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/08/26
Laboratory License #: 900013

Revision: #1 - Updated Batch Date.

Revision: #1 This revision supersedes any and all previous versions of this document.

Amended

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Live Sauce 1g - Double OG Chem (H)
Strain: Double OG Chem (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI61104011-003
Batch #: 2328164993744640
Harvest/Lot ID: 2328164993744640
Seed to sale: 0201539852039644

Expires: 11/04/27
Ordered: 11/04/26
Sampled: 11/04/26
Completed: 11/08/26

PASSED

Consumables : 242011899; 04511039; DMAX06D26S; 0000402180
Pipette : DA-052; DA-055; DA-063

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

Label Claim Verification

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: **Extraction date:** **Extracted by:**

Analysis Method : N/A
Analytical Batch : N/A
Instrument Used : N/A
Analyzed Date : 11/06/26 10:28:31

Batch Date : N/A

Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL
TOTAL TERPENES	0.2114 g	10 ml	1 x		0.0331	0.0946	6.00	60.0		TESTED
LIMONENE	0.2114 g	10 ml	1 x		0.0331	0.0946	1.77	17.7		TESTED
LINALOOL	0.2114 g	10 ml	1 x		0.0331	0.0946	0.998	9.98		TESTED
BETA-MYRCENE	0.2114 g	10 ml	1 x		0.0331	0.0946	0.751	7.51		TESTED
BETA-CARYOPHYLLENE	0.2114 g	10 ml	1 x		0.0331	0.0946	0.625	6.25		TESTED
ALPHA-HUMULENE	0.2114 g	10 ml	1 x		0.0331	0.0946	0.278	2.78		TESTED
ALPHA-TERPINEOL	0.2114 g	10 ml	1 x		0.0331	0.0946	0.277	2.77		TESTED
FENCHYL ALCOHOL	0.2114 g	10 ml	1 x		0.0331	0.0946	0.263	2.63		TESTED
BETA-PINENE	0.2114 g	10 ml	1 x		0.0331	0.0946	0.163	1.63		TESTED
TRANS-NEROLIDOL	0.2114 g	10 ml	1 x		0.0237	0.0757	0.160	1.60		TESTED
ALPHA-BISABOLOL	0.2114 g	10 ml	1 x		0.0331	0.0946	0.151	1.51		TESTED
ALPHA-PINENE	0.2114 g	10 ml	1 x		0.0331	0.0946	0.134	1.34		TESTED
BORNEOL	0.2114 g	10 ml	1 x		0.0615	0.189	0.0996	0.996	J	TESTED
GERANIOL	0.2114 g	10 ml	1 x		0.0331	0.0946	0.0871	0.871	J	TESTED
FARNESENE	0.2114 g	10 ml	1 x		0.0331	0.0946	0.0613	0.613	J	TESTED
CARYOPHYLLENE OXIDE	0.2114 g	10 ml	1 x		0.0331	0.0946	0.0580	0.580	J	TESTED
CAMPHENE	0.2114 g	10 ml	1 x		0.0331	0.0946	0.0436	0.436	J	TESTED
CIS-NEROLIDOL	0.2114 g	10 ml	1 x		0.0142	0.0378	0.0424	0.424		TESTED
ALPHA-TERPINOLENE	0.2114 g	10 ml	1 x		0.0331	0.0946	0.0410	0.410	J	TESTED
FENCHONE	0.2114 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
GERANYL ACETATE	0.2114 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
ALPHA-TERPINENE	0.2114 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
GAMMA-TERPINENE	0.2114 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
3-CARENE	0.2114 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
CAMPHOR	0.2114 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
CEDROL	0.2114 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
EUCALYPTOL	0.2114 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
GUAIOL	0.2114 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
HEXAHYDROTHYMOL	0.2114 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
ISOBORNEOL	0.2114 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
ISOPULEGOL	0.2114 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
NEROL	0.2114 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
OCIMENE	0.2114 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
PULEGONE	0.2114 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
SABINENE	0.2114 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
SABINENE HYDRATE	0.2114 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
VALENCENE	0.2114 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED
ALPHA-CEDRENE	0.2114 g	10 ml	1 x		0.0237	0.0757	<0.0237	<0.757		TESTED
ALPHA-PHELLANDRENE	0.2114 g	10 ml	1 x		0.0331	0.0946	<0.0331	<0.946		TESTED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/08/26
Laboratory License #: 900013

Revision: #1 - Updated Batch Date.

Revision: #1 This revision supersedes any and all previous versions of this document.

Amended

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Live Sauce 1g - Double OG Chem (H)
Strain: Double OG Chem (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI61104011-003
Batch #: 2328164993744640
Harvest/Lot ID: 2328164993744640
Seed to sale: 0201539852039644

Expires: 11/04/27
Ordered: 11/04/26
Sampled: 11/04/26
Completed: 11/08/26

PASSED

Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL

Analyzed by: 4531, 585, 5268
Extraction date: 11/05/26 13:49:07
Extracted by: 4531

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : MI103492TER
Instrument Used : DA-GCMS-014
Analyzed Date : 11/05/26 21:34:00
Batch Date : 11/05/26 10:42:57

Reagent : 101526.10; 062926.02
Consumables : 242011899; 04511039; 251213-634-A; 0000402180
Pipette : DA-065

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.

Pesticide

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD (PESTICIDES)	1.0249 g	25 ml	10 x	5	0.00976	0.0488	<0.00976	ppm		PASS
TOTAL DIMETHOMORPH	1.0249 g	25 ml	10 x	0.2	0.00956	0.0478	<0.00956	ppm		PASS
TOTAL PERMETHRIN	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
TOTAL PYRETHRINS	1.0249 g	25 ml	10 x	0.5	0.0294	0.147	<0.0294	ppm		PASS
TOTAL SPINETORAM	1.0249 g	25 ml	10 x	0.2	0.00956	0.0478	<0.00956	ppm		PASS
TOTAL SPINOSAD	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
ABAMECTIN B1A	1.0249 g	25 ml	10 x	0.1	0.00937	0.0468	<0.00937	ppm		PASS
ACEPHATE	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
ACEQUINOCYL	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
ACETAMIPRID	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
ALDICARB	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
AZOXYSTROBIN	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
BIFENAZATE	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
BIFENTHRIN	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
BOSCALID	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
CHLORPYRIFOS	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
CARBARYL	1.0249 g	25 ml	10 x	0.5	0.00976	0.0488	<0.00976	ppm		PASS
CLOFENTEZINE	1.0249 g	25 ml	10 x	0.2	0.00976	0.0488	<0.00976	ppm		PASS
CARBOFURAN	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
COUMAPHOS	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
CHLORANTRANILIPROLE	1.0249 g	25 ml	10 x	1	0.0976	0.488	<0.0976	ppm		PASS
CHLORMEQUAT CHLORIDE	1.0249 g	25 ml	10 x	1	0.0976	0.488	<0.0976	ppm		PASS
DAMINOZIDE	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
DIAZINON	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
DICHLORVOS	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
DIMETHOATE	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
ETHOPROPHOS	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
ETOFENPROX	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
ETOXAZOLE	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
FENHEXAMID	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
FENOXYCARB	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
FENPYROXIMATE	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
FIPRONIL	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
FLONICAMID	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
FLUDIOXONIL	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
HEXYTHIAZOX	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
IMAZALIL	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/08/26
Laboratory License #: 900013

Revision: #1 - Updated Batch Date.

Revision: #1 This revision supersedes any and all previous versions of this document.

Amended

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Live Sauce 1g - Double OG Chem (H)
Strain: Double OG Chem (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI61104011-003
Batch #: 2328164993744640
Harvest/Lot ID: 2328164993744640
Seed to sale: 0201539852039644

Expires: 11/04/27
Ordered: 11/04/26
Sampled: 11/04/26
Completed: 11/08/26

PASSED

Pesticide — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
IMIDACLOPRID	1.0249 g	25 ml	10 x	0.4	0.00976	0.0488	<0.00976	ppm		PASS
KRESOXIM-METHYL	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
MALATHION	1.0249 g	25 ml	10 x	0.2	0.00976	0.0488	<0.00976	ppm		PASS
METALAXYL	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
METHIOCARB	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
METHOMYL	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
MEVINPHOS	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
MYCLOBUTANIL	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
NALED	1.0249 g	25 ml	10 x	0.25	0.00976	0.0488	<0.00976	ppm		PASS
OXAMYL	1.0249 g	25 ml	10 x	0.5	0.00976	0.0488	<0.00976	ppm		PASS
PACLOBUTRAZOL	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
PHOSMET	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
PIPERONYL BUTOXIDE	1.0249 g	25 ml	10 x	3	0.0976	0.488	<0.0976	ppm		PASS
PRALLETHRIN	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
PROPICONAZOLE	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
PROPOXUR	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
PYRIDABEN	1.0249 g	25 ml	10 x	0.2	0.00976	0.0488	<0.00976	ppm		PASS
SPIROMESIFEN	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
SPIROTETRAMAT	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
SPIROXAMINE	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
TEBUCONAZOLE	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
THIACLOPRID	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
THIAMETHOXAM	1.0249 g	25 ml	10 x	0.5	0.00976	0.0488	<0.00976	ppm		PASS
TRIFLOXYSTROBIN	1.0249 g	25 ml	10 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	1.0249 g	25 ml	5 x	0.15	0.00976	0.0732	<0.00976	ppm		PASS
TOTAL CHLORDANE	1.0249 g	25 ml	5 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
PARATHION-METHYL	1.0249 g	25 ml	5 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
CAPTAN	1.0249 g	25 ml	5 x	0.7	0.0683	0.341	<0.0683	ppm		PASS
CHLORFENAPYR	1.0249 g	25 ml	5 x	0.1	0.00976	0.0488	<0.00976	ppm		PASS
CYFLUTHRIN	1.0249 g	25 ml	5 x	0.5	0.0488	0.244	<0.0488	ppm		PASS
CYPERMETHRIN	1.0249 g	25 ml	5 x	0.5	0.0488	0.244	<0.0488	ppm		PASS

Analyzed by:
4451, 585, 5268

Extraction date:
11/05/26 13:12:57

Extracted by:
4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103506PES
Instrument Used : DA-LCMS-004 (PES)
Batch Date : 11/05/26 11:45:42
Analyzed Date : 11/05/26 18:59:00

Reagent : 110326.R11; 082426.12; 110426.R03; 110226.R01; 110326.R14; 092326.R12; 110426.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/08/26
Laboratory License #: 900013

Revision: #1 - Updated Batch Date.

Revision: #1 This revision supersedes any and all previous versions of this document.

Amended

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Live Sauce 1g - Double OG Chem (H)
Strain: Double OG Chem (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI61104011-003
Batch #: 2328164993744640
Harvest/Lot ID: 2328164993744640
Seed to sale: 0201539852039644

Expires: 11/04/27
Ordered: 11/04/26
Sampled: 11/04/26
Completed: 11/08/26

PASSED

Pesticide

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 5072, 585, 5268
Extraction date: 11/05/26 13:12:57
Extracted by: 4451

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL
Analytical Batch : MI103508VOL
Instrument Used : DA-GCMS-011
Batch Date : 11/05/26 11:46:20
Analyzed Date : 11/06/26 19:36:00

Reagent : 110326.R11; 082426.12; 102626.R01; 102626.R02; 090426.R12
Consumables : 242011899; DMAX06D26S; 6002573-01; 20940102
Pipette : DA-065; DA-080; DA-146

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Residual Solvents

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
1,1-DICHLOROETHENE	0.0268 g	1 ml	1 x	8	0.597	2.99	<0.597	ppm		PASS
1,2-DICHLOROETHANE	0.0268 g	1 ml	1 x	2	0.149	0.746	<0.149	ppm		PASS
2-PROPANOL	0.0268 g	1 ml	1 x	500	37.3	187	<37.3	ppm		PASS
ACETONE	0.0268 g	1 ml	1 x	750	56.0	280	<56.0	ppm		PASS
ACETONITRILE	0.0268 g	1 ml	1 x	60	4.48	22.4	<4.48	ppm		PASS
BENZENE	0.0268 g	1 ml	1 x	1	0.0746	0.373	<0.0746	ppm		PASS
BUTANES (N-BUTANE)	0.0268 g	1 ml	1 x	5000	373	1870	<373	ppm		PASS
CHLOROFORM	0.0268 g	1 ml	1 x	2	0.149	0.746	<0.149	ppm		PASS
DICHLOROMETHANE	0.0268 g	1 ml	1 x	125	9.33	46.6	<9.33	ppm		PASS
ETHANOL	0.0268 g	1 ml	1 x	5000	373	1870	<373	ppm		PASS
ETHYL ACETATE	0.0268 g	1 ml	1 x	400	29.9	149	<29.9	ppm		PASS
ETHYL ETHER	0.0268 g	1 ml	1 x	500	37.3	187	<37.3	ppm		PASS
ETHYLENE OXIDE	0.0268 g	1 ml	1 x	5	0.373	1.87	<0.373	ppm		PASS
HEPTANE	0.0268 g	1 ml	1 x	5000	373	1870	<373	ppm		PASS
METHANOL	0.0268 g	1 ml	1 x	250	18.7	93.3	<18.7	ppm		PASS
N-HEXANE	0.0268 g	1 ml	1 x	250	18.7	93.3	<18.7	ppm		PASS
PENTANES (N-PENTANE)	0.0268 g	1 ml	1 x	750	56.0	280	<56.0	ppm		PASS
PROPANE	0.0268 g	1 ml	1 x	5000	373	806	<373	ppm		PASS
TOLUENE	0.0268 g	1 ml	1 x	150	11.2	56.0	<11.2	ppm		PASS
TOTAL XYLENES	0.0268 g	1 ml	1 x	150	11.2	56.0	<11.2	ppm		PASS
TRICHLOROETHYLENE	0.0268 g	1 ml	1 x	25	1.87	9.33	<1.87	ppm		PASS

Analyzed by: 4444, 585, 5268
Extraction date: 11/05/26 11:43:23
Extracted by: 4444

Analysis Method : SOP.T.40.041.FL
Analytical Batch : MI103499SOL
Instrument Used : DA-GCMS-012
Batch Date : 11/05/26 11:31:39
Analyzed Date : 11/05/26 18:32:27

Reagent : 061323.06; 110226.R04; 110226.R05; 110226.R06
Consumables : 433241; 349074
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/08/26
Laboratory License #: 900013

Revision: #1 - Updated Batch Date.

Revision: #1 This revision supersedes any and all previous versions of this document.

Amended

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Live Sauce 1g - Double OG Chem (H)
Strain: Double OG Chem (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI61104011-003
Batch #: 2328164993744640
Harvest/Lot ID: 2328164993744640
Seed to sale: 0201539852039644

Expires: 11/04/27
Ordered: 11/04/26
Sampled: 11/04/26
Completed: 11/08/26

PASSED

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
ASPERGILLUS FLAVUS	0.934 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	0.934 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	0.934 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	0.934 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	0.934 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
SALMONELLA SPECIFIC GENE	0.934 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	1.053 g	1 ml	10 x	100000	10.0	10.0	<10.0	CFU/g		PASS

Analyzed by: 4520, 4892, 585, 5268
Extraction date: 11/05/26 10:47:42
Extracted by: 4892,4520

Analysis Method : SOP.T.40.056C
Analytical Batch : MI103479MIC
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)
Batch Date : 11/05/26 07:40:32
Analyzed Date : 11/08/26 11:31:19

Reagent : 101426.R26; 092526.06; 071526.16; 071526.17; 101926.R36; 101926.R37; 090326.02
Consumables : 7507501023
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 4520, 4892, 585, 5268
Extraction date: 11/05/26 10:52:15
Extracted by: 4892,4520

Analysis Method : SOP.T.40.209.FL
Analytical Batch : MI103480TYM
Instrument Used : DA-096 (25°C Incubator),DA-420 (25°C Incubator)
Batch Date : 11/05/26 07:40:35
Analyzed Date : 11/08/26 11:32:51

Reagent : 022626.27; 070626.11; 102026.R17; 102026.R13
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL AFLATOXINS	1.0249 g	25 ml	10 x	0.02	0.00195	0.00976	<0.00195	ppm		PASS
AFLATOXIN B1	1.0249 g	25 ml	10 x	0.02	0.00195	0.00976	<0.00195	ppm		PASS
AFLATOXIN B2	1.0249 g	25 ml	10 x	0.02	0.00195	0.00976	<0.00195	ppm		PASS
AFLATOXIN G1	1.0249 g	25 ml	10 x	0.02	0.00195	0.00976	<0.00195	ppm		PASS
AFLATOXIN G2	1.0249 g	25 ml	10 x	0.02	0.00195	0.00976	<0.00195	ppm		PASS
OCHRATOXIN A	1.0249 g	25 ml	10 x	0.02	0.00195	0.00976	<0.00195	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/08/26
Laboratory License #: 900013

Revision: #1 - Updated Batch Date.

Revision: #1 This revision supersedes any and all previous versions of this document.

Amended

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Live Sauce 1g - Double OG Chem (H)
Strain: Double OG Chem (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI61104011-003
Batch #: 2328164993744640
Harvest/Lot ID: 2328164993744640
Seed to sale: 0201539852039644

Expires: 11/04/27
Ordered: 11/04/26
Sampled: 11/04/26
Completed: 11/08/26

PASSED

Mycotoxins

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 4451, 585, 5268
Extraction date: 11/05/26 13:12:57
Extracted by: 4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103507MYC
Instrument Used : DA-LCMS-004 (MYC)
Batch Date : 11/05/26 11:46:15
Analyzed Date : 11/05/26 18:59:00

Reagent : 110326.R11; 082426.12; 110426.R03; 110226.R01; 110326.R14; 092326.R12; 110426.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	0.304 g			0.85	0.010	0.10	0.55	aw		PASS

Analyzed by: 5412, 585, 5268
Extraction date: 11/05/26 18:44:46
Extracted by: 5412

Analysis Method : SOP.T.40.019
Analytical Batch : MI103515WAT
Instrument Used : DA-257 (Hygrometer, Base Unit)
Batch Date : 11/05/26 14:12:06
Analyzed Date : 11/06/26 10:10:34

Reagent : 072926.01
Consumables : PS-14
Pipette : N/A

Heavy Metals

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD METALS	0.2897 g	50 ml	1 x	5	0.0173	0.0863	<0.0173	ppm		PASS
ARSENIC	0.2897 g	50 ml	1 x	0.2	0.0173	0.0863	<0.0173	ppm		PASS
CADMIUM	0.2897 g	50 ml	1 x	0.2	0.0173	0.0863	<0.0173	ppm		PASS
LEAD	0.2897 g	50 ml	1 x	0.5	0.0431	0.216	<0.0431	ppm		PASS
MERCURY	0.2897 g	50 ml	1 x	0.2	0.0173	0.0863	<0.0173	ppm		PASS
NICKEL	0.2897 g	50 ml	1 x	0.5	0.0431	0.216	<0.0431	ppm		PASS
TIN	0.2897 g	50 ml	1 x	4	0.345	1.73	<0.345	ppm		PASS

Analyzed by: 1022, 585, 5268
Extraction date: 11/05/26 12:06:58
Extracted by: 1022

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : MI103488HEA
Instrument Used : DA-ICPMS-005
Batch Date : 11/05/26 10:32:59
Analyzed Date : 11/05/26 20:56:00

Reagent : 101526.R04; 102726.R02; 102826.R19; 110226.R15; 110226.R26; 110226.R25; 110426.R29; 110426.01; 092826.R11; 032326.01
Consumables : DMAX06D26S; J640480-7643; 179436
Pipette : DA-191; DA-215; DA-435

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/08/26
Laboratory License #: 900013

Revision: #1 - Updated Batch Date.

Revision: #1 This revision supersedes any and all previous versions of this document.

Amended

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Live Sauce 1g - Double OG Chem (H)
Strain: Double OG Chem (H)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI61104011-003
Batch #: 2328164993744640
Harvest/Lot ID: 2328164993744640
Seed to sale: 0201539852039644

Expires: 11/04/27
Ordered: 11/04/26
Sampled: 11/04/26
Completed: 11/08/26

PASSED

Filth/Foreign Material

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
FILTH AND FOREIGN MATERIAL	1 g			1	0.100	0.500	<0.100	%		PASS

Analyzed by: 4571, 585, 5268
Extraction date: 11/05/26 14:07:22
Extracted by: 4571

Analysis Method : SOP.T.40.090
Analytical Batch : MI103512FIL
Instrument Used : DA-027 (Filth/Foreign Material Microscope)
Batch Date : 11/05/26 14:05:16
Analyzed Date : 11/06/26 09:57:16

Reagent : N/A
Consumables : N/A
Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/08/26
Laboratory License #: 900013

Revision: #1 - Updated Batch Date.

Revision: #1 This revision supersedes any and all previous versions of this document.