kaycha LABS
3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Granddaddy Prple (I)
Strain: Granddaddy Prple (I)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

COMPLIANCE FOR RETAIL — PASSED



Harvest Batch #: 3319154416339096
Retail Batch #: 3319154416339096
Batch Date: 10/28/26
Harvest Date: 09/15/26
Production Method: Other - Not Listed
Total Amount: 1,080 units (1,080 grams)
Cultivation Facility: FL - Indiantown (4430)
Processing Facility: FL - Indiantown (4430)
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Seed To Sale #: 1243319290566712

Lab ID: MI61109003-002
Sampled: 11/09/26
Sampling Method: SOP.T.20.010
Sample Size: 16 units
Completed: 11/12/26
Expires: 11/09/27
Manifest #: 4410268782968674
Source Facility: FL - Indiantown (4430)

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sunnyside®

SAFETY RESULTS — **MISC.**

Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filth/Foreign Material	Water Activity	Moisture Content	Terpenes
PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	PASSED	NOT TESTED	TESTED

Cannabinoid — TESTED

Total THC
77.7%
Total THC/Container : 777 mg

Total CBD
0.374%
Total CBD/Container : 3.74 mg

Total Cannabinoids
80.5%
Total Cannabinoids/Container : 805 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	THCVA
%	77.5	0.304	0.195	0.204	<0.0192	0.867	<0.0192	0.118	0.356	<0.0192	0.933	0.0778
mg/unit	775	3.04	1.95	2.04	<0.0192	8.67	<0.0192	1.18	3.56	<0.0192	9.33	0.778
Qualifier								J				J
LOD (%)	0.0192	0.0192	0.0192	0.0192	0.0192	0.0192	0.0192	0.0192	0.0192	0.0192	0.0192	0.0192
LOQ (%)	0.192	0.192	0.192	0.192	0.192	0.192	0.192	0.192	0.192	0.192	0.192	0.192
Weight	0.1044 g	0.1044 g	0.1044 g	0.1044 g	0.1044 g	0.1044 g	0.1044 g	0.1044 g	0.1044 g	0.1044 g	0.1044 g	0.1044 g
Volume	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml	40 ml
Dilution	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x	10 x

Analyzed by: 4451, 1665, 3379, 5268
Extraction date: 11/10/26 11:32:19
Extracted by: 5150,4451

Analysis Method : SOP.T.40.031.FL, SOP.T.30.031
Analytical Batch : MI103602POT
Instrument Used : DA-LC-003
Analyzed Date : 11/10/26 20:25:00
Batch Date : 11/10/26 07:10:36

Reagent : 110426.R26; 110426.R27; 110426.R28; 110326.R18; 102026.36; 110326.R17
Consumables : 242011899; 04511039; DMAX06D26S; 0000402180
Pipette : DA-052; DA-055; DA-063

Full Spectrum extended cannabinoid analysis utilizing High Performance Liquid Chromatography with UV and/or Photodiode Array detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/12/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Granddaddy Prple (I)
Strain: Granddaddy Prple (I)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI61109003-002
Batch #: 3319154416339096
Harvest/Lot ID: 3319154416339096
Seed to sale: 1243319290566712

Expires: 11/09/27
Ordered: 11/09/26
Sampled: 11/09/26
Completed: 11/12/26

PASSED

Label Claim Verification

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: **Extraction date:** **Extracted by:**

Analysis Method : N/A
Analytical Batch : N/A
Instrument Used : N/A
Analyzed Date : 11/11/26 12:17:24

Batch Date : N/A

Terpenes

TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL
TOTAL TERPENES	0.2231 g	10 ml	1 x		0.0314	0.0896	6.87	68.7		TESTED
BETA-CARYOPHYLLENE	0.2231 g	10 ml	1 x		0.0314	0.0896	2.48	24.8		TESTED
ALPHA-HUMULENE	0.2231 g	10 ml	1 x		0.0314	0.0896	1.26	12.6		TESTED
LINALOOL	0.2231 g	10 ml	1 x		0.0314	0.0896	0.708	7.08		TESTED
BETA-MYRCENE	0.2231 g	10 ml	1 x		0.0314	0.0896	0.503	5.03		TESTED
LIMONENE	0.2231 g	10 ml	1 x		0.0314	0.0896	0.454	4.54		TESTED
FARNESENE	0.2231 g	10 ml	1 x		0.0314	0.0896	0.453	4.53		TESTED
ALPHA-BISABOLOL	0.2231 g	10 ml	1 x		0.0314	0.0896	0.279	2.79		TESTED
TRANS-NEROLIDOL	0.2231 g	10 ml	1 x		0.0224	0.0717	0.234	2.34		TESTED
ALPHA-TERPINEOL	0.2231 g	10 ml	1 x		0.0314	0.0896	0.124	1.24		TESTED
FENCHYL ALCOHOL	0.2231 g	10 ml	1 x		0.0314	0.0896	0.106	1.06		TESTED
CARYOPHYLLENE OXIDE	0.2231 g	10 ml	1 x		0.0314	0.0896	0.0743	0.743	J	TESTED
BORNEOL	0.2231 g	10 ml	1 x		0.0583	0.179	0.0619	0.619	J	TESTED
BETA-PINENE	0.2231 g	10 ml	1 x		0.0314	0.0896	0.0516	0.516	J	TESTED
ALPHA-PINENE	0.2231 g	10 ml	1 x		0.0314	0.0896	0.0473	0.473	J	TESTED
ALPHA-CEDRENE	0.2231 g	10 ml	1 x		0.0224	0.0717	0.0406	0.406	J	TESTED
CAMPHENE	0.2231 g	10 ml	1 x		0.0314	0.0896	<0.0314	<0.896		TESTED
FENCHONE	0.2231 g	10 ml	1 x		0.0314	0.0896	<0.0314	<0.896		TESTED
OCIMENE	0.2231 g	10 ml	1 x		0.0314	0.0896	<0.0314	<0.896		TESTED
ALPHA-PHELLANDRENE	0.2231 g	10 ml	1 x		0.0314	0.0896	<0.0314	<0.896		TESTED
ALPHA-TERPINENE	0.2231 g	10 ml	1 x		0.0314	0.0896	<0.0314	<0.896		TESTED
ALPHA-TERPINOLENE	0.2231 g	10 ml	1 x		0.0314	0.0896	<0.0314	<0.896		TESTED
GAMMA-TERPINENE	0.2231 g	10 ml	1 x		0.0314	0.0896	<0.0314	<0.896		TESTED
3-CARENE	0.2231 g	10 ml	1 x		0.0314	0.0896	<0.0314	<0.896		TESTED
CAMPHOR	0.2231 g	10 ml	1 x		0.0314	0.0896	<0.0314	<0.896		TESTED
CEDROL	0.2231 g	10 ml	1 x		0.0314	0.0896	<0.0314	<0.896		TESTED
EUCALYPTOL	0.2231 g	10 ml	1 x		0.0314	0.0896	<0.0314	<0.896		TESTED
GERANIOL	0.2231 g	10 ml	1 x		0.0314	0.0896	<0.0314	<0.896		TESTED
GERANYL ACETATE	0.2231 g	10 ml	1 x		0.0314	0.0896	<0.0314	<0.896		TESTED
GUAIOL	0.2231 g	10 ml	1 x		0.0314	0.0896	<0.0314	<0.896		TESTED
HEXAHYDROTHYMOL	0.2231 g	10 ml	1 x		0.0314	0.0896	<0.0314	<0.896		TESTED
ISOBORNEOL	0.2231 g	10 ml	1 x		0.0314	0.0896	<0.0314	<0.896		TESTED
ISOPULEGOL	0.2231 g	10 ml	1 x		0.0314	0.0896	<0.0314	<0.896		TESTED
NEROL	0.2231 g	10 ml	1 x		0.0314	0.0896	<0.0314	<0.896		TESTED
PULEGONE	0.2231 g	10 ml	1 x		0.0314	0.0896	<0.0314	<0.896		TESTED
SABINENE	0.2231 g	10 ml	1 x		0.0314	0.0896	<0.0314	<0.896		TESTED
SABINENE HYDRATE	0.2231 g	10 ml	1 x		0.0314	0.0896	<0.0314	<0.896		TESTED
VALENCENE	0.2231 g	10 ml	1 x		0.0314	0.0896	<0.0314	<0.896		TESTED
CIS-NEROLIDOL	0.2231 g	10 ml	1 x		0.0134	0.0359	<0.0134	<0.359		TESTED

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/12/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Granddaddy Prple (I)
Strain: Granddaddy Prple (I)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI61109003-002
Batch #: 3319154416339096
Harvest/Lot ID: 3319154416339096
Seed to sale: 1243319290566712

Expires: 11/09/27
Ordered: 11/09/26
Sampled: 11/09/26
Completed: 11/12/26

PASSED

Terpenes — TESTED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT(%)	(MG/UNIT)	QUALIFIER	PASS/FAIL

Analyzed by: 4531, 3379, 5268
Extraction date: 11/10/26 11:58:46
Extracted by: 4531

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : MI103616TER
Instrument Used : DA-GCMS-014
Analyzed Date : 11/10/26 19:04:00
Batch Date : 11/10/26 10:57:35

Reagent : 063026.02; 100526.03
Consumables : 242011899; 04511039; 251213-634-A; 0000402180
Pipette : DA-065

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry.

Pesticide — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD (PESTICIDES)	1.128 g	25 ml	10 x	5	0.00887	0.0443	<0.00887	ppm		PASS
TOTAL DIMETHOMORPH	1.128 g	25 ml	10 x	0.2	0.00869	0.0434	<0.00869	ppm		PASS
TOTAL PERMETHRIN	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
TOTAL PYRETHRINS	1.128 g	25 ml	10 x	0.5	0.0267	0.133	<0.0267	ppm		PASS
TOTAL SPINETORAM	1.128 g	25 ml	10 x	0.2	0.00869	0.0434	<0.00869	ppm		PASS
TOTAL SPINOSAD	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
ABAMECTIN B1A	1.128 g	25 ml	10 x	0.1	0.00851	0.0426	<0.00851	ppm		PASS
ACEPHATE	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
ACEQUINOCYL	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
ACETAMIPRID	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
ALDICARB	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
AZOXYSTROBIN	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
BIFENAZATE	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
BIFENTHRIN	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
BOSCALID	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
CHLORPYRIFOS	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
CARBARYL	1.128 g	25 ml	10 x	0.5	0.00887	0.0443	<0.00887	ppm		PASS
CLOFENTEZINE	1.128 g	25 ml	10 x	0.2	0.00887	0.0443	<0.00887	ppm		PASS
CARBOFURAN	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
COUMAPHOS	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
CHLORANTRANILIPROLE	1.128 g	25 ml	10 x	1	0.0887	0.443	<0.0887	ppm		PASS
CHLORMEQUAT CHLORIDE	1.128 g	25 ml	10 x	1	0.0887	0.443	<0.0887	ppm		PASS
DAMINOZIDE	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
DIAZINON	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
DICHLORVOS	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
DIMETHOATE	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
ETHOPROPHOS	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
ETOFENPROX	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
ETOXAZOLE	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
FENHEXAMID	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
FENOXYCARB	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
FENPYROXIMATE	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
FIPRONIL	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
FLONICAMID	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
FLUDIOXONIL	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
HEXYTHIAZOX	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
IMAZALIL	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
IMIDACLOPRID	1.128 g	25 ml	10 x	0.4	0.00887	0.0443	<0.00887	ppm		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/12/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Granddaddy Prple (I)
Strain: Granddaddy Prple (I)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI61109003-002
Batch #: 3319154416339096
Harvest/Lot ID: 3319154416339096
Seed to sale: 1243319290566712

Expires: 11/09/27
Ordered: 11/09/26
Sampled: 11/09/26
Completed: 11/12/26

PASSED

Pesticide — PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
KRESOXIM-METHYL	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
MALATHION	1.128 g	25 ml	10 x	0.2	0.00887	0.0443	<0.00887	ppm		PASS
METALAXYL	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
METHIOCARB	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
METHOMYL	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
MEVINPHOS	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
MYCLOBUTANIL	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
NALED	1.128 g	25 ml	10 x	0.25	0.00887	0.0443	<0.00887	ppm		PASS
OXAMYL	1.128 g	25 ml	10 x	0.5	0.00887	0.0443	<0.00887	ppm		PASS
PACLOBUTRAZOL	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
PHOSMET	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
PIPERONYL BUTOXIDE	1.128 g	25 ml	10 x	3	0.0887	0.443	<0.0887	ppm		PASS
PRALLETHRIN	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
PROPICONAZOLE	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
PROPOXUR	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
PYRIDABEN	1.128 g	25 ml	10 x	0.2	0.00887	0.0443	<0.00887	ppm		PASS
SPIROMESIFEN	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
SPIROTETRAMAT	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
SPIROXAMINE	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
TEBUCONAZOLE	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
THIACLOPRID	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
THIAMETHOXAM	1.128 g	25 ml	10 x	0.5	0.00887	0.0443	<0.00887	ppm		PASS
TRIFLOXYSTROBIN	1.128 g	25 ml	10 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
PENTACHLORONITROBENZENE (PCNB)	1.128 g	25 ml	5 x	0.15	0.00887	0.0665	<0.00887	ppm		PASS
TOTAL CHLORDANE	1.128 g	25 ml	5 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
PARATHION-METHYL	1.128 g	25 ml	5 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
CAPTAN	1.128 g	25 ml	5 x	0.7	0.0621	0.310	<0.0621	ppm		PASS
CHLORFENAPYR	1.128 g	25 ml	5 x	0.1	0.00887	0.0443	<0.00887	ppm		PASS
CYFLUTHRIN	1.128 g	25 ml	5 x	0.5	0.0443	0.222	<0.0443	ppm		PASS
CYPERMETHRIN	1.128 g	25 ml	5 x	0.5	0.0443	0.222	<0.0443	ppm		PASS

Analyzed by: 4451, 3379, 5268
Extraction date: 11/10/26 11:24:17
Extracted by: 4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103609PES
Instrument Used : DA-LCMS-004 (PES)
Batch Date : 11/10/26 09:29:06
Analyzed Date : 11/10/26 17:14:00

Reagent : 110926.R02; 082426.12; 110426.R03; 111026.R04; 110926.R01; 092326.R12; 110426.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyzed by: 5072, 3379, 5268
Extraction date: 11/10/26 11:24:17
Extracted by: 4451

Analysis Method : SOP.T.30.151A.FL, SOP.T.40.151.FL
Analytical Batch : MI103611VOL
Instrument Used : DA-GCMS-010
Batch Date : 11/10/26 09:29:50
Analyzed Date : 11/10/26 18:44:00

Reagent : 110926.R02; 082426.12; 102626.R01; 110626.R15; 090426.R12
Consumables : 242011899; DMAX06D26S; 6002573-01; 20940102
Pipette : DA-065; DA-080; DA-146

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/12/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Granddaddy Prple (I)
Strain: Granddaddy Prple (I)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI61109003-002
Batch #: 3319154416339096
Harvest/Lot ID: 3319154416339096
Seed to sale: 1243319290566712

Expires: 11/09/27
Ordered: 11/09/26
Sampled: 11/09/26
Completed: 11/12/26

PASSED

Residual Solvents

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
1,1-DICHLOROETHENE	0.0265 g	1 ml	1 x	8	0.604	3.02	<0.604	ppm		PASS
1,2-DICHLOROETHANE	0.0265 g	1 ml	1 x	2	0.151	0.755	<0.151	ppm		PASS
2-PROPANOL	0.0265 g	1 ml	1 x	500	37.7	189	<37.7	ppm		PASS
ACETONE	0.0265 g	1 ml	1 x	750	56.6	283	<56.6	ppm		PASS
ACETONITRILE	0.0265 g	1 ml	1 x	60	4.53	22.6	<4.53	ppm		PASS
BENZENE	0.0265 g	1 ml	1 x	1	0.0755	0.377	<0.0755	ppm		PASS
BUTANES (N-BUTANE)	0.0265 g	1 ml	1 x	5000	377	1890	<377	ppm		PASS
CHLOROFORM	0.0265 g	1 ml	1 x	2	0.151	0.755	<0.151	ppm		PASS
DICHLOROMETHANE	0.0265 g	1 ml	1 x	125	9.43	47.2	<9.43	ppm		PASS
ETHANOL	0.0265 g	1 ml	1 x	5000	377	1890	<377	ppm		PASS
ETHYL ACETATE	0.0265 g	1 ml	1 x	400	30.2	151	<30.2	ppm		PASS
ETHYL ETHER	0.0265 g	1 ml	1 x	500	37.7	189	<37.7	ppm		PASS
ETHYLENE OXIDE	0.0265 g	1 ml	1 x	5	0.377	1.89	<0.377	ppm		PASS
HEPTANE	0.0265 g	1 ml	1 x	5000	377	1890	<377	ppm		PASS
METHANOL	0.0265 g	1 ml	1 x	250	18.9	94.3	<18.9	ppm		PASS
N-HEXANE	0.0265 g	1 ml	1 x	250	18.9	94.3	<18.9	ppm		PASS
PENTANES (N-PENTANE)	0.0265 g	1 ml	1 x	750	56.6	283	<56.6	ppm		PASS
PROPANE	0.0265 g	1 ml	1 x	5000	377	815	<377	ppm		PASS
TOLUENE	0.0265 g	1 ml	1 x	150	11.3	56.6	<11.3	ppm		PASS
TOTAL XYLENES	0.0265 g	1 ml	1 x	150	11.3	56.6	<11.3	ppm		PASS
TRICHLOROETHYLENE	0.0265 g	1 ml	1 x	25	1.89	9.43	<1.89	ppm		PASS

Analyzed by:
4444, 3379, 5268

Extraction date:
11/10/26 11:17:59

Extracted by:
4444

Analysis Method : SOP.T.40.041.FL
Analytical Batch : MI103617SOL
Instrument Used : DA-GCMS-013
Analyzed Date : 11/10/26 17:04:26

Batch Date : 11/10/26 11:11:39

Reagent : 061323.06; 110226.R04; 110226.R05; 110226.R06
Consumables : 433241; 349074
Pipette : DA-416 (25uL Syringe - 44286); DA-417 (25uL Syringe - 44287)

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
ASPERGILLUS FLAVUS	0.883 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS FUMIGATUS	0.883 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS NIGER	0.883 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ASPERGILLUS TERREUS	0.883 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
ECOLI - SHIGELLA	0.883 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
SALMONELLA SPECIFIC GENE	0.883 g	1 ml	10 x	NOT PRESENT IN 1g	1.00	1.00	Not Present	CFU/g		PASS
TOTAL YEAST AND MOLD	0.907 g	1 ml	10 x	100000	10.0	10.0	<10.0	CFU/g		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/12/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Granddaddy Prple (I)
Strain: Granddaddy Prple (I)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI61109003-002
Batch #: 3319154416339096
Harvest/Lot ID: 3319154416339096
Seed to sale: 1243319290566712

Expires: 11/09/27
Ordered: 11/09/26
Sampled: 11/09/26
Completed: 11/12/26

PASSED

Microbial

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 5008, 4892, 3379, 5268
Extraction date: 11/10/26 09:41:30
Extracted by: 4892

Analysis Method : SOP.T.40.056C
Analytical Batch : MI103606MIC
Instrument Used : DA-111 (PathogenDx Scanner),DA-010 (Thermocycler),DA-188 (36.5°C Incubator),DA-049 (95°C Heat Block),DA-402 (55°C Heat Block)
Batch Date : 11/10/26 07:50:06
Analyzed Date : 11/12/26 11:50:32

Reagent : 071526.11; 110226.R14; 092526.06; 101926.R36; 110926.R12; 090326.02
Consumables : 7506501249
Pipette : N/A

Microbial testing is performed utilizing PCR in accordance with F.S. Rule 64ER20-39.

Analyzed by: 5008, 4892, 3379, 5268
Extraction date: 11/10/26 09:38:58
Extracted by: 4892

Analysis Method : SOP.T.40.209.FL
Analytical Batch : MI103607TYM
Instrument Used : DA-096 (25°C Incubator),DA-420 (25°C Incubator)
Batch Date : 11/10/26 07:50:10
Analyzed Date : 11/12/26 14:13:44

Reagent : 030326.58; 030326.59; 102026.R17; 102026.R13
Consumables : N/A
Pipette : N/A

Total yeast and mold testing is performed using traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Mycotoxins

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL AFLATOXINS	1.128 g	25 ml	10 x	0.02	0.00177	0.00887	<0.00177	ppm		PASS
AFLATOXIN B1	1.128 g	25 ml	10 x	0.02	0.00177	0.00887	<0.00177	ppm		PASS
AFLATOXIN B2	1.128 g	25 ml	10 x	0.02	0.00177	0.00887	<0.00177	ppm		PASS
AFLATOXIN G1	1.128 g	25 ml	10 x	0.02	0.00177	0.00887	<0.00177	ppm		PASS
AFLATOXIN G2	1.128 g	25 ml	10 x	0.02	0.00177	0.00887	<0.00177	ppm		PASS
OCHRATOXIN A	1.128 g	25 ml	10 x	0.02	0.00177	0.00887	<0.00177	ppm		PASS

Analyzed by: 4451, 3379, 5268
Extraction date: 11/10/26 11:24:17
Extracted by: 4451

Analysis Method : SOP.T.30.102.FL, SOP.T.40.102.FL
Analytical Batch : MI103610MYC
Instrument Used : DA-LCMS-004 (MYC)
Batch Date : 11/10/26 09:29:45
Analyzed Date : 11/10/26 17:14:00

Reagent : 110926.R02; 082426.12; 110426.R03; 111026.R04; 110926.R01; 092326.R12; 110426.R01
Consumables : 242011899; DMAX06D26S; 6002573-01
Pipette : DA-092; DA-093; DA-094

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
WATER ACTIVITY	0.305 g			0.85	0.010	0.10	0.55	aw		PASS

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/12/26
Laboratory License #: 900013

3451 Commerce Parkway
Miramar, FL, 33025, US
(954) 368-7664

Kaycha Labs

Cresco Liquid Live Resin Cartridge 1g - Granddaddy Prple (I)
Strain: Granddaddy Prple (I)
Matrix: Derivative
Classification: Derivative Product Intended for Inhalation
Type: Live Resin

Certificate of Analysis

Sunnyside
22205 Sw Martin Hwy
indiantown, FL, 34956, US
www.sunnyside.shop
License # : M00008CULPROFASIndiantown001

Sample: MI61109003-002
Batch #: 3319154416339096
Harvest/Lot ID: 3319154416339096
Seed to sale: 1243319290566712

Expires: 11/09/27
Ordered: 11/09/26
Sampled: 11/09/26
Completed: 11/12/26

PASSED

Water Activity

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL

Analyzed by: 5412, 3379, 5268
Extraction date: 11/10/26 16:17:23
Extracted by: 5412

Analysis Method : SOP.T.40.019
Analytical Batch : MI103622WAT
Instrument Used : DA-257 (Hygrometer, Base Unit)
Batch Date : 11/10/26 14:09:26
Analyzed Date : 11/11/26 12:33:06

Reagent : 072926.01
Consumables : PS-14
Pipette : N/A

Heavy Metals

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
TOTAL CONTAMINANT LOAD METALS	0.2574 g	50 ml	1 x	5	0.0194	0.0971	<0.0194	ppm		PASS
ARSENIC	0.2574 g	50 ml	1 x	0.2	0.0194	0.0971	<0.0194	ppm		PASS
CADMIUM	0.2574 g	50 ml	1 x	0.2	0.0194	0.0971	<0.0194	ppm		PASS
LEAD	0.2574 g	50 ml	1 x	0.5	0.0486	0.243	<0.0486	ppm		PASS
MERCURY	0.2574 g	50 ml	1 x	0.2	0.0194	0.0971	<0.0194	ppm		PASS
NICKEL	0.2574 g	50 ml	1 x	0.5	0.0486	0.243	<0.0486	ppm		PASS
TIN	0.2574 g	50 ml	1 x	4	0.389	1.94	<0.389	ppm		PASS

Analyzed by: 1022, 3379, 5268
Extraction date: 11/10/26 10:36:35
Extracted by: 5413

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
Analytical Batch : MI103613HEA
Instrument Used : DA-ICPMS-005
Batch Date : 11/10/26 09:40:15
Analyzed Date : 11/10/26 19:51:00

Reagent : 101526.R04; 110626.R07; 102826.R19; 110226.R15; 110926.R15; 110926.R14; 110426.R29; 110426.01; 092826.R11; 032326.01
Consumables : DMAX06D26S; J640480-7643; 179436
Pipette : DA-191; DA-215; DA-435

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Filth/Foreign Material

PASSED

ANALYTES	WEIGHT	VOLUME	DILUTION	LIMIT	LOD	LOQ	RESULT	UNIT	QUALIFIER	PASS/FAIL
FILTH AND FOREIGN MATERIAL	1 g			1	0.100	0.500	<0.100	%		PASS

Analyzed by: 4571, 3379, 5268
Extraction date: 11/11/26 10:37:19
Extracted by: 4571

Analysis Method : SOP.T.40.090
Analytical Batch : MI103651FIL
Instrument Used : DA-027 (Filth/Foreign Material Microscope)
Batch Date : 11/11/26 10:34:58
Analyzed Date : 11/11/26 12:42:40

Reagent : N/A
Consumables : N/A
Pipette : N/A

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Analytical values detected between the Limit of Detection (LOD) and the Limit of Quantitation (LOQ) are reported with a "J" qualifier. Action Levels are State determined thresholds based on F.S. Rule 64-4.308 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-00013
ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature
11/12/26
Laboratory License #: 900013